

P or M over 30 gal.



**ACTIVE INGREDIENTS:**

Disodium cyanodithioimidocarbonate .....	2.44%
Potassium N-methyldithiocarbamate .....	3.36%
<b>INERT INGREDIENTS .....</b>	<b>94.20%</b>
<b>TOTAL.....</b>	<b>100.0 %</b>

This produce contains 0.5 lb. of active ingredients per gallon and weighs 8.6 lb. per gallon.

**KEEP OUT OF REACH OF CHILDREN**

**WARNING**

**PRECAUTIONARY STATEMENTS**  
**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**WARNING:** Causes eye damage and skin irritation. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

**FIRST AID:** In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, give patient doses of powdered charcoal immediately or all he can swallow of raw egg white, milk, gruel, or flour and water. Then induce vomiting with salt, soap, or mustard in warm water. Call a physician immediately.

**ENVIRONMENTAL HAZARDS:** This pesticide is toxic to fish. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with an NPDES permit. For guidance contact your Regional Office of the EPA.

**DIRECTIONS FOR USE**  
**GENERAL CLASSIFICATION**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

ALCO TOWER BIOCIDES #15 is used to control algae, bacteria, and fungi in recirculating commercial and industrial water cooling towers. Prior to its use, systems must be cleaned to remove algal growth, microbiological slime, and other deposits. An initial slug addition of 10.2 to 21.6 fluid ounces of ALCO TOWER BIOCIDES #15 per 1000 gallons of water is recommended. Repeat initial dosage until control is evident. Subsequent slug additions of 3.6 to 21.6 fluid ounces of ALCO TOWER BIOCIDES #15 per 1000 gallons of water should be employed every 1 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the microbiological problem. Slug additions should be made in the sump of water cooling towers.

**ACCEPTED**  
**18 OCT 1979**  
 UNDER THE FEDERAL INSECTICIDE  
 FUNGICIDE AND RODENTICIDE ACT  
 FOR ECONOMIC POISON REGISTRY  
 EPA ORDER NO. 8075-8

**STORAGE & DISPOSAL:** Keep container closed when not in use. Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. Pesticide, spray mixture, or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies. Reseal container and offer for reconditioning, or triple rinse (or equivalent) and offer for recycling, reconditioning, or disposal in approved landfill, or bury in a safe place. Consult Federal, State, or Local disposal authorities for approved alternative procedures.

Manufactured by:  
**ALLEN CHEMICAL COMPANY**  
 3235 N.W. 37th Street  
 Miami, Florida 33142

EPA REG. NO. 8075-8                      EPA EST. NO. 8075-FL-2

NET CONTENTS \_\_\_\_\_