

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive, may cause severe skin imitation or chemical burns to broken skin. Causes eye damage. May be fatal if swallowed, Avoid breathing vapors. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash hands after handling. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissipated.

ENVIRONMENTAL HAZARDS: This posticide is toxic to fish, keep out of lakes, streams or ponds. Treated effluent cannot be discharged into lakes, streams, ponds or public waters unless a discharge permit is obtained. For guidance, contact the regional office of the Environmental Protection Agency.

PHYSICAL AND CHEMICAL HAZARDS: STRONG OXIDIZING AGENT: Mix only with water according to label directions, Mixing this product with gross fifth such as feces, urine, etc., or with ammonia, acids, detergents or other chemicals will release hazardous gases irritating to eyes, lungs and mucous membranes

distributed by:

ALLEN CHEMICAL COMPANY 3235 N.W. 37 Street Miami, Florida 33142

EPA REG. NO. 8075-9

EPA EST. NO. 8075-FL-02

NET CONTENTS 5 GALLONS

DATE PACKAGED:

NOT FOR USE AFTER

SANI-CHLOR

SANI-CHLOR CHLORINATING SOLUTION

KEEP OUT OF REACH OF CHILDREN

DANGER

FIRST AID: If on skin, wash with plenty of soap and water, If in eyes, flush with water for at least 15 minutes. Get medical attention. If swallowed, drink large quantities of milk, or gelatin solution or, if these are not available, drink large quantities of water. Do not give vinegar or other acids. Do not induce vomiting. Get prompt medical attention.

38

DIRECTIONS F

It is a violation of federal law to use this with its labeling.

DIRECTIONS FOR SWIMMING For a new pool or for spring start-up, supe ozs.) of sant-chtor sodium hypochlorite water This dosage is equivalent to 5 pp

FOR POOL MAINTENANCE:

A) Adjust pool water pit to 7.6 7.2 ran
 Add manually or by a feeder device, sition at a rate to maintain an available
 One half plat (8 flu, ozs.) of sani-chic each 6000 gallons of water will proveight. Frequency of additions to chlorine will depend on temperature kit to make certain the pH and chlori

NOTE: This product degrades with age. dosage, as necessary, to obtain the req

STORAGE AND DISPOSAL: Store in a sunlight, in case of spill, flood area we empty container thoroughly with water a discard by placing in trash collection. Product or rinsate that cannot be used disposed of in a sanitary sewer. Do not a disposal or cleaning or equipment.

Y STATEMENTS IND DOMESTIC ANIMALS

e skin irritation or chemical burns to be fatal if swallowed. Avoid breathing pr on clothing. Wear goggles or face fling this product. Wash hands after as as soon as possible. Do not return

pesticide is toxic to fish, keep out of uent cannot be discharged into lakes, is a discharge permit is obtained. For ice of the Environmental Protection

DS: STRONG OXIDIZING AGENT: Mix pctions. Mixing this product with gross in ammonia, acids, detergents or other les irritating to eyes, lungs and mucous

juted by:

ICAL COMPANY 7. 37 Street oride 33142

EPA EST. NO. 8075-FL-02

ITS 5 GALLONS



(2)

SANI-CHLOR CHLORINATING SOLUTION

DANGER

FIRST AID: If on skin, wash with plenty of soap and water if in eyes, flush with water for at least 15 minutes. Get medical attention, if swallowed, drink large quantities of milk, or getatin solution or, if these are not available, drink large quantities of water. Do not give vinegar or other acids. Do not induce vomiting. Get prompt medical attention.

DIRECTIONS FOR USE GENERAL CLASSIFICATION

deneral CLASSIFICATION

It is a violation of federal law to use this product in a manner inconsistant with its labeling.

DIRECTIONS FOR SWIMMING POOL CHLORINATION
For a new pool or for spring start-up, superchlorinate with one (1) pint (16 flu, ozs.) of sani-chlor sodium hypochlorite solution for each 2500 gallons of water, This dosage is equivalent to 5 ppm available chlorine by weight,

FOR POOL MAINTENANCE:

A) Adjust pool water pH to 7.6 7.2 range and maintain.
 B) Add manually or by a feeder device, sani-chlor sodium hypochlorite solu-

i) Add manually or by a feeder device, sani-chlor sodium hypochlorite solution at a rate to maintain an available chlorine residual of 0.6 to 1.0 ppm. One half pint (8 flu. ozs.) of sani-chlor sodium hypochlorite solution for each 6000 gallons of water will provide 1.0 ppm available chlorine by weight. Frequency of additions to maintain 0.6 to 1.0 ppm available chlorine will depend on temperature and number of swimmers. Use test kit to make certain the pH and chlorine residual are in the proper range.

NOTE: This product degrades with age, Use a chtorine test kit and inc@ase* dosage, as necessary, to obtain the required level of available chlorine.

STORAGE AND DISPOSAL: Store in a cool, dry area away from direct sunlight. In case of spiil, flood area with large quantities of water. Rises, empty container thoroughly with water and either return to manufacturer or discard by placing in trash collection or burying in an approved land fill. Product or rinsate that cannot be used, should be dhuted with water and disposed of in a sanitary sewer. Do not contaminate food or feed by storage, disposal or cleaning or equipment.

39