


BLANK



CAUTION

KEEP OUT OF THE REACH OF CHILDREN. MAY BE HARMFUL IF SWALLOWED. SKIN AND EYE CONTACT MAY CAUSE SEVERE IRRITATION. AVOID CONTACT WITH SKIN AND EYES. IN CASE OF CONTACT FLUSH WITH PLENTY OF WATER. IF SWALLOWED — FEED MILK. CALL PHYSICIAN. DO NOT USE WITH OTHER HOUSEHOLD CHEMICALS SUCH AS AMMONIA OR BOWL CLEANERS.


DISTR. BY RED OWL STORES, INC.
HOPKINS, MINN. 55343

ACCEPTED
JUN


NET CONTENTS 1 GALLON

KEEP OUT OF REACH OF CHILDREN • SEE SIDE PANEL FOR ADDITIONAL CAUTIONS

BLEACH



KEEP OUT OF REACH OF CHILDREN
IF SWALLOWED OR SWALLOWED SKIN
CONTACT MAY CAUSE SEVERE
IRRITATION. AVOID CONTACT WITH SKIN
AND EYES. IN CASE OF CONTACT FLUSH
WITH PLentiful WATER. IF SWALLOWED
DO NOT INDUCE VOMITING. CALL PHYSICIAN. DO NOT
USE WITH OTHER HOUSEHOLD CHEMICALS
SUCH AS AMMONIA OR BOWL CLEANERS.



NET CONTENTS 1 GALLON

KEEP OUT OF REACH OF CHILDREN • SEE SIDE PANEL FOR ADDITIONAL CAUTIONS

FOR USE IN OFFICIAL MEAT AND POULTRY PROCESSING ESTABLISHMENTS - USDA APHIS

CADCO IODINE DDS is authorized under Animal and Plant Health Inspection Service poultry, meat, rabbit and egg products inspection programs. Food processing equipment and premises in official poultry and red meat establishments which have previously been cleaned, may be sanitized with one ounce of CADCO IODINE DDS in 5 gallons of water without the requirement of a final potable water rinse, following such use on adequately drained surfaces

Shoe bath sanitizer - Routine use of shoe baths will aid in reducing the spread of disease organisms between poultry houses and other livestock buildings. Add 4 ounces CADCO IODINE DDS to each 5 gallons of water and place in shallow plastic or stainless steel pans at all entrances to poultry and livestock buildings. Clean pans frequently and add fresh CADCO IODINE DDS solution.

Prefarrowing Flank and Udder Wash - Thoroughly wash udder, flank and perineal area of sows and gilts just before expected farrowing. Use 2 ounces of CADCO IODINE DDS in 5 gallons of lukewarm water.

NOTE

A distinct yellow or amber color of the CADCO IODINE DDS solution indicates the presence of active iodine. If color fades, prepare a fresh solution.

WARNING

Use only as directed. Harmful if swallowed. Avoid contact with skin and eyes. May cause skin irritation. Goggles should be worn when working with undiluted CADCO IODINE DDS to avoid eye injury. In case of skin contact flush with water. In case of eye contact flush with plenty of water for 15 minutes and get medical attention. Avoid breathing spray mist. Keep away from food and feedstuffs.

FIRST AID

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available drink large quantities of water. Call a physician.

Do not use hot water to prepare solutions. Keep in a cool place. Keep containers closed. Do not use soap or other cleaners. Do not reuse empty containers. Destroy containers by perforating or crushing and bury or discard in a safe place.

EPA EST. 1990 - IA. - 1

EPA REG. No. 8102-14

NET CONTENTS 1 GALLON (U.S.)

IODINE



ACTIVE INGREDIENTS

Alkyl (29% active) 29%
 (oxyethylene amine compound) 14.65%
 (Provides 1.7% available iodine)

Phosphoric Acid 5.0 %

INERT INGREDIENTS 80.35%

WARNING: KEEP OUT OF CHILDREN.

See First Aid and other precautions on side panel

Manufactured by

CADCO, INC. 10100 Douglas Avenue - P.O. Box 3599 - Des Moines, Iowa 50322

ACCEPTED

JUN 27 1974

UNDER THE FEDERAL INSECTICIDE
 FUNGICIDE AND RODENTICIDE ACT
 FOR ECONOMIC POISON REGISTERED
 UNDER NO. 8102-14 SUBJECT
 TO ATTACHED COMMENTS.

FILED

CADCO
 phor),
 rinse p
 require
 utensi

For cl
 floors,
 in 5 g
 applic
 set or

For m
 with c
 apart
 ounce
 and o
 and ai

For sa
 IODIN
 Drain

For b
 with l
 gallon
 ounce

For fl
 IODIN
 reuse
 solutio

For C
 Scrap
 contain
 least 2
 DDS i