

DIRECTIONS FOR USE IN SWIMMING POOLS:

For algae control use 1 gallon of ALGI-CURB 10% solution for each 50,000 gallons of pool water (1 ounce per 390 gallons of water). After first application, add 1 quart of ALGI-CURB 10% solution to each 50,000 gallons (1/4 ounce per 390 gallons) of water every 5 to 7 days, depending on the weather. During sunny and humid periods, more frequent additions may be required.

Pour the ALGI-CURB 10% solution into the water from various locations around the pool. ALGI-CURB 10% solution will distribute itself. The best results are obtained when pool is cleaned and filled with fresh water before using ALGI-CURB 10% solution.

Where algae is observed, add 4 gallons of ALGI-CURB 10% solution to each 50,000 gallons of pool water. Let stand over night. The precipitated algae should be removed by vacuuming, fresh water added to replace the water spent during cleaning and desedimentation and the pool again treated with ALGI-CURB 10% solution by the addition of 1 gallon to each 50,000 gallons of pool water. Then add 1 quart of ALGI-CURB 10% solution to each 50,000 gallons of water every 5 to 7 days.

ALGI-CURB in concentrations recommended for swimming pools will control algae and is intended to supplement, not replace, chlorination.

ALGI-CURB

SWIMMING POOL ALGICIDE
10% SOLUTION

ACTIVE INGREDIENT

Alkyl* dimethyl benzyl ammonium chlorides ----- 10%
*C12, C14, C16 and other related alkyl groups from C8 to C18

INERT INGREDIENT

Water ----- 90%

CAUTION KEEP OUT OF REACH OF CHILDREN

SEE RIGHT PANEL FOR
ADDITIONAL CAUTIONS

MFG. BY

SPITZER

CHEMICAL & POOL SUPPLY

36 FREDERICK ROAD
FUNKSTOWN, MARYLAND

EPA Reg. No 8118-1
REG. FENNA. LEFT. AGR.

ACC
March 1, 1973
UNIVERSITY OF MARYLAND
FERTILIZER
REGISTERED
EPA REG. NO. 8118-1
TO AGRICULTURE

CAUTION

DANGER: Keep Out of Reach of Children. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

"This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public water. Apply this product only as specified on this label."