

CORRY'S
SLUG & SNAIL
DEATH

Original ENGLISH FORMULA
NOT AFFECTED BY RAIN

CORRY'S

SLUG & SNAIL

DEATH

IDEAL
FOR
VEGETABLE
GARDENS



8119-

Orig

CUT AND
LIFT

Slugs and snails are two of our most destructive agricultural pests. Although their outward appearance is quite different they are essentially the same creature, except that the slug does not have the external shell of the snail.

Slugs and snails feed almost entirely at night, in the evening, or during dark days. They prefer moist, warm conditions and rarely venture from their hiding places during cold weather or during exceedingly dry or hot spells.

Slugs and snails hatch from eggs, laid in clusters, under debris, stones, or beneath the surface of the soil. Generally they will hatch out after 20 to 30 days of favorable weather conditions after which time they will continue to grow slowly, eating our most tender and succulent vegetation.

While these small slugs and snails are growing and eating they migrate toward better feeding and sheltering conditions. It is because of this migrating habit that it is impossible to completely eliminate the slug and snail problem. However, with the use of CORRY'S SLUG & SNAIL DEATH and a consistent baiting program, these pests can be reduced to where they no longer present a major threat to our gardens.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Store in a cool, dry place out of direct sunlight, in original container, and not accessible to children or pets. Avoid contamination of feed and foodstuffs. Do not reuse empty carton. Wrap carton and put in trash.

MANUFACTURED BY
E. M. MATSON, JR. CO.
7808 - 9th AVE. SO.
SEATTLE, WASHINGTON 98108

EPA REG. NO. 9110-1-AA

CO
SL
IDEAL
FOR
VEGETABLE
GARDENS

