۹ مر	Pm 19	8119-1			page 1 g 3
	verse before completing form. United States Environmental Protecti Washington, DC 20		Form Approved	Registratio	
Application for Pesticide - Section I					
1. Company/Product Number 8119-1			A Product Manager nis Edwards	2	3. Proposed Classification
4. Company/Product (Name) Corry's Slug &	Snail Death	PM#	· · · · · · · · · · · · · · · · · · ·		X None Restricted
5. Name and Address of App E. M. Matson, J 7808 - 8th Ave. Seattle, Washin	(b)(i) to:	•	nilar or identical	with FIFRA Section 3(c)(3) in composition and labeling	
Check if this	is a new address	Pro	duct Name _Co	rry's Slu	g & Snail Death
	and the second	*** Section			v milada, - mililita i ta unterime:
Amendment - Explain Resubmission in respo XX Notification - Explain t	onse to Agency letter dated		Final printed lab Agency letter da "Me Too" Appli Other - Explain I	cation.	and a second s
Explanation: Use additional page(s) if necessary. (For section I and Section II.) Addition of starburst on 12 lb. bag					
		Section	- 111		
1. Material This Product Will					
Child-Resistant Packaging Yes* X No	Unit Packaging Yes X	Water Solubl	e Packaging	P	ntainer Ietal Iastic Iass
* Certification must be submitted	If "Yes" No. per Unit Packaging wgt. container	lf "Yes" Package wgt	No. per container		aper ther (Specify)
3. Location of Net Contents Information 4. Size(s) Retail Container 5. Location of Label Directions X Label Container 1,21,3,5,8,10,12,15,18, 0n Labeling accompanying product					
6. Manner in Which Label is	Affixed to Product X Litho Pape Sten	graph r glued siled	Other		
Section - IV					
	items directly below for identificat	<u> </u>	o be contacted, if no		
Name David L. Grassm	an	Title Présiden	nt		ephone No. (include Area Code) 06-762-2066
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.					
2. Signature		3. Tide Presider	nt, 122 - 226 - 100 - 3	ىن ي ¹ ۆنىرى، ₁ 2بىق ئە	ar ya ciyaya ya <u>Babbiliti</u> Ar ya ciyaya ya <u>Babbiliti</u>
4. Typed Name,		5. Date			in the second seco
David L. Grassm	October	15, 1996	s	and the second	
EPA Form 8570-1 (Rev. 8-94) Provious editions are obsolets. White - EPA File Copy (original) Yellow - Applicant Copy					

36.2

<u>8</u>-

ITEM# 117369

.

273

NOT AFFECTED BY RAIN

_ .



Slugs and snails are two of our most destructive garden pests. Although their outward appearance is quite different, they are essentially the same creature, except that the slug does not have the external shell of the snail.

Slugs and snails feed almost entirely at night, in the evening, or during dark days. They prefer moist, warm conditions and rarely venture from their hiding places during cold weather or during exceedingly dry or hot spells.

Slugs and snails hatch from eggs, laid in clusters, under debris, stones, or beneath the surface of the soil. Generally they will hatch out after 20 to 30 days of favorable weather conditions after which time they will continue to grow slowly, eating our most tender and succulent vegetation.

While these small slugs and snails are growing and eating they migrate toward better feeding and sheltering conditions. It is because of this migrating habit that it is impossible to completely eliminate the slug and snail problem. However, with the use of CORRY'S SLUG & SNAIL DEATH and a consistent baiting program, these pests can be reduced to where they no longer present a major threat to our gardens.

GENERAL APPLICATIONS

CORRY'S SLUG AND SNAIL DEATH is so easy to use. Requires no mixing, spraying, or special applicators. Just scatter lightly on the soil surface in infasted areas. Apply heavier if infestation is severe. This product Is recommended for use in home and garden areas. This bait is extremely attractive to slugs and snalls and actually lures them from their hiding places and kills them. Reapply at least every two weeks - more often during heavy infestations or in areas heavity watered. All likely places should be treated as these pests travel. They favor damp places around vegetable plants, flower gardens, rockeries, hedges, dichordra lawns, ivy patches and other ground cover where they obtain shelter by day. For best results be sure area to be baited is damp. In very dry weather, water well before baiting.

***SPECIAL APPLICATIONS**

"If slugs and snails invading from adjacent properties are a menace, a pencil-thin line of CORRY'S SLUG AND SNAIL DEATH the entire length of the infested area will form a barrier and result in excellent control.

*CORRY'S SLUG AND SNAIL DEATH can be used to protect the following fruit and vegetable plants. Apply only to soil surface. Do not apply to the foliage or edible parts of the plant. Protect asparagus, beans, cabbage, carrots, celery, cucumbers, lettuce, meions, onions, peas, peppers, potatoes, radishes, spinach, squash, tomatoes, turnips, apples, avocados, blackberries, cherries, citrus, grapes, peaches, plums, and strawberries.

Use approximately one pound per 1750 square feet.

E

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL: Store in cool, dry, locked location out of direct sunlight, in original container, and not accessible to children or pets. Avoid contamination of feed and foodstuffs. Do not reuse bag. Discard bag in trash. Securely wrap original container in several layers of newspaper and discard in trash.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: May be harmful if swallowed. Avoid breathing dust. Avoid contact with skin, eyes, or clothing. Wash thoroughly after use. Keep out of reach of children and domestic animals. This pesticide may be fatal to dogs or other pets if eaten. Keep pets out of treated area.

IMPORTANT: Keep away from children, dogs and pets. Balt may be attractive to dogs. Confine pets during application to prevent them from believing they are being fed. Use and store under conditions where there will not be a hazard.

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Call a physician or poison control center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. If on skin: Wash thoroughly with soap and water. If In eyes: Flush with plenty of water.

ENVIRONMENTAL HAZARDS

For terrestrial uses, do not apply directly to water, or to areas where surface water is α present or to intertidal areas below the mean high water mark. Do not contaminate water

when disposing of	equipment washwaters.	
ις το ς της ς της	Manufactured by E.M. MATSON, JR. CO., IN 7808-8th AVE, SO. • SEATTLE, WASHIN	
COPYRIGHT® 19	994 E.M. MATSON, JR. CO., INC.	EPA REG. NO. 8119-1 EPA EST. NO. 8119-WA-1
· · · ·		
ες ε (1	