8119-1

ACCEPTED

FEB | 3 2002 Under the Pedecal Insecticide, dide, and Rodenticide Act d, for the pesticide

ENGLISH FORMULA

PRECAUTIONARY STATEMENTS KAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: May be harmful if swallowed. Avoid breathing dust. Avoid contact with skin, eyes, or clothing. Wash thoroughly after use. Keep out of reach of children and domestic animals. This pesticide may be fatal to dogs or other pets if eaten. Keep oets out of treated area.

IMPORTANT: Keep away from children, dogs and pets. Bait may be attractive to dogs. Confine pets during application to prevent them from believing they are being fed. Use and store under conditions where there will not be a hazard

FIRST AID

If swallowed:

- *Call poison control center or doctor immediately for treatment advice
- Have person sip a glass of water it able to
- Po pot induce vomiting unless told to do so a poison control center or doctor. of give anything by mouth to an unconscious person.

- *Hold eye open and rinse slowly and gently with water for 15 - 20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye Call a poison control center or doctor for treatment advice.

If on skin or clothing:

- Take off contaminated clothing
- *Rinse skin immediately with plenty of water for 15 - 20 minutes
- 'Call a poison control center or doctor for treatment advice.

- *Move person to fresh air.
- "If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible Call a poison control center or doctor for further treatment advice.

HOT LINE NUMBER

a the product container or label with you When calling a poison control center or doctor, or going for treatment. For information on this pesticide product (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Telecommunications Network at 1-800-858-7378.

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry, locked loca-tion out of direct sunlight, in original container, and not accessible to children or pets. Avoid contamination of feed and foodstuffs. **DISPOSAL: If empty:** Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

Manufactured by E.M. Matson, Jr. Co., Inc. P.O. Box 1820 North Bend, WA 98045 EPA Reg. No. 8119-1 EPA Est. No. 8119-WA-1 @10/2001 E.M. Matson, Jr. Co., Inc. Made in U.S.A.



KEEP OUT OF REACH OF CHILDREN

CAUTION: THIS PESTICIDE MAY BE FATAL TO DOGS OR OTHER PETS IF EATEN. KEEP PETS OUT OF TREATED AREA. SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS. NET WT. 2 LBS. 4 OZ. (1.02 kg)

Active ingredient Metaldehyde (2, 4, 6, 8-tetramethyl-1, 3, 5, 7-tetraoxycyclo-octane)......2% Other ingredients.....98%

SLUG&SNAIL DEATH

CUT AND LIFT

Slugs and snalls are two of our most destructive garden pests. Although their outward appearance is quite different they are essentialby the same creature, except that the slug does not have the excernal shell of the snall.

Slugs and should feed almost entirely at hight, in the evening, or during dark days. They prefer moist, warm conditions and rarely venture from their hiding paces during cold weather or during exceedingly dry or hot spets.

Slugs and snalls hatch from eggs, laid in clusters, under debris, stones, or beneath the surface of the soil. Generally they will hatch out after 20 to 30 days of tavorable weather conditions after which time they will continue to grow slowly, eating our most tender and succulent vegetation.

While these small slugs and snalls are growing and eating they migrate toward better teeding and sheltering conditions. It is because of this migrating habit that it is impossible to completely eliminate the slug and snall problem. However, with the use of CORRY'S SLUG & SNAIL DEATH and a consistent baiting program, these pests can be reduced to where they no longer present a major threat to our gardens.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

GENERAL APPLICATIONS

CORRY'S SLUG AND SNAIL DEATH is so easy to use. Requires no mixing, spraying, or special applicators, Just scatter lightly on the soil surface in infested areas. Apply heavier if infestation is severe. This product is for use in home and garden areas. This bait is extremely attractive to stugs and snais and actually lures them from their hiding places and laits them. Reapply at least every two weeks — more often during heavy infestations or in areas heavily watered. All likely places should be treated as these pests travel. They favor damp places around vegetable plants, flower gardens, rockeries, hedges, dichondra tawns, My patches, and other ground cover where they obtain shetter by day. For best results be sure area to be baited is damp. In very dry weather, water well before baiting. Use approximately one pound per 2000 square feet.

*SPECIAL APPLICATIONS

"If slugs and snais invading from adjacent properties are a menace, a pencil-thin line of CORRY'S SLUG & SNAIL DEATH the entire length of the infested area will form a barrier and result in excellent control.

and result in excellent control.

'CORRY'S SLUG AND SNAIL DEATH can be used to protect the following fruit and vegetable plants. Apply only to soil surface. Do not apply to the foliage or edible parts of the plant. Protect asparagus, beans, cabbage, carrots, celery, cucumbers, lettuce, melons, onions, peas, peppers, polatoes, radishes, spinach, squash, tomatoes, turnips, apples, avocados, blackberries, cherries, citrus, grapes, peaches, plums, and strawberries.

ENVIRONMENTAL HAZARDS

For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.



KEEP OUT OF REACH OF CHILDREN

CAUTION: THIS PESTICIDE MAY BE FATAL TO DOGS OR OTHER PETS IF EATEN, KEEP PETS OUT OF TREATED AREA. SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

NET WT. 2 LBS. 4 OZ. (1.02 kg)

Active ingredient
Metaldehyde (2, 4, 6, 8-tetramethyl1, 3, 5, 7-tetraoxycyclo-octane)......2%
Other ingredients......98%



