



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

June 20, 2017

Rebecca M. Horton
Consultant/Agent for MATSON LLC
Registrations by Design, Inc.
P.O. Box 1019
Salem, VA 24153

Subject: Label Amendment – Adding optional marketing statements and use sites/use rates
Product Name: Corry's Slug & Snail Death
EPA Registration Number: 8119-1
Application Date: 3/7/2017
Decision Number: 527328

Dear Ms. Horton:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.


Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance

Page 2 of 2
EPA Reg. No. 8119-1
Decision No. 527328

with FIFRA section 6. If you have any questions, please contact Marianne Lewis by phone at (703) 308-8043 or via email at lewis.marianne@epa.gov.

Sincerely,

A handwritten signature in black ink that reads "Marianne Lewis" with a small "fr" written below the name.

Venus Eagle, Product Manager 01
Invertebrate & Vertebrate Branch 3
Registration Division (7505P)
Office of Pesticide Programs

Enclosure

ACCEPTED

06/20/2017

Under the Federal Insecticide, Fungicide
and Rodenticide Act as amended, for the
pesticide registered under
EPA Reg. No. 8119-1

CORRY'S® SLUG & SNAIL DEATH

[Optional Marketing Statements]

Original English Formula

Used for over 45 years

Guaranteed to work*

(*or your money back)

One last meal for slugs and snails®

Stop[s] slugs & snails in their tracks

Kills [slugs] [&] [snails], not plants*

(*when used as directed)

No-nonsense slug & snail control

Take back your garden from slugs & snails

Not Affected By Rain

[Remains] effective after rain [or] [sprinkling] [irrigation]

Keeps working, even after rain

Ideal for Use Around Listed Fruit and Vegetables

Easy Application Container

Ready to Use Formula

Protects Listed Fruit, Vegetable and Ornamental Gardens

Protects listed fruit, vegetable and ornamental gardens [from destructive slugs and snails]

Apply [pellets] as a barrier around listed plants

Easy To Use Meal Formula

One Application Protects Plants Up to 2 Weeks

Can Be Used Around Listed Fruit and Vegetable Plants – See back/side panel(s) for use sites and application directions

Can Be Used Around Listed Fruit, Vegetable and Ornamental Plants –see back/side panel(s) for use sites and application directions

META® “The Molluscicide”

Fast, Effective Control of Slugs and Snails

Fast-acting [formula]

Works fast & lasts up to 2 weeks

Attracts and Kills Slugs and Snails

Lures slugs and snails out of [their] hiding places [to kill them]

Results you can see

See dead snails

See empty shells

Visible results

Reliable protection from slug & snail damage

Contains Bitrex®

Contains denatonium benzoate

Use this product around listed fruit and vegetable gardens, and ornamentals– See back/side panel(s) for use sites and application directions

Apply around hiding places: Listed fruit and vegetable gardens, and ornamentals

One pound covers [treats] 1,500 linear feet

Effective up to 4 weeks (based on 2 month half-life)

Works fast & remains effective up to 4 weeks

[Final label may include graphic representation of labeled use – e.g. – slugs and snails and proper methods of application around plants]

ACTIVE INGREDIENT:

Metaldehyde (2,4,6,8-tetramethyl-1,3,5,7-tetraoxycyclo-octane).....2%

OTHER INGREDIENTS: 98%

TOTAL:.....100%

KEEP OUT OF REACH OF CHILDREN AND DOMESTIC ANIMALS

CAUTION

This pesticide may be harmful to children and fatal to domestic animals if ingested. Exclude children and pets from treated areas until the applied product is no longer visible. For additional precautionary measures, see “Directions for Use” and “Storage and Disposal”



Net Weight 2 LB (908 g) / 3LB (1.36 kg) / 4 LB (1.81 kg) / 7 LB (3.17 kg) / 9 LB (4.08 kg) / 12 LB (5.44 kg) / 14 LB (6.35 kg) / 15 LB (6.8 kg) / 18 LB (8.16 kg)

[Back/Side/Other Panel(s)]

FIRST AID
If on skin or clothing: <ul style="list-style-type: none">· Take off contaminated clothing.· Rinse skin immediately with plenty of water for 15 – 20 minutes.· Call a poison control center or doctor for treatment advice.
If inhaled: <ul style="list-style-type: none">· Move person to fresh air.· If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.· Call a poison control center or doctor for further treatment advice.
If swallowed: <ul style="list-style-type: none">· Call poison control center or doctor immediately for treatment advice.· Have person sip a glass of water if able to swallow.· Do not induce vomiting unless told to by the poison control center or doctor.· Do not give anything by mouth to an unconscious person.
If in eyes: <ul style="list-style-type: none">· Hold eye open and rinse slowly and gently with water for 15 – 20 minutes.· Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.· Call a poison control center or doctor for treatment advice.
POISONING HOTLINE
Seek medical care as soon as possible after exposure. For incidents involving animals, seek veterinary care as soon as possible after exposure. Have the product container or label with you when you call a poison control center or doctor or veterinarian, or when going for treatment. For information on this pesticide product (including health concerns, medical emergencies, treatment advice, or pesticide incidents), call PROSAR at 1-800-308-3723.
Metaldehyde is a systemic toxin. There is no antidote. The following instructions are not intended for laypeople. There is no home treatment. Exposed individuals and animals should receive emergency care as quickly as possible.
NOTE TO PHYSICIAN: Dust inhalation is usual route of accidental exposure; the product is rarely ingested. Treatment is symptomatic and supportive. Monitor severe exposures closely: seizures, electrolyte imbalances, acidosis, dehydration, and increased body temperature have been reported. NOTE TO VETERINARIAN: Animals typically are exposed via ingestion. Treatment is symptomatic and supportive. If significant ingestion suspected and the animal is asymptomatic, consider induction of emesis or gastric lavage and administration of activated charcoal, cathartic and enema to limit absorption. Monitor asymptomatic and symptomatic animals closely. Treat seizures, electrolyte imbalances, acidosis, dehydration, and increased body temperature. Monitor liver function post recovery.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if absorbed through skin. Harmful if inhaled. Harmful if swallowed. Causes moderate eye irritation. Avoid breathing dust. Avoid contact with skin, eyes, or clothing. Wash thoroughly after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

IMPORTANT: This product may be harmful to children and fatal to domestic animals if ingested. Children and dogs may be attracted to metaldehyde products and their packaging. Keep children and pets out of treated areas from the start of application until the applied product is no longer visible.

ENVIRONMENTAL HAZARDS

This product is toxic to mollusks (e.g., clams, oysters, scallops, mussels). Do not apply product near water (including garden ponds) or storm drains. Do not apply if heavy rain is expected. Apply this product only around gardens and ornamental plants. This pesticide is toxic to birds and mammals. Collect and remove any product that is spilled.

Product Usage – See “Directions for Use” for specific advice

This product – Kills Slugs and Snails

Where to Use – Around listed fruit, vegetable and ornamental plants.

How to Use – Apply as directed around individual plants, between rows of plants or as barrier treatment

Slugs and snails are two of our most destructive garden pests. These creatures feed almost entirely at night, in the evening or during dark days. They prefer moist, warm conditions and rarely venture from their hiding places during cold weather or during exceedingly dry or hot spells. Slugs live near decaying plants, mulch, weeds and yard waste. Slugs also choose moist areas that are created when plants receive watering or rain in the late afternoon. They hatch from eggs, laid in clusters, generally after 20 to 30 days of favorable weather conditions after which time they will continue to grow slowly, eating our most tender and succulent vegetation. While these small slugs and snails are growing and eating, they migrate towards better feeding and sheltering conditions. It is because of this migrating habit that it is impossible to completely eliminate the slug and snail problem. However, with the use of **Corry's® Slug & Snail Death**, these pests can be reduced to where they no longer present a major threat to our gardens.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes.

Precautions and Restrictions

Keep people and pets out of the area during application. This pesticide may be harmful to children and fatal to dogs and other domestic animals if ingested. Children and dogs may be attracted to metaldehyde products, both in the package and when applied. Children and domestic animals must be kept out of treated areas from the start of application until the applied product is no longer visible. Application of this metaldehyde product is prohibited unless children and domestic animals can be excluded from the treated areas from the start of application until the applied product is no longer visible. Avoid applying product in piles that may attract pets. Do not reuse measuring utensils for food use. Applications around beets, rutabagas and turnips are allowed only in Oregon, Washington and Idaho.

Applications to turf and dichondra are prohibited. Application is permitted only to non-turf areas (e.g., on soil or mulch) directly surrounding plants listed on the label. Broadcast and foliar applications of this product are

prohibited. **Application is permitted only as a barrier around gardens or individual plants. Application is prohibited within one foot of vegetable plants or fruit-bearing plants not listed on this label.**

Certain cultural practices may reduce damage from snails and slugs. These practices include:
 --eliminating hiding places by removing leaf litter and debris in the garden;
 --removing slugs and snails during daylight hours from nearby leaf litter, mulch, and other protected areas;
 --watering in the morning to reduce humidity during the night when snails and slugs are active.

TO APPLY: This product is for outdoor use only. **Corry's® Slug & Snail Death** is so easy to use. This product requires no mixing, spraying or special applicators. Just apply to the soil surface in infested areas as indicated in the Product Application Chart [and the graphics presented below].

[optional graphic(s) representing correct product application around listed plants]



If slugs and snails are invading from adjacent properties, placing a line the entire length of the infested area will form a barrier resulting in excellent control. This bait is extremely attractive to slugs and snails and actually lures them from their hiding places and kills them. All listed sites should be treated as these pests migrate. They favor damp places around listed fruit, vegetable and ornamental plants where they can obtain shelter by day. Preferred baiting time is in the evening and/or after rain or watering, as these pests are most active during the nighttime hours and during damp conditions.

Corry's Slug & Snail Death can be used to protect the listed fruit, vegetable and ornamental plants. Apply only to the soil surface. Do not apply to the foliage or edible parts of the plant. Apply this product evenly around individual plants, between rows of plants or as a barrier treatment around plants that you wish to protect. Apply product as specified in the Product Application Chart below [on this label].

Crops (Preharvest Interval)	Maximum Pellets per Linear Foot	Minimum Retreatment Interval (days)	Maximum Applications per Season	Maximum Applications per Year
Artichoke – perennial (0 days) -- annual (0 days)	25 25	18 18	6 2	12 4
Beet* - garden, garden leaves (30 days) *For use only in Oregon, Washington & Idaho	25	14	2	2
Berries: <u>Caneberries</u> (bingleberry, black raspberry, blackberry, boysenberry, dewberry, loganberry, lowberry, marionberry, olallieberry, red raspberry, wild raspberry, youngberry), <u>Bushberries</u> (aronia berry, blueberry, buffalo currant, Chilean guava, black currant, red currant, elderberry, European barberry, gooseberry, cranberry, honeysuckle, huckleberry, jostaberry, juneberry, lingonberry, salal, sea buckthorn), <u>Berry-low growing</u> (bearberry, bilberry, blueberry, cloudberry, muntries, partridgeberry) (0 days)	23	14	3	3
Citrus (0 days)	25	14	6	6
Celery, Rhubarb, Swiss Chard, Chinese Celery, Celtuce, Cardoon, Florence Fennel (1 day)	25	21	4	8
Corn – field & sweet (Applications must be	25	7	4	4

completed no later than flag stage)				
Ginseng (21 days)	25	21	6	6
Lettuce, Cole Crops and the following Leafy Greens: broccoli, Brussels sprouts, cabbage, cauliflower, cavalo, broccolo, collards, kale, kohlrabi, mizuna, mustard greens, rape greens, spinach (0 days)	25	14	3	6
Mint – Peppermint, Spearmint & their oils (1 day)	25	21	4	4
Peas, Beans (Pre-bloom application only)	25	7	3	6
Prickly Pear Cactus (0 days)	23	30	3	3
Rutabaga* (40 days) *For use only in Oregon, Washington & Idaho	25	14	2	4
Strawberries (0 days)	25	14	3	6
Tomatoes (0 days)	25	14	3	6
Turnips* (20 days) *For use only in Oregon, Washington & Idaho	25	14	2	4
Ornamentals (0 days)	25	21	6	6

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

PESTICIDE STORAGE: This product can be harmful to children and fatal to domestic animals if ingested. Dogs have been known to ingest metaldehyde after opening or tearing packaging. Store this product in its original packaging, in a cool, secure location, and out of reach of children and pets.

PESTICIDE DISPOSAL: If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER DISPOSAL: If empty: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

[Optional Disclaimer]

NOTICE: To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. To the extent consistent with applicable law, buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

Mfd by: **Matson, LLC**
P.O. Box 1820
North Bend, WA 98045

www.protectyourgarden.com
www.metaworksbest.com

[Lot no. to be added at production.]

[Optional]

For more information, please visit our website at (insert website address)

If you apply Corry's® Slug & Snail Death as directed and are not completely satisfied, send proof of purchase from this package and the original cash register receipt to the address below [on this package]. We will refund the purchase price you paid.

Corry's is a registered trademark of Matson, LLC.

META® is a registered trademark of Lonza, Ltd. and the right to use the META mark has been granted to Matson, LLC by Lonza, Inc.

Bitrex® is a registered trademark of Macfarlan Smith.