

MAY 21 1987

Mr. David L. Grossman
E.M. Matson, Jr. Company, Inc.
7808 8th Avenue South
Seattle, WA 98108

Dear Mr. Grossman:

Subject: Corry's Liquid Slug & Snail Control
EPA Registration No. 8119-2
Your Application Dated March 3, 1987

The amendment referred to above, submitted in connection with registration under section 3(c)(7)(A) of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), is acceptable provided that you:

1. Submit/cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Submit five (5) copies of your final printed labeling before you release the product for shipment

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

Dennis Edwards
Acting Product Manager (12)
Insecticide-Rodenticide Branch
Registration Division (TS-767C)

Enclosure

85127:I:Edwards:E-8:KENCO:5/8/87:5/15/87:kim:VO:JH:kim

CONCURRENCES

SYMBOL	ORIGINATOR							
SURNAME								
DATE								

OFFICIAL FILE COPY.

READY TO USE FORMULA



SLUG & SNAIL CONTROL

CAUTION: KEEP OUT OF REACH OF CHILDREN. THIS PESTICIDE MAY BE FATAL TO DOGS OR OTHER PETS IF EATEN. KEEP PETS OUT OF TREATED AREA. SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

Active Ingredient: Metaldehyde	4%
Inert Ingredients:	96%


NET CONTENTS 1 QT. (32 FL. OZ.)

REGISTERED
with COMMENTS
in EPA Label Patch

MAY 21 1997

1 to article.
page 1

311



Cerry's Liquid Slug & Snail Control is a new, convenient, ready-to-use liquid bait. It is extremely effective in attracting and killing both large and small slugs and snails. Easy to use, quick, clean and economical Cerry's Liquid Slug & Snail Control resists rain and sprinkling and will remain effective in the garden for many days.

DIRECTIONS FOR USE: It is a violation of federal law to use the product in a manner inconsistent with its labeling.

TO APPLY: Raise spout and squeeze drops of bait 4-6 inches apart on soil in infested areas. All likely places should be treated as these pests travel. Slugs and snails favor damp places around vegetables, berries, ornamental plants, dichondra lawn, rockeries, greenhouses, compost heaps, ivy patches and other ground covers where they obtain shelter by day.

Normally apply bait every two weeks until infestation is under control. Heavy or prolonged rains will usually increase infestation and shorten effective period of bait. Use more frequently under these conditions. Use approximately one quart per 450 square feet.

Slugs and snails feed almost entirely at night, in the evening, or during dark days. They prefer moist, warm conditions and rarely are active during inclemently cold, hot or dry weather. Consider above when baiting. Preferred baiting time is in the evening and after warm rains.

***SPECIAL SITUATIONS:** If slugs and snails are invading from adjacent properties squeeze line of drops of Cerry's Liquid Slug & Snail Control along perimeter for insects' control.

Cerry's Liquid Slug & Snail Control can be used to protect the following fruit and vegetable plants. Apply to soil around plants and between rows. Do not apply to foliage or edible parts of crop. Protect asparagus, beans, cabbage, carrots, celery, cucumbers, lettuce, melons, onions, peas, peppers, potatoes, radishes, sorrel, squash, tomatoes, turnips, apples, avocados, blackberries, cherries, citrus, grapes, peaches, plums, and strawberries.

TIPS: When dispensing bait, occasionally tip bottle upright to be refilled with air. When bottle is almost empty add three tablespoons of water, shake vigorously, then continue to apply. If spout becomes clogged, lift spout and clear with toothpick.

STORAGE: Store in original bottle, out of direct sunlight, in a cool, locked location. Avoid contamination of feed and foodstuffs.

DISPOSAL: Partially filled bottle may be disposed of by securely wrapping in several layers of newspaper and discard in trash. Do not reuse empty bottle. Wash bottle and put in trash.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION: May be harmful if swallowed. Avoid breathing vapor. Avoid contact with skin, eyes, or clothing. Wash thoroughly after use. Keep out of reach of children and domestic animals. Do not allow children or pets to contact treated areas until they are dry. Do not apply to foliage or other plant parts.

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Call a physician or poison control center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. If on skin: Wash thoroughly with soap and water. If in eyes: Flush with plenty of water.

ENVIRONMENTAL HAZARDS

This product is toxic to birds and wildlife. Do not apply directly to water. Do not contaminate water by disposal of wastes.

Mfd. by: E. M. MATSON, JR. CO., INC.
7808 - 8th AVE. SOUTH
SEATTLE, WASHINGTON 98101

EPA Reg. No. 8119-2
EPA Est. No.
Made in U.S.A.