

PM 19 8119-3

Corry's Liquid Slug, Snail & Insect Killer is a convenient, ready-to-use liquid bait. It is extremely effective in the control of slugs, snails, earwigs, sowbugs, cutworms, crickets, grasshoppers, ants, armyworms, millipedes, pillbugs, and darkling beetles. Easy to use, quick, clean, and economical. Corry's Liquid Slug, Snail & Insect Killer resists rain and sprinkling and remains effective in the garden for many days.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Apply when air is calm to avoid drift and contact with eyes and skin. Start applying at the farthest corner of the treatment area and work backward to avoid contact with wet surfaces. Allow product to dry in treated areas before reentering. Do not repeat applications more than once a week.

TO APPLY: Place spout and squeeze drops of bait 4-6 inches apart on soil in area to be treated. This product is for use in home and garden areas. This bait is extremely attractive to slugs, snails and other listed insects and will lure them from their hiding places. All likely places should be treated as slugs, snails, and other listed insects travel. They favor damp, well shaded locations where they can obtain shelter by day. Be sure area to be treated is damp. In dry weather water area well before applying bait. Preferred baiting time is in the evening as these pests feed mainly at night. Normally apply bait every two weeks until infestation is under control. Heavy or prolonged rain can shorten effective period of bait. Use more frequently under these conditions. Use approximately 24 oz per 4620 square feet.

***SPECIAL SITUATIONS:** If slugs, snails and other listed insects are invading from adjacent properties, a pencil-thin line the entire length of the infested area will form a barrier and result in excellent control.

*Corry's Liquid Slug, Snail & Insect Killer can be used to protect home ornamental plants, flower gardens, dichondra and home turf lawns, and fruit and vegetable plants. When protecting fruit and vegetable plants, treat area around plants and between rows. Do not apply to foliage or edible parts of plants. Protect the following fruit and vegetable plants: asparagus, beans, cabbage, carrots, celery, cucumbers, lettuce, melons, peas, peppers, potatoes, radishes, spinach, squash, tomatoes, turnips, apples, blackberries, cherries, citrus, grapes, peaches, plums, and strawberries.

TIPS: When dispensing bait, occasionally tip bottle upright to be refilled with air. When bottle is almost empty, add three tablespoons of water, shake vigorously, then continue to apply. If spout becomes clogged, lift spout and clean with toothpick.

STORAGE: Store in original bottle, in a cool, locked location protected from direct sunlight and freezing temperatures. Avoid contamination of feed and foodstuffs.

DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash. Do not reuse bottle. Rinse thoroughly before discarding in trash.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes eye irritation. May be harmful if swallowed. Avoid breathing vapor. Avoid contact with skin, eyes, or clothing. Wash thoroughly after use. Keep out of reach of children and domestic animals. Do not allow children or pets to contact treated areas. This pesticide may be fatal to dogs or other pets if eaten. Keep pets out of treated area. Do not apply to foliage or other plant parts.

USER SAFETY REQUIREMENTS

Wear long-sleeved shirt, long pants, shoes plus socks and household latex or rubber gloves when applying this product. Remove clothing immediately if pesticide soaks clothing. Change clothing as soon as possible after use. Wash the outside of gloves before removing. As with any pesticide product, wash hands thoroughly immediately after handling and before eating, smoking or using the toilet. Do not allow children or pets to contact treated area until product has dried.

STATEMENT OF PRACTICAL TREATMENT.

If swallowed: Call a physician or poison control center. Drink 2 to 3 glasses of water and induce vomiting by touching the back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. If on skin: Wash thoroughly with soap and water. If in eyes: Flush with plenty of fresh water. NOTE TO PHYSICIANS: Carbaryl is a moderate, reversible cholinesterase inhibitor. Atropine is antidotal.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic and estuarine invertebrates. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

Mfd. by: E.M. MATSON, JR. CO., INC © 1987
P.O. BOX 1820
NORTH BEND, WASHINGTON 98045

PRINTED IN THE U.S.A.



EPA Reg. No. #119-3
EPA Est. No. 1781-CW-1
U.S. PATENT NO. 5,017,620
MADE IN CANADA

ACCEPTED

NOV 13 1996

Federal Insecticide, Fungicide and Rodenticide Act.
This product contains a pesticide.
Labeled for restricted use.
Exempt from state registration.

8119-3

BEST AVAILABLE COPY

REC'D UTAH 11/19/DPD
NOV -7 96.

