2 US ENVIRONMENTAL PROTECTION	GENCY	EPA REGISTRATION NO.	DATE OF ISSUANCE
OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (75-767) WASHINGTON, DC 20460	RAMS	8119-4 TERM OF ISSUANCE	September 22,1188
	)	Infil Ke u	gestration
NOTICE OF PESTICIDE:			v Snail Killer
(Under the Federal Insecticide and Rodenticide Act, as an			
AME AND ADDRESS OF REGISTRANT (In	clude ZIP code)		
Г		Т	
D.D. Matson, Jr 7803 -th Avenue Seattle, Na →	souta	с.	
L		L	
NOTE: Changes in labeling formula dif submitted to and accepted by the Regis product always refer to the above U.S.	stration Division pric	or to use of the label in com	tion with this registration must be merce. In any correspondence on this
On the basis of information furnished b the Federal Insecticide, Fungicide, an		above named pesticide is h	ereby Registered/Reregistered under
A copy of the labeling accepted in con	nection with this Re	gistration/Reregistration is	returned herewith.
Act is not to be construed as giving th by others. This product is consection 3(c)(7)(λ) prove	Mutionally re	Gistered in accord	
1. Submit/cite all of your product under F registrants of similar p	IFRA section 3	-	-
2. Hake the label: for shi <sub>t</sub> ment:	ing changes li	sted below before y	you release the product
a. Add the phi	case "EPA Regi	stration No. 8119-4	· "
b. In your En	vironmental Ha		d "Do not contaminate
b. In your En water by cl	vironmental Ha Leaning of equ ge stability s	izards paragraph, ac iipment washwaters.' study must be submi	d "Do not contaminate tted for this product
b. In your Env water by c 3. A 1-year storad within 15 months from th	vironmental Ha leaning of equ ge stability s ne date of thi ) copies of yo shipment. Re	izards paragraph, ad ipment washwaters." study must be submi is Registration Not our final printed la efer to-the A-79 end	d "Do not contaminate tted for this product ice. abeling before you
<ul> <li>b. In your Environment</li> <li>3. A 1-year stored</li> <li>within 15 months from the</li> <li>4. Submit five (5 release the product for</li> </ul>	vironmental Ha leaning of equ ge stability s ne date of thi ) copies of yo shipment. Re	izards paragraph, ad ipment washwaters." study must be submi is Registration Not our final printed la efer to-the A-79 end	d "Do not contaminate tted for this product ice. abeling before you
<ul> <li>b. In your Environment of the second secon</li></ul>	vironmental Ha leaning of equ ge stability s ne date of thi ) copies of yo shipment. Re inted labeling	izards paragraph, ad ipment washwaters." study must be submi- s Registration Not our final printed 1 fer to the A-79 end to	d "Do not contaminate tted for this product ice. abeling before you closure for a further
<ul> <li>b. In your Environment of the second s</li></ul>	vironmental Ha leaning of equ ge stability s ne date of thi ) copies of yo shipment. Re inted labeling	izards paragraph, ad ipment washwaters." study must be submi is Registration Not our final printed la efer to-the A-79 end	d "Do not contaminate tted for this product ice. abeling before you closure for a further

### -2-

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

٠.

A stamped copy of the label is enclosed for your records.

Dennis H. Edwards, Jr. Product Manager (12) Insecticide-Rodenticide Branch Registration Division (TS-767C)

Enclosures

20/7

1

# FRONT LABEL

"SLUG-OUT" SLUG & SNAIL KILLER

ATTRACTS & KILLS SLUGS & SNAILS

ACCEPTED with COMMENTS In BPA Letter Dated

SEP 2 2 1988

タ

FOR USE AROUND FRUIT AND VEGETABLE PLANTS FLOWERS AND ORNAMENTALS

RESISTANT TO RAIN AND SPRINKLING

Under the Pederal Interview, Pungleide, and Rodentscale art m amended, for the perturble registered under EPA Reg. Nu.

•,;

301

8119-4

CAUTION: KEEP OUT OF REACH OF CHILDREN. THIS PESTICIDE MAY BE FATAL TO DOGS OR OTHER PETS IF EATEN. KEEP PETS OUT OF TREATED AREA. SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

ACTIVE INGREDIENTS:

Metaldehyde.....2%

NET WEIGHT 1 LB.

۰.

BACK LABEL - PAGE 1

Slugs and snails are two of our most destructive garden pests. are voracious feeders, They consuming our most succulent and prized garden vegetation. Control of these pests is difficult as they constantly migrate to better feeding and sheltering locations. Slugs and snails feed extensively in the evening, at night or on dark, overcast days particularily when warm, moist conditions exist. Slug and snail activity is generally curtailed during periods of coid, or hot dry weather. Under these conditions they seek shelter under boards, leaves, woodpiles, or around hedges, shrubs, rockeries, and ground covers. Slugs and snails reproduce year round with reproductive activity increased during warm, moist periods. It is therefore necessary to maintain a consistent baiting program particularily during the spring and fall months.

A comprehensive baiting program using SLUG-OUT SLUG SNAIL KILLER will provide excellent control of 2 these pests. SLUG-OUT SLUG & SNAIL KILLER is a ready to use bait that actually attracts slugs and snails from their hiding places and kills them. Economical, quick, and easy to use SLUG-OUT SLUG & SNAIL KILLER resists rain and sprinkling and will remain effective in the garden for many days. Use ; , . . ; SLUG-OUT SLUG & SNAIL KILLER, to control slugs and and snails around fruit vegetable plants, ornamentals, flowers, and lawns.

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

BACK LABEL CONT - PAGE 2

TO APPLY: Scatter bait lightly over infested srea at the rate of 1 1b, per 1750 square feet. Apply bait every two weeks, or more often during periods of heavy rainfall or watering or if infestation is Slugs and snails severe. prefer damp, shady All likely areas such as locations. flower and vegetable gardens, rockeries, greenhouses, compost heaps, ground covers, and hedges should be treated as these pests travel. To achieve maximum results make sure area to be baited is damp. If area to be treated is dry, water well before application. For best results, apply bait in early evening as slugs and snail\$feed mainly at night.

If the migration of slugs and snails from adjacent areas is a problem a lightly applied band of SLUG-OUT SLUG & SNAIL KILLER along the entire perimeter of the infested area will form a barrier and result in excellent control.

5017

BACK LABEL CONT - PAGE 3

SLUG-OUT SLUG & SNAIL KILLER can be used to protect fruit, vegetable and ornamental plants, flower gardeng, dichondra and turf lawns, citrus groves, and ground covers. When protecting fruit and vegetable plants treat area around plants and between rows. Do not apply to foliage or edible Protect the following fruit and parts of crop. vegetable plants: esparagus, beans, cabbage, cucumbers, lettuce, melons, carrots, celery, onions, peas, peppers, potatoes, radishes, spinach, squash, tomatoes, turnips, apples, avocados, blackberries, cherries, citrus, grapes, peaches, plums, and strawberries.'

STORAGE: Store in original carton, out of direct sunlight, in a cool, dry, locked location. Do not put in food or drink containers. Avoid contamination of feed or foodstuffs.

DISPOSAL: Partially filled carton may be disposed of by securely wrapping in several layers of newspaper and discard in trash. Do not reuse empty carton. Wrap carton and put in trash.

• --

6.11

1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

BACK LABEL CONT - PAGE 4

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: May be harmful if swallowed. Avoid breathing dust. Avoid contact with skin, eyes, or clothing. Wash thoroughly after use. Keep out of reach of children and domestic animals. IMPORTANT: Keep away from children, dogs, and pets. Buit may be attractive to dogs. Confine pets during application to prevent them from believing they are being fed. Use and store under conditions where there will not be a hazard.

#### STATEMENT OF PRACTICAL TREATMENT

If swallowed: Call a physician or poison control center. Drink 1 to 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious. person. If on skin: Wash thoroughly with soap and water. If in eyes: Flush with plenty of fresh water.

#### ENVIRONMENTAL HAZARDS

This product may be toxic to birds and wildlife. Birds feeding on treated areas may be killed. Do not apply directly to water.

Mfd. By: E. H. Matson, Jr. Co., Inc. 7808 - 8th Ave. South Sesttle, Washington 98108 EPA Reg. No.

···, ;

EPA Est. No.

Made in U.S.A.