


FRONT LABEL

REVISED AS PER NEW REGISTRATION STANDARDS

"SLUG-OUT," SLUG & SNAIL KILLER
ATTRACTS & KILLS SLUGS & SNAILS

FOR USE AROUND FRUIT AND VEGETABLE PLANTS
FLOWERS AND ORNAMENTALS

RESISTANT TO RAIN AND SPRINKLING



KEEP OUT OF REACH OF CHILDREN (12 point type)

CAUTION (18 point type): THIS PESTICIDE MAY BE FATAL TO DOGS OR OTHER PETS IF EATEN. KEEP PETS OUT OF TREATED AREA. SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS. (10 point type)

ACTIVE INGREDIENT

Metoldehyde (2, 4, 6, 8-tetramethyl-1, 3, 5, 7-tetraoxycyclo-octane)..... 2%

INERT INGREDIENTS..... 98%

NET WEIGHT 1 LB

2/5

BACK LABEL - PAGE 1

Slugs and snails are two of our most destructive garden pests. They are voracious feeders, consuming our most succulent and prized garden vegetation. Control of these pests is difficult as they constantly migrate to better feeding and sheltering locations. Slugs and snails feed extensively in the evening, at night or on dark, overcast days particularly when warm, moist conditions exist. Slug and snail activity is generally curtailed during periods of cold, or hot dry weather. Under these conditions they seek shelter under boards, leaves, woodpiles, or around hedges, shrubs, rockeries, and ground covers. Slugs and snails reproduce year round with reproductive activity increased during warm, moist periods. It is therefore necessary to maintain a consistent baiting program particularly during the spring and fall months.

A comprehensive baiting program using SLUG-OUT SLUG & SNAIL KILLER will provide excellent control of these pests. SLUG-OUT SLUG & SNAIL KILLER is a ready to use bait that actually attracts slugs and snails from their hiding places and kills them. Economical, quick, and easy to use SLUG-OUT SLUG & SNAIL KILLER resists rain and sprinkling and will remain effective in the garden for many days. Use SLUG-OUT SLUG & SNAIL KILLER to control slugs and snails around fruit and vegetable plants, ornamentals, flowers, and lawns.

OCM
PATS

3/5
BACK LABEL CONT - PAGE 2

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION (18 point type): May be harmful if swallowed. Avoid breathing dust. Avoid contact with skin, eyes; or clothing. Wash thoroughly after use. Keep out of reach of children and domestic animals. This pesticide may be fatal to dogs or other pets if eaten. Keep pets out of treated area. **IMPORTANT:** Keep away from children, dogs, or pets. Bait may be attractive to dogs. Confine pets during application to prevent them from believing they are being fed. Use and store under conditions where there will not be a hazard.

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Call a physician or poison control center. Drink 1 to 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. If on skin: Wash thoroughly with soap and water. If in eyes: Flush with plenty of fresh water.

ENVIRONMENTAL HAZARDS

Do not apply directly to water or wetlands (swamps, bogs, marshes, potholes). Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

75

(. . .)

BACK LABEL CONT - PAGE 3

TO APPLY: Scatter bait lightly over infested area at the rate of 1 lb. per 1750 square feet. Apply bait every two weeks, or more often during periods of heavy rainfall or watering or if infestation is severe. Slugs and snails prefer damp, shady locations. All likely areas such as flower and vegetable gardens, rockeries, greenhouses, compost heaps, ground covers, and hedges should be treated as these pests travel. To achieve maximum results make sure area to be baited is damp. If area to be treated is dry, water well before application. For best results, apply bait in early evening as slugs and snails feed mainly at night.

If the migration of slugs and snails from adjacent areas is a problem a lightly applied band of SLUG-OUT SLUG & SNAIL KILLER along the entire perimeter of the infested area will form a barrier and result in excellent control.

OCM
PATS

7/5
BACK LABEL CONT - PAGE 4

SLUG-OUT SLUG & SNAIL KILLER can be used to protect fruit, vegetable and ornamental plants, flower gardens, dichondra and turf lawns, citrus groves, and ground covers. When protecting fruit and vegetable plants treat area around plants and between rows. Do not apply to foliage or edible parts of crop. Protect the following fruit and vegetable plants: asparagus, beans, cabbage, carrots, celery, cucumbers, lettuce, melons, onions, peas, peppers, potatoes, radishes, spinach, squash, tomatoes, turnips, apples, avocados, blackberries, cherries, citrus, grapes, peaches, plums, and strawberries.

STORAGE (12 point type): Store in original carton, out of direct sunlight, in a cool, dry, locked location. Do not put in food or drink containers. Avoid contamination of feed or foodstuffs.

DISPOSAL (12 point type): Do not reuse carton. Discard carton in trash. Securely wrap original container in several layers of newspaper and discard in trash.

Mfg. By: E. M. Matson, Jr. Co., Inc.
7808 - 8th Ave. South
Seattle, Washington 98108

EPA Reg. No. 8119-4
EPA Est. No. 8119-WA-1

Made in U.S.A.

© 1989 E. M. MATSON, JR. CO., INC.

Gen
PAT'S