

8/19-5

09/11/2000

402-1/3

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060



United States
Environmental Protection Agency
Washington, DC 20460

☐ Registration
☐ Amendment
☒ Other

OPP Identifier Number

266111

Application for Pesticide - Section I

1. Company/Product Number 8119-5	2. EPA Product Manager Dani Daniel	3. Proposed Classification ☒ None ☐ Restricted
4. Company/Product (Name) Corry's Slug, Snail & Insect Killer	PM# 04	
5. Name and Address of Applicant (Include ZIP Code) E. M. Matson, Jr. Co., Inc. P. O. Box 1820 North Bend, Washington 98045 ☐ Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. 8119-5 Product Name Corry's Bug, Snail & Slug Bait	

Section - II

☐ Amendment - Explain below.	☐ Final printed labels in response to Agency letter dated _____	NOTIFICATION SEP 11 2000
☐ Resubmission in response to Agency letter dated _____	☐ "Me Too" Application.	
☒ Notification - Explain below.	☐ Other - Explain below.	

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification of Additional Brand Name per PR Notice 98-10.
Additional Brand Name: The Beautiful Garden Slug, Snail & Insect Bait

Section - III

1. Material This Product Will Be Packaged In:			
Child-Resistant Packaging ☐ Yes ☒ No	Unit Packaging ☐ Yes ☒ No	Water Soluble Packaging ☐ Yes ☒ No	2. Type of Container ☐ Metal ☐ Plastic ☐ Glass ☒ Paper ☐ Other (Specify) _____
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt. No. per container
3. Location of Net Contents Information ☒ Label ☐ Container		4. Size(s) Retail Container 2, 3, 4, 5, 10, 15, 20 lb.	
5. Location of Label Directions ☒ On Label ☐ On Labeling accompanying product		6. Manner in Which Label is Affixed to Product ☒ Lithograph ☐ Paper glued ☐ Stenciled ☐ Other _____	

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)			
Name David L. Grassman		Title President	
		Telephone No. (Include Area Code) 425-888-6212	
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.			6. Date Application Received (Stamped)
2. Signature 		3. Title President	
4. Typed Name David L. Grassman		5. Date August 29, 2000	


THE BEAUTIFUL GARDEN™

Slug Snail & Insect Bait

THE BEAUTIFUL GARDEN™

Slug Snail & Insect Bait

Instrucciones en español en los lados del cartón.



Remains Effective After Rain or Sprinkling

KEEP OUT OF REACH OF CHILDREN

CAUTION: This pesticide may be fatal to dogs or other pets if eaten. Keep pets out of treated area. Read and follow all directions. See back panel for additional precautionary statements.

Ideal for Vegetable Gardens

Active ingredients

Metaaldehyde (2, 4, 6, 8-tetramethyl-1, 3, 5, 7-tetraoxacyclo-octane) 2%
Carbaryl (1-Naphthyl N-methylcarbamate) 5%
OTHER INGREDIENTS 93%

Net Wt. 3 Lbs. (1.36 kg.)

NOTIFICATION

SEP 11 2000

INSTRUCCIONES PARA EL USO

Es una violación de la ley Federal usar este producto de una manera que no esté de acuerdo con las instrucciones en la etiqueta. Llevarse grandes de llex casero o de hotel, aplicar el producto directamente del envase original al suelo del área para tratar. Aplicar cuando el aire esté caliente para evitar que el viento se lo lleve y para evitar contacto con los ojos y la piel. Espesar la aplicación en el rincón más lejano del área para tratar, y seguir trabajando hacia atrás para evitar el contacto con las superficies ya espolvoreadas. Dejar que el polvo se asiente en las áreas tratadas antes de volver a entrar. No repetir la aplicación más de una vez cada siete días. No aplicar el producto más de cuatro veces por una temporada. Los días desde la aplicación del producto hasta la cosecha se indican abajo entre paréntesis bajo SITUACIONES ESPECIALES (SPECIAL SITUATIONS).

PARA APLICAR

Esparcir el cebo ligeramente en el suelo del área para tratar. Aplicar más densamente si la infestación es severa. Este producto es para uso en las áreas de la casa y del jardín. Este cebo es extremadamente atractivo a las babosas, a los caracoles y a los otros insectos catalogados, y los atrae para que sigan de sus escondites. Todos los lugares probables deben tratarse, ya que las babosas, los caracoles y los otros insectos catalogados viajan. Los gusanos de tierra, bien sembrados donde pueden obtener alimento durante el día. Asegurarse de que el área para tratar esté húmeda. En tiempo seco, regar abundantemente antes de aplicar el cebo. La hora preferida para aplicar es al amanecer, ya que estas plagas se alimentan principalmente de noche. Normalmente, aplicar el cebo cada dos semanas hasta que la infestación esté controlada. Las lluvias pesadas o prolongadas pueden reducir el período de eficacia del cebo. Usarlo más frecuentemente bajo estas condiciones. Usar aproximadamente una libra (.45 kilo) por 1750 pies cuadrados (157.50 metros cuadrados). Para las plantas indicadas abajo con*, usar aproximadamente una libra (.45 kilo) por 2200 pies cuadrados (198 metros cuadrados).

*SITUACIONES ESPECIALES

Si las babosas, los caracoles u otros insectos indicados están invadiendo de propiedades vecinas, una línea hasta del grueso de un lápiz al largo centro del área infestada, formando una barrera y resultará en control excelente.

THE BEAUTIFUL GARDEN SLUG, SNAIL & INSECT BAIT puede usarse para proteger plantas ornamentales de interior, jardines de flores, diccionario y extensiones de céspedes o zonas alrededor de la casa, y plantas frutales y vegetales. Al proteger las plantas frutales y vegetales, tratar el área alrededor de las plantas y entre las hileras. No aplicar al follaje ni a las partes comestibles de la planta. Proteger las siguientes plantas frutales y vegetales: espárragos (1), frijoles/habichuelas (3), coles (3), zanahorias (7), apio (1), pepinos (3), lechugas (15), melones (3), melones/pimientos (3), pimientos (3), papas (7), rábanos (7), espinacas (15), calabacines/calabazas (3), tomates (3), nabos (7), y frijoles (7).

ALMACENAJE: Guarde en un lugar seco, fresco, cerrado con llave, fuera del la luz directa del sol, en su envase original, y no accesible a los niños/pets. Los animales comen. Debe conservarse con cuidado lejos de los niños y mascotas.

DISPOSICIÓN: No use el cartón otra vez. Tire el cartón en la basura. Envuelva el paquete original separadamente en varios papeles de periódico y tire todo a la basura.

THE BEAUTIFUL GARDEN SLUG, SNAIL & INSECT BAIT is a convenient, ready-to-use bait. It is extremely effective in the control of slugs, snails, earwigs, sowbugs, cutworms, crickets, grasshoppers, ants, armyworms, millipedes, pillbugs, and diving beetles. Easy to use, quick and economical THE BEAUTIFUL GARDEN SLUG, SNAIL & INSECT BAIT resists rain and sprinkling and remains effective in the garden for many days.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Wearing household latex or rubber gloves, apply product directly from original container on soil in area to be treated. Apply when air is calm to avoid drift and contact with eyes and skin. Start applying at the farthest corner of the treatment area and work backward to avoid contact with dusted surfaces. Allow dust to settle in treated areas before reentering. Do not repeat application more than once every seven days. Do not apply product more than four times per season. Days from product application to harvest noted below in parenthesis under SPECIAL SITUATIONS.

TO APPLY

Scatter bait lightly on soil in area to be treated. Apply heavier if infestation is severe. This product is for use in home and garden areas. This bait is extremely attractive to slugs, snails, and other listed insects and will lure them from their hiding places. All likely places should be treated as slugs, snails, and other listed insects travel. They favor damp, well shaded locations where they can obtain shelter by day. Be sure area to be treated is damp. In dry weather, water well before applying bait. Preferred baiting time is in the evening as these pests feed mainly at night. Normally apply bait every two weeks until infestation is under control. Heavy or prolonged rain can shorten effective period of bait. Use more frequently under these conditions. Use approximately one pound per 1750 square feet. Plants noted below with *use approximately one pound per 2200 square feet.

*SPECIAL SITUATIONS

If slugs, snails, and other listed insects are invading from adjacent properties, a pencil-thin line the entire length of the infested area will form a barrier and result in excellent control.

*THE BEAUTIFUL GARDEN SLUG, SNAIL & INSECT BAIT can be used to protect home ornamental plants, flower gardens, dichondra and home turf lawns, and fruit and vegetable plants. When protecting fruit and vegetable plants treat area around plants and between rows. Do not apply to foliage or edible parts of plants. Protect the following fruit and vegetable plants: asparagus (1), beans (3), cabbage (3), carrots (7), celery (15), *cucumbers (3), lettuce (15), *melons (3), peas (3), peppers (3), potatoes (7), radishes (7), spinach (15), *squash (3), tomatoes (3), turnips (7), and strawberries (7).

STORAGE: Store in a cool, dry, locked location out of direct sunlight, in original container, and not accessible to children or pets. Avoid contamination of feed and foodstuffs.

DISPOSAL: Do not reuse carton. Discard carton in trash. Securely wrap original container in several layers of newspaper and discard in trash.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes eye irritation. May be harmful if swallowed. Avoid breathing dust. Avoid contact with skin, eyes, or clothing. Wash thoroughly after use. Keep out of reach of children and domestic animals. This pesticide may be fatal to dogs or other pets if eaten. Keep pets out of treated area.

IMPORTANT: Keep away from children, dogs, or pets. Bait may be attractive to dogs. Confine pets during application to prevent them from believing they are being fed. Use and store under conditions where there will not be a hazard.

USER SAFETY REQUIREMENTS

Wear long sleeved shirt, long pants, shoes plus socks and household latex or rubber gloves when applying this product. Change clothing as soon as possible after use. Wash the outside of gloves before removing. As with any pesticide product, wash hands thoroughly immediately after handling and before eating, smoking or using the toilet. Do not allow children or pets to contact treated area until dust has settled.

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Do not induce vomiting. Seek medical assistance immediately. If on skin: Wash with plenty of soap and water. Get medical attention if irritation persists. If in eyes: Flush with plenty of water. Call a physician if irritation persists. If inhaled: Remove from further exposure and treat symptomatically. NOTE TO PHYSICIANS: Carbaryl is a moderate, reversible cholinesterase inhibitor. Atropine is antidotal.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic and estuarine invertebrates. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

Manufactured By:
E.M. MATSON, JR. CO., INC.
P.O. Box 1820 • NORTH BEND, WA 98045

© 2000 E.M. MATSON, JR. CO. INC.
MADE IN U.S.A.

For information on this pesticide product (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Telecommunications Network at 1-800-858-7378.

Para información sobre este producto de pesticida (incluso asuntos de salud, emergencias médicas, o sucesos con pesticidas), llamar la National Pesticide Telecommunications Network al 1-800-858-7378.

LIFT AND
CUT

MANTENGALO ALEJADO DE LOS NIÑOS

PRECAUCION: Este pesticida puede ser fatal si es comido por los perros y otros animales domésticos. Mantenga los niños domésticos alejados del área donde se usó el producto. Para más información acerca de precauciones, lee la página entera.

PRECAUCIONES RIESGOS PARA LOS HUMANOS Y ANIMALES CASEROS

PRECAUCION: Causa irritación a los ojos. Puede ser peligroso si es ingerido. Evite respirar el polvo. Evite el contacto con la piel, los ojos o la ropa. Lávese completamente después del uso. Manténgalo fuera del alcance de los niños y animales caseros. Este pesticida puede ser fatal para los perros y otros animales si se come. Mantenga los animales fuera del área que haya recibido tratamiento.

IMPORTANTE: Mantenga este producto fuera del alcance de niños, perros u otros animales caseros. El cebo puede atraer a los perros. Encierre a los animales durante la aplicación para que no crean que se les está dando de comer. Use y almacene bajo condiciones donde no haya peligro.

REQUISITOS DE SEGURIDAD PARA EL USUARIO:

Al aplicar este producto, lleve con usted botas de manga larga, pantalones largos, zapatos más cómodos y guantes de látex casero o de hilo. Cambiarse de ropa lo más pronto posible después del uso. Lavar el exterior de los guantes con agua y jabón. Cose de costumbre con este producto de pesticida, lávese completamente los brazos inmediatamente después de manipular y antes de comer, beber o usar el baño. No permitir que los niños ni los animales domésticos contacten el área tratada antes de que el polvo se haya asentado.

ACLARACION DE TRATAMIENTO PRACTICO

Si se traga, no provoque el vomito. Acudir inmediatamente a la atención médica. Si está en la piel: Lávese con mucha agua y jabón. Acudir a la atención médica si la irritación persiste. Si está en los ojos: Lávese con mucha agua. Llamar al médico si la irritación persiste. Si se inhala: Salir de lugar de exposición y tomar sistémicamente. NOTA A LOS MEDICOS: Carbaryl (C12 H11 N02) inhibe la colinesterasa; es moderado y reversible. El antidoto es la atropina.

PELIGROS PARA EL MEDIO AMBIENTE

Este producto es extremadamente tóxico a los invertebrados acuáticos y estuarinos. Para usos terrestres, no lo aplique directamente al agua, ni a las áreas donde se acumule agua en la superficie ni en las áreas entre las marcas debajo de la marca del promedio de la marea alta. No contaminar el agua cuando está desechando el agua que se usó para lavar el equipo usado.

Para información sobre este producto de pesticida (incluso asuntos de salud, emergencias médicas, o sucesos con pesticidas), llamar la National Pesticide Telecommunications Network al 1-800-858-7378.