Please read instructions o	8/19-5 n reverse before comple	nting form.	11/21/	2000 Form App	roved,	OMB No. 20	<i>j</i> 70-0060.	//// Approval expires 05-31-98
\$EPA	Environmenta Wash	Jnited States I Protection Ington, DC 204	_			Registrat Amendm Other	ion	OPP Identifier Number
Application for Pesticide - Section I								
1. Company/Product Numi 8119-5	2. EPA Product Manager George Tompkins			3. Pr	3. Proposed Classification			
4. Company/Product (Nam Corry's Slu		PM#OH	None Restricted					
E. M. Matso P. O. Box 1 North Bend,	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. 8119-5 Product Name Corry's Bug, Snail & Slug Bait						
Section - II								
Amendment - Explain below. Resubmission in response to Agency letter dated				Final printed labels in response to Agency letter dated "Me Too" Application. Other - Explain below.				
Explanation: Use additional page(s) if necessary. (For section and Section .) Notification of additional/alternate brand name: "Corry's Snail & Insect Granules"								
			Section	on - III				
1. Material This Product V	Vill Be Packaged In: 🕟	i.		<u> </u>		•		
Thiid-Resistant Packaging Yes* XX No If "Yes" Unit Packaging Yes XX No If "Yes" Unit Packaging wgt. container			Water Soluble Packaging Yes XX No If "Yes" Package wgt No. per Package wgt Container			ontainer Metal Plastic Glass Paper Canister Other (Specify)		
3. Location of Net Contents Information 4. Size(s) Retail Container 5. Location of Lebel Directions XX On Lebel On Labeling accompanying product								ns
6. Manner in Which Label is Affixed to Product								
Section - IV								
1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)								
Name David L. Grassman			Title Presi	i i i			•	No. (Include Area Code)
I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete.								6. Date Application Renelved (Stamped)
2. Signature			3. Title President					
4. Typed Name David L. Grassman			5. Data Octobe	October 31, 2000				



OTIFICATION

NOV 2 1 2000



KEEP OUT OF REACH OF CHILDREN

CAUTION: This pesticide may be fatal to dogs or other pets if eaten. Keep pets out of treated area. Read and follow all directions. See back panel for additional precautionary statements.

Active ingredients
Metaldehyde (2, 4, 6, 8-tetramethyl-1, 3, 5, 7-Carbaryi (1-Naphthyl N-methylcarbamate) 5%

Net Wt. 3 Lbs. (1.36 kg.)

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes eye irritation. May be harmful if swallowed. Avoid breathing dust. Avoid contact with skin, eyes, or clothing. Wash thoroughly after use. Keep out of reach of children and domestic animals. This pesticide may be fatal to dogs or other pets if eaten. Keep pets out of treated area.

IMPORTANT: Keep away from children, dogs or pets. Bait may be attractive to dogs. Confine pets during application to prevent them from believing they are being fed. Use and store under conditions where there will not be a hazard.

USER SAFETY REQUIREMENTS

- Wear long-sleeved shirt, long pants, shoes plus socks and household latex or rubber gloves when applying this product.
- Change clothing as soon as possible after use.
- Wash the outside of gloves before removing. As with any pesticide product, wash hands thoroughly immediately after handling and before eating, smoking or using the toilet.
- Do not allow children or pets to contact treated area until dust has settled.

STATEMENT OF PRACTICAL TREATMENT

If swallowed; Do not induce vomiting. Seek medical assistance immediately. If on skin; Wash with plenty of soap and water. Get medical attention if irritation persists. If in eyes: Flush with plenty of water. Call a physician if irritation persists. If inhaled: Remove from further exposure and treat symptomatically. NOTE TO PHYSICIANS: Carbaryl is a moderate, reversible cholinesterase inhibitor. Atropine is antidotal.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic and estuarine invertebrates. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

For information on this pesticide product (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Telecommunications Network at 1-800-858-7378.

Mfd. by: E.M Matson, Jr. Co., Inc. P.O, Box 1820 North Bend, WA 98045

EPA Reg. No. 8119-5 EPA Est. No. 8119-WA-1 © 2000 E.M. Matson, Jr. Co., Inc. Made in U.S.A. CORRY'S SNAIL & INSECT GRANULES is a convenient, ready-to-use bait. It is extremely effective in the control of slugs, snails, earwigs, sowbugs, cutworms, crickets, grasshoppers, ants, armyworms, millipedes, pillbugs, and darkling beetles. Easy to use, quick and economical CORRY'S SNAIL AND INSECT GRANULES resists rain and sprinkling and remains effective in the garden for many days.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Wearing household latex or rubber gloves, apply product directly from original container on soil in area to be treated. Apply when air is calm to avoid drift and contact with eyes and skin. Start applying at the farthest corner of the treatment area and work backward to avoid contact with dusted surfaces. Allow dust to settle in treated areas before reentering. Do not repeat application more than once every seven days. Do not apply product more than four times per season. Days from product application to harvest noted below in parenthesis under SPECIAL SITUATIONS.

™ TO APPLY

Scatter bait lightly on soil in area to be treated. Apply heavier if infestation is severe. This product is for use in home and garden areas. This bait is extremely attractive to slugs, snails, and other listed insects and will lure them from their hiding places. All likely places should be treated as slugs, snails, and other listed insects travel. They favor damp, well shaded locations where they can obtain shelter by day. Be sure area to be treated is damp. In dry weather, water well before applying bait. Preferred baiting time is in the evening as these pests feed mainly at night. Normally apply bait every two weeks until infestation is under control. Heavy or prolonged rain can shorten effective period of bait. Use more frequently under these conditions. Use approximately one pound per 1750 square feet. Plants noted below with * use approximately one pound per 2200 square feet.

SPECIAL SITUATIONS

If slugs, snails, and other listed insects are invading from adjacent properties, a pencil-thin line the entire length of the infested area will form a barrier and result in excellent control. *CORRY'S SNAIL & INSECT GRANULES can be used to protect home ornamental plants, flower gardens, dichondra and home turf lawns. and fruit and vegetable plants. When protecting fruit and vegetable plants treat area around plants and between rows. Do not apply to foliage or edible parts of plant. Protect the following fruit and vegetable plants: asparagus (1), beans (3), cabbage (3), carrots (7), celery (15), *cucumbers (3), lettuce (15), *melons (3), peas (3), peppers (3), potatoes (7), radishes (7), spinach (15), *squash (3), tomatoes (3), turnips (7), and strawberries (7).

STORAGE: Store in cool, dry, locked location out of direct sunlight, in original container, and not accessible to children or pets. Avoid contamination of feed and foodstuffs.

DISPOSAL: Do not reuse canister. Discard canister in trash. Securely wrap original container in several layers of newspaper and discard in trash.