06-16-2009



8119-5

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460-0001

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

JUN 16 2009

Attn: Becky Horton Matson, LLC P.O. Box 1820 North Bend, WA 98045

iu, wh

Subject:

Agency March 25, 2009 Letter/Carbaryl Reregistration Corry's^R Slug, Snail & Insect Killer EPA Reg. 8119-5 Your Application Dated April 27, 2009

Dear Ms. Horton,

The label referred to above, submitted in connection with the registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable. A stamped copy is enclosed for your records. Within 45 days from the date of this letter, two copies of a final printed label must be submitted. You may distribute products bearing the old label for 12 months from receipt of this letter or until the next printing of the label, whichever comes first.

Your Confidential Statement of Formula (CSF) dated January 3, 2006 is acceptable. This CSF supercedes all previous CSFs.

Approval of this label does not constitute approval of your application for reregistration of this product. Product reregistration is currently pending for the other active ingredient in your formulation, Therefore, future labeling changes and/or additional data may be required.

If you have questions, email Joanne Edwards at <u>edwards.joanne@epa.gov</u> or by telephone at (703) 305-6736.

Sincerely yours,

Jaus Merectil

Meredith Laws, Branch Chief Insecticide-Rodenticide Branch Registration Division (7504P)

CORRY'S[®] SLUG, SNAIL & INSECT KILLER

[Additional Brand Name(s): Deadline® Bug Bait, Corry's® Insect Killer, Corry's® Bug Bait, Lilly Miller® Slug, Snail & Insect Killer Bait, Cooke® Slug-N-Snail Granules, Lilly Miller® Grasshopper Earwig, Cutworm & Sowbug Bait Kills Slugs and Snails, Lilly Miller® Go-West Meal Kills Slugs, Snails and Listed Insects]

JUN 16 2009 [Optional Marketing Statements] **Remains Effective After Rain or Sprinkling** inter the Redecal Insecticide, Ideal for Vegetable Gardens nd Rodenticide Act. Kills Mole Crickets and Other Listed Crawling Insects nder **Dual Killing Action** Easy To Use Meal Formula **Easy Application Container** Ready To Use Formula For Use on Selected Fruit, Vegetable, Flower and Ornamental Gardens Fast, Effective Control of Slugs, Snails and Listed Insects Attracts and Kills Slugs, Snails and Listed Insects Contains Bitrex® Contains denatonium benzoate

[Final label may include graphic representation of labeled use - e.g. - slugs, snails, ants, etc...]

ACTIVE INGREDIENTS:

Metaldehyde (2,4,6,8-tetramethyl-1,3,5,7-tetraoxycyclo-octane)	2%
Carbaryl (1-Naphthyl N-methylcarbamate)	5%
OTHER INGREDIENTS:	

KEEP OUT OF REACH OF CHILDREN

CAUTION

See side/back panel for additional precautionary statements and First Aid.

Net Weight 1 lb. (454 g) / 1.5 lbs. (681 g) / 2 lbs. (908 g) / 3.5 lbs. (1.58 kg) / 5 lbs. (2.26 kg)

This pesticide may be fatal to dogs or other pets if eaten. Keep pets out of treated area. Read and follow all directions.

EPA Reg. No. 8119-5 June 16, 2009 - carbaryl revisions EPA Est. No. 8119-WA-1 Page 1 of 5 Pages

ACCEPTEI

for the pesticide

FIRST AID

This product contains N-methyl carbamate that inhibits cholinesterase.

If in eyes:

- Hold eye open and rinse slowly and gently with water for 15 20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

If swallowed:

- Call poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- · Do not induce vomiting unless told to do so by the poison control center or doctor.
- · Do not give anything by mouth to an unconscious person.

If on skin or clothing:

- Take off contaminated clothing.
- · Rinse skin immediately with plenty of water for 15 20 minutes.
- · Call a poison control center or doctor for treatment advice.

If inhaled:

- Move person to fresh air.
- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.
- · Call a poison control center or doctor for further treatment advice.

POISONING HOTLINE

Seek medical care as soon as possible after exposure. For incidents involving animals, seek veterinary care as soon as possible after exposure. Have the product container or label with you when you call a poison control center or doctor or veterinarian, or when going for treatment. For information on this pesticide product (including health concerns, medical emergencies, treatment advice, or pesticide incidents), call PROSAR at 1-800-308-3723.

Metaldehyde is a systemic toxin. There is no antidote. The following instructions are not intended for laypeople. There is no home treatment. Exposed individuals and animals should receive emergency care as quickly as possible.

NOTE TO PHYSICIAN: Carbaryl is a moderate, reversible cholinesterase inhibitor. Atropine is antidotal. Dust inhalation is usual route of accidental exposure; the product is rarely ingested. Treatment for metaldehyde is symptomatic and supportive. Monitor severe exposures closely: seizures, electrolyte imbalances, acidosis, dehydration, and increased body temperature have been reported.

NOTE TO VETERINARIAN: Animals typically are exposed via ingestion. Treatment for metaldehyde is symptomatic and supportive. If significant ingestion suspected and the animal is asymptomatic, consider induction of emesis or gastric lavage and administration of activated charcoal, cathartic and enema to limit absorption. Monitor asymptomatic and symptomatic animals closely. Treat seizures, electrolyte imbalances, acidosis, dehydration, and increased body temperature. Monitor liver function post recovery.

EPA Reg. No. 8119-5 June 16, 2009 – carbaryl revisions EPA Est. No. 8119-WA-1 Page 2 of 5 Pages

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes eye irritation. May be harmful if swallowed. Avoid breathing dust. Avoid contact with skin, eyes, or clothing. Wash thoroughly after use. Keep out of reach of children and domestic animals.

This pesticide may be fatal to dogs or other pets if eaten. Keep pets out of treated area. Bait may be attractive to dogs. Confine pets during application to prevent them from believing they are being fed.

User Safety Recommendations:

Wear long sleeved shirt, long pants, shoes plus socks and chemical resistant gloves, such as polyethylene or butyl rubber or neoprene rubber or viton when applying this product.

· Change clothing as soon as possible after use.

 \cdot Wash the outside of gloves before removing. As with any pesticide product, wash hands thoroughly immediately after handling and before eating, smoking or using the toilet.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic and estuarine invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

CORRY'S SLUG, SNAIL & INSECT KILLER is a convenient, ready-to-use bait. It is effective in the control of slugs, snails, earwigs, sowbugs, cutworms, crickets, grasshoppers, mole crickets⁺, ants (except fire ants, harvester ants, pharaoh ants and carpenter ants), armyworms, millipedes, pillbugs, Japanese and darkling beetles. Easy to use, quick and economical CORRY'S SLUG, SNAIL & INSECT KILLER resists rain and sprinkling and remains effective in the garden for many days.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

RESTRICTIONS: Do not apply this product in a way that will contact other persons or pets, either directly or through drift. Keep people and pets out of the area during application. Do not allow children or pets to contact treated area until dust has settled. Avoid applying pellets in piles that may attract pets.

This product may only be applied by sprinkling directly from the original container to the soil in the area to be treated. Do not apply by hand, spoon or belly grinder. Apply when air is calm. Start applying at the farthest corner of the treatment area and work backward to avoid contact with treated surfaces.

TO APPLY: This product is intended only for outdoor use in home and garden areas. Apply to the soil surface in infested areas as stated in the Product Application Chart [and the graphics presented below].

[Optional: graphic(s) representing product application consistent with label directions; e.g. – placement of bait to soil around listed plants and not directly to plant foliage]

This bait is attractive to slugs, snails, and other listed insects and will [actually] lure[s] them from their hiding places [and kills them]. All likely places should be treated as slugs, snails and other listed insects [these pests] travel [migrate]. They favor damp, well shaded locations [places] [around listed fruit and vegetable plants (see Table below), flower gardens, ornamental plants, rockeries, hedges, compost heaps, ivy patches and other non-turf ground covers] where they can obtain shelter by day. Be sure area to be treated is damp. In dry weather, water well before applying bait. Heavy or prolonged rain can shorten effective period of bait. If slugs, snails, and other listed area will form a barrier and result in effective control. Preferred baiting time is in the evening [or after rain or watering] as these pests feed [are most active] mainly at night [during nighttime hours and/or during damp conditions].

EPA Reg. No. 8119-5 June 16, 2009 – carbaryl revisions EPA Est. No. 8119-WA-1 Page 3 of 5 Pages CORRY'S SLUG, SNAIL & INSECT KILLER can be used around the following flower/ornamental, fruit and vegetable plants. Do not apply to foliage or edible parts of the plant. Sprinkle this product evenly to the soil surface around individual plants, between rows of plants and/or as a barrier treatment around plants that you wish to protect.

Use this product to control slugs, snails, earwigs, sowbugs, cutworms, crickets, grasshoppers, mole crickets⁺, ants (except fire ants, harvester ants, pharaoh ants and carpenter ants), armyworms, millipedes, pillbugs, Japanese and darkling beetles.

⁺For mole crickets, water-in thoroughly (¹/₄ to ¹/₂ inch of water) following application to move the insecticide into the root zone.

Product Application Chart	· · · · · · · · · · · · · · · · · · ·		
Use Rate: ¾ LB/1,750 sq. ft.	Minimum Retreatment Interval:	Maximum Applications Per Year:	Pre-harvest Interval
Asparagus, pre-harvest	3 days	3	1
Cucumbers, Melons, Squash	7 days	6	3
Use Rate: 1 LB/1,750 sq. ft.		······································	
Asparagus, post-harvest	3 days	5 (pre- & post- harvest combined)	0
Blueberries	7 days	4	7
Caneberries (bingleberry, black raspberry, blackberry, boysenberry, dewberry, lowberry, marionberry, olallieberry, red raspberry, youngberry) and Other Berries (currant, elderberry, gooseberry, huckleberry, loganberry, lingonberry, juneberry, salal)	7 days	4	7
Carrots, Potatoes, Radishes, Turnips	7 days	4	7
Broccoli, Brussels sprouts, cabbage, cauliflower, cavalo broccolo, kohlrabi	7 days	4	3
Collards, kale, mizuna, mustard greens, rape greens	7 days	4	14 ·
Tomatoes, Pepper, Eggplant	7 days	4	3
Flowers/Ornamentals/Non-turf Ground cover	7 days	6	0

EPA Reg. No. 8119-5 June 16, 2009 – carbaryl revisions EPA Est. No. 8119-WA-1 Page 4 of 5 Pages

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store in a cool, dry, locked location out of direct sunlight, in original container, and not accessible to children or pets. Avoid contamination of feed and foodstuffs.

PESTICIDE DISPOSAL: If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER DISPOSAL: If empty: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

[Optional Disclaimer]

NOTICE: To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. To the extent consistent with applicable law, buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

Mfd by:

Matson, LLC P.O. Box 1820 North Bend, WA 98045

www.protectyourgarden.com

[Lot no. to be added at production.]

[Optional]

For more information, please visit our website at (insert website address)

If you apply Corry's Slug, Snail & Insect Killer as directed and are not completely satisfied, send proof of purchase from this package and the original cash register receipt to the address below [on this package]. We will refund the purchase price you paid.

Corry's and Deadline are registered trademarks of Matson, LLC.

Cooke and Lilly Miller are registered trademarks of Central Garden & Pet.



Bitrex® is a registered trademark of Macfarlan Smith.

EPA Reg. No. 8119-5 June 16, 2009 – carbaryl revisions EPA Est. No. 8119-WA-1 Page 5 of 5 Pages