

8119-5

09-29-2009

1/8



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

SEP 29 2009

OFFICE OF  
PREVENTION, PESTICIDES AND  
TOXIC SUBSTANCES

Ms. Rebecca M. Horton  
Registrations by Design, Inc.  
P.O. Box 1019  
Salem, VA 24153

Subject: Word Correction on Label

Dear Ms. Horton:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated August 14, 2008 for:

**EPA Registration 8119-5**

**Corry's Slug, Snail & Insect Killer**

The Registration Division (RD) has conducted a review of this request for applicability under PRN 98-10 and finds that the label change(s) requested falls within the scope of PRN-98-10. The label has been date-stamped "Notification" and will be placed in our records.

If you have any questions, call me at 703 305-5409 or electronically at [daniel.dani@epa.gov](mailto:daniel.dani@epa.gov).

Sincerely,

A handwritten signature in black ink, appearing to be "Dani Daniel".

Dani Daniel  
Registration Division (7505P)  
Insecticide/Rodenticide Branch

# NOTIFICATION

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060. Approval expires 2-28-95



United States **SEP 29 2009**  
**Environmental Protection Agency**  
 Washington, DC 20460

Registration  
 Amendment  
 Other

OPP Identifier Number

## Application for Pesticide - Section I

1. Company/Product Number 8119-5	2. EPA Product Manager Eagle	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) CORY'S® Insect Killer	PM# 1	
5. Name and Address of Applicant (Include ZIP Code) Matson, LLC P.O. Box 1820, North Bend, WA 98045  <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

## Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

**Explanation:** Use additional page(s) if necessary. (For section I and Section II.)

NOTIFICATION of administrative label change -- to correct reference to product as a "bait" rather than as a "pellet". This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the Confidential Statement of Formula of this product. Matson, LLC understands that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA, and further understands that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and Matson, LLC may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

## Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Metal <input checked="" type="checkbox"/> Plastic <input type="checkbox"/> Glass <input checked="" type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____		
* Certification must be submitted		If "Yes" Unit Packaging wgt.			
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container 1,1½,2,3,5LB		5. Location of Label Directions <input checked="" type="checkbox"/> on label	
6. Manner in Which Label is Affixed to Product			<input checked="" type="checkbox"/> Lithograph <input checked="" type="checkbox"/> Paper glued <input checked="" type="checkbox"/> Stenciled <input type="checkbox"/> Other _____		

## Section - IV

1. Contact Point: (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Rebecca M. Horton	Title Consultant/Agent	Telephone No. (Include Area Code) 540-375-8826
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature 	3. Title Consultant/Agent	
4. Typed Name Rebecca M. Horton	5. Date August 14, 2009	

# Registrations by Design, Inc.™

118 1/2 East Main Street  
Suite 1  
Salem, VA 24153-3805  
phone 540.375.8826  
fax 540.375.8827

August 14, 2009

Document Processing Desk (NOTIF)  
Office of Pesticide Programs / Registration Division (7504P)  
U.S. Environmental Protection Agency  
Ariel Rios Building  
1200 Pennsylvania Ave., NW  
Washington, DC 20460

Re: Notification of Minor Administrative Label Change  
EPA Reg. No. 8119-5, Corry's Slug, Snail & Insect Killer

Attn: Linda Arrington,  
Minor Formulations & Notifications

On behalf of Matson, LLC of North Bend, Washington, enclosed is notification of a minor label change – to change reference to the product from “pellet” to “bait” for this meal bait formulation, as highlighted on the enclosed.

Your consideration and response are much appreciated.

Best regards,



Rebecca M. Horton  
Consultant/Agent for  
MATSON, LLC


e-mail: [hortonb@ntelos.net](mailto:hortonb@ntelos.net)

/bmh  
Enclosure

Established  
1996

**NOTICE! MAILING ADDRESS CHANGE effective August 1, 2009**  
Registrations by Design, Inc., P.O. Box 1019, Salem, VA 24153

Federal & State Pesticide/Fertilizer  
Registration Services plus  
typesetting/design of product labeling



NOTIFICATION

4  
8


SEP 29 2009

# CORRY'S® SLUG, SNAIL & INSECT KILLER

[Additional Brand Name(s): Deadline® Bug Bait, Corry's® Insect Killer, Corry's® Bug Bait, Lilly Miller® Slug, Snail & Insect Killer Bait, Cooke® Slug-N-Snail Granules, Lilly Miller® Grasshopper Earwig, Cutworm & Sowbug Bait Kills Slugs and Snails, Lilly Miller® Go-West Meal Kills Slugs, Snails and Listed Insects]

[Optional Marketing Statements]

- Remains Effective After Rain or Sprinkling
- Ideal for Vegetable Gardens
- Kills Mole Crickets and Other Listed Crawling Insects
- Dual Killing Action
- Easy To Use Meal Formula
- Easy Application Container
- Ready To Use Formula
- For Use on Selected Fruit, Vegetable, Flower and Ornamental Gardens
- Fast, Effective Control of Slugs, Snails and Listed Insects
- Attracts and Kills Slugs, Snails and Listed Insects
- Contains Bitrex®
- Contains denatonium benzoate



[Final label may include graphic representation of labeled use – e.g. – slugs, snails, ants, etc...]

ACTIVE INGREDIENTS:

Metaldehyde (2,4,6,8-tetramethyl-1,3,5,7-tetraoxycyclo-octane)..... 2%

Carbaryl (1-Naphthyl N-methylcarbamate)..... 5%

OTHER INGREDIENTS:..... 93%

KEEP OUT OF REACH OF CHILDREN

## CAUTION

See side/back panel for additional precautionary statements and First Aid.

Net Weight 1 lb. (454 g) / 1.5 lbs. (681 g) / 2 lbs. (908 g) / 3.5 lbs. (1.58 kg) / 5 lbs. (2.26 kg)

This pesticide may be fatal to dogs or other pets if eaten. Keep pets out of treated area. Read and follow all directions.

**FIRST AID**

This product contains N-methyl carbamate that inhibits cholinesterase.

**If in eyes:**

- Hold eye open and rinse slowly and gently with water for 15 – 20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

**If swallowed:**

- Call poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by the poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

**If on skin or clothing:**

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15 – 20 minutes.
- Call a poison control center or doctor for treatment advice.

**If inhaled:**

- Move person to fresh air.
- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.
- Call a poison control center or doctor for further treatment advice.

**POISONING HOTLINE**

Seek medical care as soon as possible after exposure. For incidents involving animals, seek veterinary care as soon as possible after exposure. Have the product container or label with you when you call a poison control center or doctor or veterinarian, or when going for treatment. For information on this pesticide product (including health concerns, medical emergencies, treatment advice, or pesticide incidents), call PROSAR at 1-800-308-3723.

**Metaldehyde is a systemic toxin. There is no antidote. The following instructions are not intended for laypeople. There is no home treatment. Exposed individuals and animals should receive emergency care as quickly as possible.**

**NOTE TO PHYSICIAN:** Carbaryl is a moderate, reversible cholinesterase inhibitor. Atropine is antidotal. Dust inhalation is usual route of accidental exposure; the product is rarely ingested. Treatment for metaldehyde is symptomatic and supportive. Monitor severe exposures closely: seizures, electrolyte imbalances, acidosis, dehydration, and increased body temperature have been reported.

**NOTE TO VETERINARIAN:** Animals typically are exposed via ingestion. Treatment for metaldehyde is symptomatic and supportive. If significant ingestion suspected and the animal is asymptomatic, consider induction of emesis or gastric lavage and administration of activated charcoal, cathartic and enema to limit absorption. Monitor asymptomatic and symptomatic animals closely. Treat seizures, electrolyte imbalances, acidosis, dehydration, and increased body temperature. Monitor liver function post recovery.

## PRECAUTIONARY STATEMENTS

### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** Causes eye irritation. May be harmful if swallowed. Avoid breathing dust. Avoid contact with skin, eyes, or clothing. Wash thoroughly after use. Keep out of reach of children and domestic animals.

**This pesticide may be fatal to dogs or other pets if eaten.** Keep pets out of treated area. Bait may be attractive to dogs. Confine pets during application to prevent them from believing they are being fed.

#### User Safety Recommendations:

- Wear long sleeved shirt, long pants, shoes plus socks and chemical resistant gloves, such as polyethylene or butyl rubber or neoprene rubber or viton when applying this product.
- Change clothing as soon as possible after use.
- Wash the outside of gloves before removing. As with any pesticide product, wash hands thoroughly immediately after handling and before eating, smoking or using the toilet.

### ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic and estuarine invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

**CORRY'S SLUG, SNAIL & INSECT KILLER** is a convenient, ready-to-use bait. It is effective in the control of slugs, snails, earwigs, sowbugs, cutworms, crickets, grasshoppers, mole crickets<sup>+</sup>, ants (except fire ants, harvester ants, pharaoh ants and carpenter ants), armyworms, millipedes, pillbugs, Japanese and darkling beetles. Easy to use, quick and economical **CORRY'S SLUG, SNAIL & INSECT KILLER** resists rain and sprinkling and remains effective in the garden for many days.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**RESTRICTIONS:** Do not apply this product in a way that will contact other persons or pets, either directly or through drift. Keep people and pets out of the area during application. Do not allow children or pets to contact treated area until dust has settled. Avoid applying pellets bait in piles that may attract pets.

This product may only be applied by sprinkling directly from the original container to the soil in the area to be treated. Do not apply by hand, spoon or belly grinder. Apply when air is calm. Start applying at the farthest corner of the treatment area and work backward to avoid contact with treated surfaces.

**TO APPLY:** This product is intended only for outdoor use in home and garden areas. Apply to the soil surface in infested areas as stated in the Product Application Chart [and the graphics presented below].

[Optional: graphic(s) representing product application consistent with label directions; e.g. – placement of bait to soil around listed plants and not directly to plant foliage]

This bait is attractive to slugs, snails, and other listed insects and will [actually] lure[s] them from their hiding places [and kills them]. All likely places should be treated as slugs, snails and other listed insects [these pests] travel [migrate]. They favor damp, well shaded locations [places] [around listed fruit and vegetable plants (see Table below), flower gardens, ornamental plants, rockeries, hedges, compost heaps, ivy patches and other non-turf ground covers] where they can obtain shelter by day. Be sure area to be treated is damp. In dry weather, water well before applying bait. Heavy or prolonged rain can shorten effective period of bait. If slugs, snails, and other listed insects are invading from adjacent properties, a pencil-thin line the entire length of the infested area will form a barrier and result in effective control. Preferred baiting time is in the evening [or after rain or watering] as these pests feed [are most active] mainly at night [during nighttime hours and/or during damp conditions].

CORRY'S SLUG, SNAIL & INSECT KILLER can be used around the following flower/ornamental, fruit and vegetable plants. Do not apply to foliage or edible parts of the plant. Sprinkle this product evenly to the soil surface around individual plants, between rows of plants and/or as a barrier treatment around plants that you wish to protect.

Use this product to control slugs, snails, earwigs, sowbugs, cutworms, crickets, grasshoppers, mole crickets<sup>+</sup>, ants (except fire ants, harvester ants, pharaoh ants and carpenter ants), armyworms, millipedes, pillbugs, Japanese and darkling beetles.

<sup>+</sup>For mole crickets, water-in thoroughly (¼ to ½ inch of water) following application to move the insecticide into the root zone.

<b>Product Application Chart</b>			
<b>Use Rate: ¾ LB/1,750 sq. ft.</b>	<b>Minimum Retreatment Interval:</b>	<b>Maximum Applications Per Year:</b>	<b>Pre-harvest Interval</b>
Asparagus, pre-harvest	3 days	3	1
Cucumbers, Melons, Squash	7 days	6	3
<b>Use Rate: 1 LB/1,750 sq. ft.</b>			
Asparagus, post-harvest	3 days	5 (pre- & post-harvest combined)	0
Blueberries	7 days	4	7
Caneberries (bingleberry, black raspberry, blackberry, boysenberry, dewberry, lowberry, marionberry, olallieberry, red raspberry, youngberry) and Other Berries (currant, elderberry, gooseberry, huckleberry, loganberry, lingonberry, juneberry, salal)	7 days	4	7
Carrots, Potatoes, Radishes, Turnips	7 days	4	7
Broccoli, Brussels sprouts, cabbage, cauliflower, cavalo broccolo, kohlrabi	7 days	4	3
Collards, kale, mizuna, mustard greens, rape greens	7 days	4	14
Tomatoes, Pepper, Eggplant	7 days	4	3
Flowers/Ornamentals/Non-turf Ground cover	7 days	6	0

8  
8

### STORAGE AND DISPOSAL

**PESTICIDE STORAGE:** Store in a cool, dry, locked location out of direct sunlight, in original container, and not accessible to children or pets. Avoid contamination of feed and foodstuffs.

**PESTICIDE DISPOSAL: If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

**CONTAINER DISPOSAL: If empty:** Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

[Optional Disclaimer]

**NOTICE:** To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. To the extent consistent with applicable law, buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

Mfd by:           Matson, LLC  
                      P.O. Box 1820  
                      North Bend, WA 98045

[www.protectyourgarden.com](http://www.protectyourgarden.com)

[Lot no. to be added at production.]

[Optional]

For more information, please visit our website at (insert website address)

If you apply Corry's® Slug, Snail & Insect Killer as directed and are not completely satisfied, send proof of purchase from this package and the original cash register receipt to the address below [on this package]. We will refund the purchase price you paid.

Corry's and Deadline are registered trademarks of Matson, LLC.

Cooke and Lilly Miller are registered trademarks of Central Garden & Pet.



Bitrex® is a registered trademark of Macfarlan Smith.