

8119-5

05/29/2012

1/7

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460



OFFICE OF
CHEMICAL SAFETY AND
POLLUTION PREVENTION

MAY 29 2012

Rebecca Horton
Consultant/Agent for Matson, LLC
Registrations by Design, Inc.
P.O. Box 1019
Salem, VA 24153-1019

Subject: Amended label to qualify use on ants to exclude fire, pharaoh, carpenter, and harvester ants
Corry's Slug, Snail & Insect Killer
EPA Reg. No. 8119-5
Submissions dated March 20, 2012

Dear Ms. Horton:

The proposed labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), is acceptable provided that you submit two copies of your final printed label before you release the product for shipment. Products shipped after 18 months from the date of this amendment or the next printing of the label whichever occurs first, must bear the new revised label. Your release for shipment of the product bearing the amended label constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e).

A stamped copy is enclosed for your records. If you have any questions, please contact Marianne Lewis at (703) 308-8043 or lewis.marianne@epa.gov.

Regards,

A handwritten signature in cursive script that reads "Venus Eagle".

Venus Eagle, PM 01
Insecticide-Rodenticide Branch
Registration Division (7505P)

Enclosure

2/7

ACCEPTED
5/29/12
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
Registered under
EPA Reg. No. 8119-5

CORRY'S® SLUG, SNAIL & INSECT KILLER

[Additional Brand Name(s): Deadline® Bug Bait, Corry's® Insect Killer, Corry's® Bug Bait, Lilly Miller® Slug, Snail & Insect Killer Bait, Cooke® Slug-N-Snail Granules, Lilly Miller® Go-West Meal Kills Slugs, Snails and Listed Insects]

[Optional Marketing Statements]

- Remains Effective After Rain or Sprinkling
- Kills Mole Crickets and Other Listed Crawling Insects
- Dual Killing Action
- Easy To Use Meal Formula
- Ideal for Use Around Listed Fruit and Vegetables
- Easy Application Container
- Ready To Use Formula
- Protects Listed Fruit, Vegetable and Ornamental Gardens
- Can Be Used Around Listed Fruit and Vegetable Plants – See back/side panel(s) for use sites and application directions
- Can Be Used Around Listed Fruit and Vegetable Plants and Ornamental Plants – See back/side panel(s) for use sites and application directions
- Fast, Effective Control of Slugs, Snails and Listed Insects
- Attracts and Kills Slugs, Snails and Listed Insects
- Contains Bitrex®
- Contains denatonium benzoate
- Use this product around listed fruit and vegetable gardens, and ornamentals – See back/side panel(s) for use sites and application directions
- Apply product around hiding places: Listed fruit and vegetable gardens, and ornamentals
- One pound treats [covers] 1,200 linear feet

[Final label may include graphic representation of labeled pests – e.g. – slugs, snails, ants*, etc. and proper methods of application around plants]

ACTIVE INGREDIENTS:

- Metaldehyde (2,4,6,8-tetramethyl-1,3,5,7-tetraoxycyclo-octane).....2%
- Carbaryl (1-Naphthyl N-methylcarbamate).....5%

OTHER INGREDIENTS:93%

TOTAL:100%

KEEP OUT OF REACH OF CHILDREN AND DOMESTIC ANIMALS

CAUTION

This pesticide may be harmful to children and fatal to domestic animals if ingested. Exclude children and pets from treated areas until the applied product is no longer visible. For additional precautionary measures, see "Directions for Use" and "Storage and Disposal"

Pests targeted by this product are listed in Directions for Use.



*except fire ants, pharaoh ants, carpenter ants and harvester ants

Net Weight 1 LB (454 g) / 1.5 LB (681 g) / 2 LB (908 g) / 3.5 LB (1.58 kg) / 5 LB (2.26 kg)

[Back/Side/Other Panel(s)]

<p>FIRST AID</p> <p>This product contains N-methyl carbamate that inhibits cholinesterase.</p>
<p>If in eyes:</p> <ul style="list-style-type: none"> · Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. · Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. · Call a poison control center or doctor for treatment advice.
<p>If on skin or clothing:</p> <ul style="list-style-type: none"> · Take off contaminated clothing. · Rinse skin immediately with plenty of water for 15 – 20 minutes. · Call a poison control center or doctor for treatment advice.
<p>If swallowed:</p> <ul style="list-style-type: none"> · Call poison control center or doctor immediately for treatment advice. · Have person sip a glass of water if able to swallow. · Do not induce vomiting unless told to by the poison control center or doctor. · Do not give anything by mouth to an unconscious person.
<p>If inhaled:</p> <ul style="list-style-type: none"> · Move person to fresh air. · If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. · Call a poison control center or doctor for further treatment advice.
<p>POISONING HOTLINE</p>
<p>Seek medical care as soon as possible after exposure. For incidents involving animals, seek veterinary care as soon as possible after exposure. Have the product container or label with you when you call a poison control center or doctor or veterinarian, or when going for treatment. For information on this pesticide product (including health concerns, medical emergencies, treatment advice, or pesticide incidents), call PROSAR at 1-800-308-3723.</p>
<p>Metaldehyde is a systemic toxin. There is no antidote. The following instructions are not intended for laypeople. There is no home treatment. Exposed individuals and animals should receive emergency care as quickly as possible.</p> <p>NOTE TO PHYSICIAN: Carbaryl is a N-methyl carbamate which is a cholinesterase inhibitor. Atropine is antidotal. Dust inhalation is usual route of accidental exposure; the product is rarely ingested. Treatment is symptomatic and supportive. Monitor severe exposures closely: seizures, electrolyte imbalances, acidosis, dehydration, and increased body temperature have been reported.</p> <p>NOTE TO VETERINARIAN: Animals typically are exposed via ingestion. Treatment is symptomatic and supportive. If significant ingestion suspected and the animal is asymptomatic, consider induction of emesis or gastric lavage and administration of activated charcoal, cathartic and enema to limit absorption. Monitor asymptomatic and symptomatic animals closely. Treat seizures, electrolyte imbalances, acidosis, dehydration, and increased body temperature. Monitor liver function post recovery.</p>

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Harmful if absorbed through skin. Harmful if swallowed. Harmful if inhaled. Avoid breathing dust. Avoid contact with skin, eyes, or clothing. Wash thoroughly after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

IMPORTANT: This product may be harmful to children and fatal to domestic animals if ingested. Children and dogs may be attracted to metaldehyde products and their packaging. Keep children and pets out of treated areas from the start of application until the applied product is no longer visible.

USER SAFETY REQUIREMENTS

- Wear long sleeved shirt, long pants, shoes plus socks and chemical resistant gloves, such as polyethylene or butyl rubber or neoprene rubber or viton when applying this product.
- Change clothing as soon as possible after use.
- Wash the outside of gloves before removing. As with any pesticide product, wash hands thoroughly immediately after handling and before eating, smoking or using the toilet.
- Do not allow children or pets to contact treated area until applied product is no longer visible.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic and estuarine invertebrates and is toxic to mollusks (clams, oysters, scallops, mussels). To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters (including garden ponds). Do not apply if heavy rain is expected. Applying this product in calm weather when rain is not predicted for the next 24 hours will help ensure that wind or rain does not blow or wash pesticide off the treatment area. This pesticide is toxic to birds and mammals. Collect and remove any product that is spilled.

Product Information

CORRY'S SLUG, SNAIL & INSECT KILLER is a convenient, ready-to-use bait. It is extremely effective in the control of slugs, snails, earwigs, sowbugs, cutworms, crickets, grasshoppers, mole crickets⁺, ants*, armyworms, millipedes, pillbugs, Japanese and darkling beetles. Easy to use, quick and economical CORRY'S SLUG, SNAIL & INSECT KILLER resists rain and sprinkling and remains effective in the garden for many days.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes.

Precautions and Restrictions

Do not apply this product in a way that will contact other persons or pets, either directly or through drift. Keep people and pets out of the area during application. This pesticide may be harmful to children and fatal to dogs and other domestic animals if ingested. Children and dogs may be attracted to metaldehyde products, both in the package and when applied. Children and domestic animals must be kept out of treated areas from the start of application until the applied product is no longer visible. Application of this metaldehyde product is prohibited unless children and domestic animals can be excluded from the treated areas from the start of application until the applied product is no longer visible. Avoid applying pellets in piles that may attract pets.

Applications to turf and dichondra are prohibited. Application is permitted only to non-turf areas (e.g., on soil or mulch) directly surrounding plants listed on the label. Broadcast and foliar applications of this product are prohibited. **Application is permitted only as a barrier around gardens or individual plants. Application is prohibited within one foot of vegetable plants or fruit-bearing plants not listed on this label.**

If directions for use require watering-in, do not allow people (except those involved in the watering-in) to enter the treated area until the watering-in is complete, the product is no longer visible, and the area has dried.

Application Method

Only apply this product from the original container by sprinkling directly on soil in the area to be treated. Do not apply by hand, spoon or belly grinder. Apply when air is calm to avoid drift and contact with eyes and skin. Start applying at the farthest corner of the treatment area and work backward to avoid contact with treated surfaces.

Certain cultural practices may reduce damage from snails and slugs. These practices include:

- eliminating hiding places by removing leaf litter and debris in the garden;
- removing slugs and snails during daylight hours from nearby leaf litter, mulch, and other protected areas;
- watering in the morning to reduce humidity during the night when snails and slugs are active.

This product is for outdoor use only. Apply to the soil surface in infested areas as indicated in the Product Application Chart [and the graphics presented below].

[insert graphic(s) representing correct product application around listed plants]

This bait is extremely attractive to slugs, snails, and other listed insects and will [actually] lure[s] them from their hiding places [and kills them]. They favor damp, well shaded locations around listed berry, fruit, vegetable and ornamental plants located outdoors in residential gardens. Treat all listed sites where slugs and snails can obtain shelter by day, as these pests migrate to better feeding and sheltering conditions. Be sure area to be treated is damp. In dry weather, water well before applying bait. Heavy or prolonged rain can shorten effective period of bait. If slugs, snails, and other listed insects are invading from adjacent properties, a pencil-thin line the entire length of the infested area will form a barrier and result in excellent control. Preferred baiting time is in the evening [or after rain or watering] as these pests feed [are most active] mainly at night [during nighttime hours and/or during damp conditions].

CORRY'S SLUG, SNAIL & INSECT KILLER can be used to protect the listed fruit, vegetable and ornamental plants. Apply only to the soil surface. Do not apply to foliage or edible parts of the plant. Apply this product evenly around individual plants, between rows of plants and/or as a barrier treatment around plants that you wish to protect.

Use this product to control **slugs, snails, earwigs, sowbugs, cutworms, crickets, grasshoppers, mole crickets⁺, ants*, armyworms, millipedes, pillbugs, Japanese and darkling beetles.**

⁺For mole crickets, water-in thoroughly (¼ to ½ inch of water) following application to move the insecticide into the root zone.

*except fire ants, pharaoh ants, carpenter ants and harvester ants

Product Application Chart

Use Rate: 1 teaspoon per 7 linear feet (Note to EPA – not printed on marketing label: provides a protection barrier covering approx 42 sq. ft.) (0.166 lb/ai metaldehyde/A; 0.415 lb/ai carbaryl/A)

Plants:

- Blueberries
- Caneberries (bingleberry, black raspberry, blackberry, boysenberry, dewberry, lowberry, marionberry, olallieberry, red raspberry, youngberry) and Other Berries (currant, elderberry, gooseberry, huckleberry, loganberry, lingonberry, juneberry, salal)
- Cole Crops (broccoli, Brussels sprouts, cabbage, cauliflower, cavalo broccolo, collards, kale, kohlrabi, mizuna, mustard greens, rape greens)
- Tomatoes
- Strawberries
- Ornamentals

	Minimum Retreatment	Maximum Applications	Days from Product Application
	Interval:	Per Season:	To Harvest
Blueberries	14 days	3	7
Caneberries (bingleberry, black raspberry, blackberry, boysenberry, dewberry, lowberry, marionberry, olallieberry, red raspberry, youngberry) and Other Berries (currant, elderberry, gooseberry, huckleberry, loganberry, lingonberry, juneberry, salal)	14 days	3	7
Cole Crops (broccoli, Brussels sprouts, cabbage, cauliflower, cavalo broccolo, collards, kale, kohlrabi, mizuna, mustard greens, rape greens)	14 days	3	15
Tomatoes	14 days	3	3
Strawberries	14 days	3	7
Ornamentals	21 days	6	0

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

PESTICIDE STORAGE: This product can be harmful to children and fatal to domestic animals if ingested. Dogs have been known to ingest metaldehyde after opening or tearing packaging. Store this product in its original packaging, in a cool, secure location, and out of reach of children and pets.

PESTICIDE DISPOSAL: If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER DISPOSAL: If empty: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

[Optional Disclaimer]

NOTICE: To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. To the extent consistent with applicable law, buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

Mfd by: **Matson, LLC**
P.O. Box 1820
North Bend, WA 98045
www.protectyourgarden.com

Lot no. to be added at production.

[Optional]

For more information, please visit our website at (insert website address)

If you apply Corry's® Slug, Snail & Insect Killer as directed and are not completely satisfied, send proof of purchase from this package and the original cash register receipt to the address below [on this package]. We will refund the purchase price you paid.

Corry's and Deadline are registered trademarks of Matson, LLC.

Cooke and Lilly Miller are registered trademarks of Central Garden & Pet.



Bitrex® is a registered trademark of Macfarlan Smith.

[Note to EPA - Translates: For Spanish translation of this label including Precautionary Statements, First Aid and complete Directions for Use, visit www.corrays.com or scan the Tag below.]

[Optional – required when distributed in California:

NOTICE – This product contains Carbaryl, a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.]

[Optional: Scan Tag added for on-line access to Spanish translation of label -- with the following text of explanation, translated in Spanish: For Spanish translation of this label including Precautionary Statements, First Aid and complete Directions for Use, visit www.corrays.com or scan the tag below.]