



OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

WASHINGTON, D.C. 20460

April 9, 2025

Dani Lucius
Senior Regulatory Specialist
Matson, LLC
P.O. Box 1820
North Bend, WA 98045

Subject: Registration Review Label Amendments Incorporating Mitigation Measures from the Interim Decision for Metaldehyde and the National Marine Fisheries Services' (NMFS) Biological Opinion on the Effects of Carbaryl on Federally Listed Endangered and Threatened Species and Designated Critical Habitat in Accordance with Section 7 of the Endangered Species Act (ESA) of 1973, as amended (16 U.S.C. 1531 et seq.).
Product Name: Corry's Slug, Snail, & Insect Killer
EPA Registration Number: 8119-5
Application Date: 3/12/2022 and 4/11/2024
Decision Number: 582704 and 595838

Dear Dani Lucius:

The Agency, in accordance with the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, has completed reviewing all the information submitted with your application to support the Registration Review of the above referenced product in connection with the Metaldehyde Interim Decision. The Agency has concluded that your submission is acceptable.

This letter also addresses the label mitigation resulting from the NMFS' Biological Opinion (BiOp) on the effects of carbaryl on federally listed endangered and threatened species and designated critical habitat in accordance with section 7 of the Endangered Species Act (ESA) of 1973, as amended (16 U.S.C. 1531 et seq.). The Agency has concluded that your submission is also acceptable. The label referred to above, submitted in connection with registration under FIFRA, as amended, is acceptable.


Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the FIFRA and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 12 months from the date of this letter. After 12 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

The Agency received the U.S. Fish and Wildlife Service's (FWS) BiOp on the effects of EPA's national registration of carbaryl and posted it on the [website](#) on April 9, 2025. The Agency plans to incorporate and implement this FWS BiOp when issuing the interim decision for carbaryl. EPA will notify the registrants of any need to submit label amendments within 60 days of the issuance of the interim decision.

If you have any questions about this letter, please contact Carolyn Smith at smith.carolyn@epa.gov.

Sincerely,

A handwritten signature in black ink that reads "Jaclyn Pyne". The signature is written in a cursive, flowing style.

Jaclyn Pyne, Team Leader
Risk Management and Implementation Branch 3
Pesticide Re-Evaluation Division
Office of Pesticide Programs

Enclosure


CORRY'S® SLUG, SNAIL & INSECT KILLER

[Additional Brand Name(s): Deadline® Bug Bait, Corry's® Insect Killer, Corry's® Bug Bait, Lilly Miller® Slug, Snail & Insect Killer Bait, Cooke® Slug-N-Snail Granules, Lilly Miller® Go-West Meal Kills Slugs, Snails and Listed Insects]

CARBARYL GROUP	MODE OF ACTION CODE: 1A	INSECTICIDE
----------------	----------------------------	-------------

[Optional Marketing Statements]

Remains Effective After Rain or Sprinkling
 Kills Mole Crickets and Other Listed Crawling Insects
 Dual Killing Action
 Easy To Use Meal Formula
 Ideal for Use Around Listed Fruit and Vegetables
 Easy Application Container
 Ready To Use Formula
 Protects Listed Fruit, Vegetable and Ornamental Gardens
 Can Be Used Around Listed Fruit and Vegetable Plants – See back/side panel(s) for use sites and application directions
 Can Be Used Around Listed Fruit and Vegetable Plants and Ornamental Plants – See back/side panel(s) for use sites and application directions
 Fast, Effective Control of Slugs, Snails and Listed Insects
 Attracts and Kills Slugs, Snails and Listed Insects
 Contains Bitrex®
 Contains denatonium benzoate
 Use this product around listed fruit and vegetable gardens, and ornamentals – See back/side panel(s) for use sites and application directions
 Apply product around hiding places: Listed fruit and vegetable gardens, and ornamentals
 One pound treats [covers] 1,200 linear feet



[Final label may include graphic representation of labeled pests – e.g. – slugs, snails, ants*, etc. and proper methods of application around plants]

ACTIVE INGREDIENTS:

Metaldehyde (2,4,6,8-tetramethyl-1,3,5,7-tetraoxycyclo-octane) 2%
 Carbaryl (1-Naphthyl N-methylcarbamate) 5%

OTHER INGREDIENTS:93%

TOTAL:100%

KEEP OUT OF REACH OF CHILDREN AND DOMESTIC ANIMALS

CAUTION

This pesticide may be harmful to children and fatal to domestic animals if ingested. Exclude children and pets from treated areas until the applied product is no longer visible. For additional precautionary measures, see "Directions for Use" and "Storage and Disposal"



Pests targeted by this product are listed in Directions for Use.

*except fire ants, pharaoh ants, carpenter ants and harvester ants

Net Weight 1 LB (454 g) / 1.5 LB (681 g) / 2 LB (908 g) / 3.5 LB (1.58 kg) / 5 LB (2.26 kg)

[Back/Side/Other Panel(s)]

<p style="text-align: center;">FIRST AID</p> <p style="text-align: center;">This product contains N-methyl carbamate that inhibits cholinesterase.</p>
<p>If in eyes:</p> <ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15 - 20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice.
<p>If on skin or clothing:</p> <ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15 - 20 minutes.• Call a poison control center or doctor for treatment advice.
<p>If swallowed:</p> <ul style="list-style-type: none">• Call poison control center or doctor immediately for treatment advice.• Have person sip a glass of water if able to swallow.• Do not induce vomiting unless told to by the poison control center or doctor.• Do not give anything by mouth to an unconscious person.
<p>If inhaled:</p> <ul style="list-style-type: none">• Move person to fresh air.• If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.• Call a poison control center or doctor for further treatment advice.
<p style="text-align: center;">POISONING HOTLINE</p> <p>Seek medical care as soon as possible after exposure. For incidents involving animals, seek veterinary care as soon as possible after exposure. Have the product container or label with you when you call a poison control center or doctor or veterinarian, or when going for treatment. For information on this pesticide product (including health concerns, medical emergencies, treatment advice, or pesticide incidents), call PROSAR at 1-800-308-3723.</p>
<p>Metaldehyde is a systemic toxin. There is no antidote. The following instructions are not intended for laypeople. There is no home treatment. Exposed individuals and animals should receive emergency care as quickly as possible.</p> <p>NOTE TO PHYSICIAN: Carbaryl is a N-methyl carbamate which is a cholinesterase inhibitor. Atropine is antidotal. Dust inhalation is usual route of accidental exposure; the product is rarely ingested. Treatment is symptomatic and supportive. Monitor severe exposures closely: seizures, electrolyte imbalances, acidosis, dehydration, and increased body temperature have been reported.</p> <p>NOTE TO VETERINARIAN: Animals typically are exposed via ingestion. Treatment is symptomatic and supportive. If significant ingestion suspected and the animal is asymptomatic, consider induction of emesis or gastric lavage and administration of activated charcoal, cathartic and enema to limit absorption. Monitor asymptomatic and symptomatic animals closely. Treat seizures, electrolyte imbalances, acidosis, dehydration, and increased body temperature. Monitor liver function post recovery.</p>

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Harmful if absorbed through skin. Harmful if swallowed. Harmful if inhaled. Avoid breathing dust. Avoid contact with skin, eyes, or clothing. Wash thoroughly after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

IMPORTANT: This product may be harmful to children and fatal to domestic animals if ingested. Children and dogs may be attracted to metaldehyde products and their packaging. Keep children and pets out of treated areas from the start of application until the applied product is no longer visible.

USER SAFETY REQUIREMENTS

- Wear long sleeved shirt, long pants, shoes plus socks and chemical resistant gloves made of barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, natural rubber, polyethylene, polyvinyl chloride (PVC), or viton when applying this product.
- Change clothing as soon as possible after use.
- Wash the outside of gloves before removing. As with any pesticide product, wash hands thoroughly immediately after handling and before eating, smoking or using the toilet.
- Do not allow children or pets to contact treated area until applied product is no longer visible.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic and estuarine invertebrates and is toxic to mollusks (clams, oysters, scallops, mussels). To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 48 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems. This pesticide is toxic to birds and mammals. Collect and remove any product that is spilled.

For terrestrial uses: Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas.

Product Information

CORRY'S SLUG, SNAIL & INSECT KILLER is a convenient, ready-to-use bait. It is extremely effective in the control of slugs, snails, earwigs, sowbugs, cutworms, crickets, grasshoppers, mole crickets+, ants*, armyworms, millipedes, pillbugs, Japanese and darkling beetles. Easy to use, quick and economical CORRY'S SLUG, SNAIL & INSECT KILLER resists rain and sprinkling and remains effective in the garden for many days.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Resistance Management

For resistance management, please note that CORRY'S SLUG, SNAIL & INSECT KILLER contains both a Group 1A Carbaryl insecticide and metaldehyde molluscicide. Any insect/mite population may contain individuals naturally resistant to CORRY'S SLUG, SNAIL & INSECT KILLER and other Group 1A insecticides or molluscicides. The resistant individuals may dominate the insect/mite population if these insecticides/molluscicides are used repeatedly in the same fields. Appropriate resistance-management strategies should be followed.

To delay insecticide/acaricide resistance, take the following steps:

- Adopt an integrated pest management program for insecticide/acaricides use that includes scouting, uses historical information related to pesticide use, crop rotation, record keeping, and which considers cultural, biological and other chemical control practices.
- Monitor after application for unexpected target pest survival. If the level of survival suggests the presence of resistance, consult with your local university specialist or certified pest control advisor.
- Contact your local extension specialist or certified crop advisors for any additional pesticide resistance-management and/or IPM recommendations for the specific site and pest problems in your area.
- For further information or to report suspected resistance contact (Matson, LLC) at (1-800-308-3723) or at (www.corrys.com).

Areas treated with metaldehyde may be replanted immediately with crops registered for use on this label. Do not plant any crop not listed on this label in the treated area for at least 30 days after the last treatment with metaldehyde.

Do not apply or irrigate to the point of runoff.

Do not APPLY the product into fish pools, ponds, streams, or lakes. Do not apply directly to sewers or storm drains, or to any area like a drain or gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur.

Do not allow the product to enter any drain during or after application.

Do not apply directly to impervious horizontal surfaces such as sidewalks, driveways, and patios except as a spot or crack-and-crevice treatment.

Treat surfaces to ensure thorough coverage but avoid runoff.

Do not apply this product for agricultural uses in Hawaii.

Spot treatments must not exceed two square feet in size (for example, 2 ft. by 1 ft. or 4 ft. by 0.5 ft.).

REPORTING ECOLOGICAL INCIDENTS: For guidance on reporting ecological incidents, including death, injury, or harm to plants and animals, including bees and other non-target insects, see EPA's Pesticide Incident Reporting website: <https://www.epa.gov/pesticide-incidents> or call (1-800-308-3723).

Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes.

Precautions and Restrictions

Do not apply this product in a way that will contact other persons or pets, either directly or through drift. Keep people and pets out of the area during application. This pesticide may be harmful to children and fatal to dogs and other domestic animals if ingested. Children and dogs may be attracted to metaldehyde products, both in the package and when applied. Children and domestic animals must be kept out of treated areas from the start of application until the applied product is no longer visible. Application of this metaldehyde product is prohibited unless children and domestic animals can be excluded from the treated areas from the start of application until the applied product is no longer visible. Avoid applying pellets in piles that may attract pets.

Do not apply within 25 feet of aquatic habitats (such as, but not limited to, lakes, reservoirs, rivers, permanent streams or ephemeral streams when water is present, wetlands or natural ponds, estuaries, and commercial fish farm ponds).

Do not apply during rain. Do not apply when soil in the area to be treated is saturated (if there is standing water on the field or if water can be squeezed from soil) or if NOAA/National Weather Service predicts a total rainfall of 1 inch or greater over the 48 hours following the day of application, only considering a 48-hour period when, at any point during the 48-hour period, the precipitation potential is 50% or greater. Detailed National Weather Service forecasts for local weather conditions should be obtained on-line at: www.weather.gov or by contacting your local National Weather Service Forecasting Office."

Applications to turf and dichondra are prohibited. Application is permitted only to non-turf areas (e.g., on soil or mulch) directly surrounding plants listed on the label. Broadcast and foliar applications of this product are prohibited. **Application is permitted only as a barrier around gardens or individual plants. Application is prohibited within one foot of vegetable plants or fruit-bearing plants not listed on this label.**

If directions for use require watering-in, do not allow people (except those involved in the watering-in) to enter the treated area until the watering-in is complete, the product is no longer visible, and the area has dried.

Application Method

Only apply this product from the original container by sprinkling directly on soil in the area to be treated. Do not apply by hand, spoon or belly grinder. Apply when air is calm to avoid drift and contact with eyes and skin. Start applying at the farthest corner of the treatment area and work backward to avoid contact with treated surfaces.

Certain cultural practices may reduce damage from snails and slugs. These practices include:

- eliminating hiding places by removing leaf litter and debris in the garden;
- removing slugs and snails during daylight hours from nearby leaf litter, mulch, and other protected areas;
- watering in the morning to reduce humidity during the night when snails and slugs are active.

This product is for outdoor use only. Apply to the soil surface in infested areas as indicated in the Product Application Chart [and the graphics presented below].

[insert graphic(s) representing correct product application around listed plants]

This bait is extremely attractive to slugs, snails, and other listed insects and will [actually] lure[s] them from their hiding places [and kills them]. They favor damp, well shaded locations around listed berry, fruit, vegetable and ornamental plants located outdoors in residential gardens. Treat all listed sites where slugs and snails can obtain shelter by day, as these pests migrate to better feeding and sheltering conditions. Be sure area to be treated is damp. In dry weather, water well before applying bait. Heavy or prolonged rain can shorten effective period of bait. If slugs, snails, and other listed insects are invading from adjacent properties, a pencil-thin line the entire length of the infested area will form a barrier and result in excellent control. Preferred baiting time is in the evening [or after rain or watering] as these pests feed [are most active] mainly at night [during nighttime hours and/or during damp conditions].

CORRY'S SLUG, SNAIL & INSECT KILLER can be used to protect the listed fruit, vegetable and ornamental plants. Apply only to the soil surface. Do not apply to foliage or edible parts of the plant. Apply this product evenly around individual plants, between rows of plants and/or as a barrier treatment around plants that you wish to protect.

Use this product to control **slugs, snails, earwigs, sowbugs, cutworms, crickets, grasshoppers, mole crickets+, ants*, armyworms, millipedes, pillbugs, Japanese and darkling beetles.**

For mole crickets, water in thoroughly ($\frac{1}{4}$ to $\frac{1}{2}$ inch of water) following application to move the insecticide into the root zone.

*except fire ants, pharaoh ants, carpenter ants and harvester ants

Product Application Chart

Use Rate: 1 teaspoon per 7 linear feet (Note to EPA – not printed on marketing label: provides a protection barrier covering approx 42 sq. ft.) (0.166 lb/ai metaldehyde/A; 0.415 lb/ai carbaryl/A)

Plants:

Blueberries
 Caneberries (bingeberry, black raspberry, blackberry, boysenberry, dewberry, lowberry, marionberry, olallieberry, red raspberry, youngberry) and Other Berries (currant, elderberry, gooseberry, huckleberry, loganberry, lingonberry, juneberry, salal)
 Cole Crops (broccoli, Brussels sprouts, cabbage, cauliflower, cavalo broccolo, collards, kale, kohlrabi, mizuna, mustard greens, rape greens)
 Tomatoes
 Strawberries
 Ornamentals

**Minimum Maximum Days from
 Retreatment Applications Product Application**

Interval:	Per Year:	To Harvest
14 days	3	7
14 days	3	7
14 days	3	15
14 days	3	3
14 days	3	7
21 days	4	0

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

PESTICIDE STORAGE: This product can be harmful to children and fatal to domestic animals if ingested. Dogs have been known to ingest metaldehyde after opening or tearing packaging. Store this product in its original packaging, in a cool, secure location, and out of reach of children and pets.

PESTICIDE DISPOSAL: If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER DISPOSAL: If empty: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.



[Optional Disclaimer]

NOTICE: To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. To the extent consistent with applicable law, buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

Mfd by: Matson, LLC
 P.O. Box 1820
 North Bend, WA 98045

[\[www.corrays.com\]](http://www.corrays.com)

Lot no. to be added at production.

[Optional]

For more information, please visit our website at (insert website address)

If you apply Corry's® Slug, Snail & Insect Killer as directed and are not completely satisfied, send proof of purchase from this package and the original cash register receipt to the address below [on this package]. We will refund the purchase price you paid.

Corry's and Deadline are registered trademarks of Matson, LLC.

[Optional Made in USA log]

Bitrex® is a registered trademark of Macfarlan Smith.

[Note to EPA - Translates: For Spanish translation of this label including
Precautionary Statements, First Aid and complete Directions for Use, visit
www.corrays.com or scan the Tag below.][Optional – required when distributed in California:



NOTICE: Cancer - www.P65Warnings.ca.gov]

[Optional: Scan Tag added for on-line access to Spanish translation of label -- with the following text of
explanation, translated in Spanish: For Spanish translation of this label including Precautionary Statements,
First Aid and complete Directions for Use, visit www.corrays.com or scan the tag below.] EPA Reg. No.