

8119-6

8/20/2003


1/2

Contains SNARE™
A Powerful Attractant

FORCE II™

SLUG & SNAIL KILLER

ONE LAST MEAL FOR SLUGS AND SNAILS™



ACTIVE INGREDIENT:
Metaldehyde (2,4,6,8-
Tetramethyl-1,3,5,7-
Tetraoxycyclo octane) 4.0%
OTHER INGREDIENTS 96.0%
Total 100.0%

Keep Out
Of Reach
Of Children

CAUTION:

This pesticide may be fatal
to children and dogs or other pets if
eaten. Keep children and pets out of
treatment area. Keep out of
reach of children and pets.

3/2002

CONTENTS: 32oz (946ml)

ACCEPTED
MAR 20 2003
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
Registered under
EPA Reg. No. 8119-6

FORCE II



Deadline

SLUG & SNAIL KILLER

ONE LAST MEAL FOR SLUGS AND SNAILS™

Easy-to-Use, Easy-to-Store Liquid Force II Deadline® Slug & Snail Killer with

SMARE™ A POWERFUL ATTRACTANT - lures slugs and snails to this product and away from your plants

Convenient, clean and effective, Force II Deadline Slug & Snail Killer resists rain. Put Force II Deadline Slug & Snail Killer around tender shoots. A thin line of Force II Deadline Slug & Snail Killer around the area you want to protect will keep new migrants from taking up residence in your yard.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This product is specially formulated to attract and control slugs and snails. The presence of slugs and snails can be detected by their slimy-mucous trail. They are night feeders and prefer damp, cool places. Apply this product in areas likely to be infested at the beginning of the spring planting season before damage occurs and as needed during periods of damp weather. Treat every 3 to 4 weeks or as needed. During periods of high rainfall or frequent waterings, it may be necessary to treat more often. If ground is dry, thoroughly water areas to be treated. For best results, apply in the evening around flowers, ornamental plants, vegetable gardens and lawn areas. Apply only to the soil surface around plants. Do not apply directly to plants. Do not mix with any seeds prior to application.

Flowers & Lawns: Flip up spout and lightly squeeze a solid line of this product around flower beds and lawn edges. Apply any time, but preferably in early evening. Repeat applications as needed. When applying, occasionally turn bottle upright to allow air to enter bottle.

Vegetable Gardens: Apply a solid line on the soil between heavy and vegetable plants. Force II Deadline Slug & Snail Killer can be used on the following crops: **Ornamentals:** azaleas, begonias, carnations, chrysanthemums, daffodils, dahlias, daisies, geraniums, honeysuckle, hydrangeas, ice plant, impatiens, iris, marigolds, pansies, petunias, rhododendrons, roses, snapdragons, sweet peas, tulips. **Vegetables:** artichokes, beans, beets, broccoli, brussels sprouts, cabbage, cantaloupe, carrots, cauliflower, celery, corn, cucumbers, lettuce, peas, peppers, radishes, spinach, squash, Swiss chard, tomatoes. **Berries:** cane berries, strawberries.

STORAGE: Store in original bottle, in a cool, dry location protected from direct sunlight and freezing temperatures. Avoid contamination of food and foodstuffs.

DISPOSAL: IF EMPTY: Do not reuse this container. Place in trash or offer for recycling if available. **IF PARTLY FILLED:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed, or absorbed through the skin. May cause eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling. This pesticide may be fatal to children and dogs or other pets if eaten. Keep children and pets out of treated areas.

FIRST AID

IF SWALLOWED: Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information on this pesticide product, (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Info Center (NPIC) at 1-800-858-7378.

ENVIRONMENTAL HAZARDS: Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

NOTICE: User assumes all responsibility for safety and use not in accordance with label directions.

Permission to use the Mr. Yuk symbol given by Children's Hospital of Pittsburgh.

