

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

5613286

June 18, 2002

David L. Grassman E. M. Matson, Jr., Co., Inc. P.O. Box 1820 North Bend, WA 98045

Subject:

EPA Reg. No. 8119-8

Hinder Deer and Rabbit Repellent RTU

Amendments to Label and

Confidential Statement of Formula (CSF)

Letter Dated May 3, 2002

Dear Mr. Grassman:

The revised label and CSF dated 10-18-01 for the Alternate Formulation # 2, submitted for the product referred to above have been reviewed by the Agency and they are acceptable. The CSF has been filed in the jacket for the product. A stamped copy of the label is enclosed for your records. Submit one (1) copy of your final printed labeling before you release the product for shipment. Should you have any questions, do not he sitate to contact me at 703-605-0368.

Sincerely,

S. Oonnithan, Ph.D.

Entomologist

Insecticide Rodenticide Branch Registration Division (7505C)



READY-TO-USE

RABBIT REPELLEN DEER



Protects plants by forming a mild odor barrier that is inoffensive to humans. For use on vegetable, fruit, flower, ornamental, vine plants and shrubs.



Active ingredients (% by weight)

[fold] [fold(0,0%)

Ner (CONTENTS 24 filoz (CV/I Liters)

ACCEPTED

JUN 1 8 2002

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ THE ENTIRE LABEL BEFORE USING THIS PRODUCT. USE ONLY ACCORDING TO THE FOLLOWING DIRECTIONS AND OBSERVE ALL PRECAUTIONS.

Ready-To-Use Hinder® Deer and Rabbit Repellent creates a mild odor barrier that is inoffensive to humans once applied. It is most effective when applied *before* animals develop their feeding habits and damage has occurred. Because this product works on an odor principle, it repels deer and rabbits before they eat treated plants and helps to protect new growth as it begins to emerge. The objective in using this product is to divert animals to alternative food sources and away from valuable plants. When animal feeding pressure is extraordinary (as in drought conditions) no product can be 100% effective; animals will feed even on treated plants rather than starve.

USE RESTRICTIONS

This product may be used to limit browsing (odocoileus virginianus) and black tail or mule de ornamental trees and shrubs, annual and perenni peanuts, apple and pear trees, and carrots.

This product may also be used to discourage rabbits (<u>sylvilagus ftoridanus</u>) and blacktail <u>californicus</u>) on home gardens and on the trunks of the product reenter treated areas until after the spra

When considering use of this product during cold temperature of at least 40°F for a four hour perioproper drying time.

Do not apply this product with sprayers previously Do not spray this product on wilted plants. Do not from the application site and contact people, structure at any time and the associated property, parks a nontarget crops, aquatic and wetland areas, wangelands or animals. Apply only when wind sprangelands for sprays, apply largest size droplets po

Check relevant sections of application direction phytotoxicity and other specific limitations on treat

APPLICATION DIRECTIONS READY-TO-USE HINDER® DEER AND RABBIT

on an odor principle. The minor ammonia odor emplants may divert deer and rabbits to other food so SHAKE CONTAINER WELL BEFORE APPLYINT This product may be applied by a tank type or palready diluted for use.

DEER cont...

Annual and perennial flowers: Apply as a full coverage coarse spray. Treat a 2 - 3 foot wide band around isolated beds. Do not water or irrigate from overhead for at least 24 hours after treatment. Note: a preliminary trial is recommended to determine plant tolerance. Open flowers (petunias, impatiens, begonias) may show spotting and petal fall after treatment. Foliage on some sensitive plants (e.g. impatiens, zinnia, bleeding heart, roses, and columbine) can show minor marginal burning. New foliage growth and flower buds that open after treatment usually will be unaffected (except for salvia, and possibly some other types).

carrots: Apply enough coarse spray to

lightly cover all plants.

RABBITS

Home gardens: Apply as a thorough coverage coarse spray to plants susceptible to rabbits.

Trunks of ornamental trees: Apply this product by brush to trunks of plants to be protected. Apply to just above the height that rabbits might reach

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions. If these terms are not acceptable, return at once, unopened.

STORAGE AND DISPOSAL

Storage: Keep this product only in its original container. Do not put Ready-To-Use product or dilute in food or drink containers. Store in a cool, dry locked location and not accessible to children or pets. Avoid contamination of feed or foodstuffs.

Disposal: If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

ENVIRONMENTAL HAZARDS: Do not apply directly to water. Do not contaminate water when disposing of equipment wash waters or rinsate.

IMPORTANT NOTICE: Recommendations for use of this product are based upon tests and/or information believed to be reliable. Seller warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with the directions and instructions specified on the label under normal conditions of use. The use of this product is beyond the control of the seller; therefore neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends beyond refund of the purchase price. Buyer assumes all risk of improper storage and application of this product or its improper use.

PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals

CAUTION: Harmful if inhaled. Avoid breathing spray mist. Remove contaminated clothing and wash clothing before reuse.

CUIDAOO: Peligrosa si se respira. Si usted no le ingles, no use este producto hasta que alguien se le explique ampliamente la etiqueta.

FIRST AID	
if in eyes	 Hold eye open and rinss slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye Call a poison control center or doctor for treatment advice.
If swallowed	* Call poison control center or doctor immediately for treatment advice. * Have person sip a glass of water if able to swallow. * Do not induce vomiting unless told to do so by the poison control center or doctor. * Do not give anything by mouth to an unconscious person.
If inhaled	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
lf on skin or clothing	* Take off contaminated clothing. * Rinse skin immediately with plenty of water for 15-20 minutes. * Call a poison control center or doctor for freatment advice.

Have the product container or tabel with you when calling a poison control center or doctor, or going for treatment. For information on this pesticide product (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide information Center (INFIC) at 1-800-856-7378.

NOTE TO PHYSICIAN
Probable mucosal damage may contraindicate the use of gastric lavage.



240Z RTU 41802 Mfd. for: E. M. Matson, Jr. Co., Inc. P.O. Box 1820 North Bend, WA. 98045 EPA Reg. No. 8119-8 EPA Est. No. 033518-CN-001 Printed in USA / Made in Canada

PRECAUTION: See inside label for Directions for Use, Additional Precautions, Environmental Hazards and Storage & Disposal Information.