

8119-11

5-28-2003

1/6



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (H7505C)
401 "M" St., S.W.
Washington, D.C. 20460

EPA Reg. Number:

8119-11

Date of Issuance:

MAY 28 2003

NOTICE OF PESTICIDE:

Registration

Reregistration

(under FIFRA, as amended)

Term of Issuance: Conditional

Name of Pesticide Product:

Corry's Slug & Snail 3.25

Name and Address of Registrant (include ZIP Code):

E.M. Matson, Jr. Co., Inc.
P.O. Box 1820
North Bend, Washington 98045
attn: Irene Boone

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A). Once a pesticide is registered, however, it is not regarded as permanently acceptable. Registration does not eliminate the need for continual reassessment of pesticides. If the Agency determines that, at any time, additional data are required to maintain in effect an existing registration, the Agency will require submission of such data under FIFRA section (3)(c)(2)(B).

- 1. Revise the EPA Registration Number to read, "EPA Reg. No. 8119-11"

Signature of Approving Official:

Dani Daniel
Insecticide-Rodenticide Branch
Registration Division (7505C)

Date:

MAY 28 2003

Page Two

8119-11

2. Submit two (2) copies of your final printed labeling before you release the product for shipment.

3. Resubmit CSF following Agency guidelines provided in the product chemistry review.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records. If you have any questions regarding this notice, please contact me at (703) 305-5409.

Enclosure :

3/6

MASTER LABEL

**CORRY'S® SLUG & SNAIL (3.25)
EPA REGISTRATION #8119-XXX**

Front Label Panel

Corry's® Slug & Snail (3.25)

- *Not Affected By Rain
- *Original English Formula
- *Ideal For Vegetable Gardens
- *New! Easy Application Container
- *Ready To Use Formula
- *Protects Fruit, Vegetable, Flower And Ornamental Gardens
- *Easy To Use Meal Formula
- *Provides Up To Two Weeks of Plant Protection
- *Contains Bitron® (Denatonium Benzoate)
- *Can Be Used Around Fruit and Vegetable Plants, Lawns and Ornamental Plants too!
- *Contains META® "The Molluscide"
- *Fast, Effective Control Of Slugs and Snails
- *Attracts And Kills Slugs and Snails

KEEP OUT OF REACH OF CHILDREN

CAUTION: THIS PESTICIDE MAY BE FATAL TO DOGS OR OTHER PETS IF EATEN. KEEP PETS OUT OF TREATED AREA. SEE SIDE/BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

Active Ingredient:

Metaldehyde (2,4,6,8-tetramethyl-1,3,5,7-tetraoxycyclo-octane).....3.25%

Other Ingredients:.....96.75%


Net Weight 2 lbs. (908 kg.)

**ACCEPTED
with COMMENTS
In EPA Letter Dated:**

MAY 28 2003

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under EPA Reg. No.

8119-11



Page 2

Side/Back Label Panels

Slugs and snails are two of our most destructive garden pests. Although their outward appearance is quite different, they are essentially the same creature, except that the slug does not have the external shell of the

4/6

snail.

Slugs and snails feed almost entirely at night, in the evening or during dark days. They prefer moist, warm conditions and rarely venture from their hiding places during cold weather or during exceeding dry or hot spells.

Slugs and snails hatch from eggs, laid in clusters, under debris, stones, compost heaps or beneath the surface of the soil. Generally, they will hatch out after 20 to 30 days of favorable weather conditions after which time they will continue to grow slowly, eating our most tender and succulent vegetation.

While these small slugs and snails are growing and eating they migrate towards better feeding and sheltering conditions. It is because of this migrating habit that it is impossible to completely eliminate the slug and snail problem. However, with the use of Corry's® Slug & Snail (3.25) and a consistent baiting program, these pests can be reduced to where they no longer present a major threat to our gardens.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION: May be harmful if swallowed. Avoid breathing dust. Avoid contact with skin, eyes or clothing. Wash thoroughly after use. **KEEP OUT OF REACH OF CHILDREN AND DOMESTIC ANIMALS.** This pesticide may be fatal to dogs or other pets if eaten. Keep pets out of treated area.

IMPORTANT: Keep away from children, dogs and pets. Bait may be attractive to dogs. Confine pets during application to prevent them from believing they are being fed. Use and store under conditions where there will not be a hazard.

Page 3


Side/Back Label Panels

FIRST AID— Box Format

If Swallowed:

- *Call poison control center or doctor immediately for treatment advice.
- *Have person sip a glass of water if able to swallow.
- *Do not induce vomiting unless told to do so by the poison control center or doctor.
- *Do not give anything by mouth to an unconscious person.

If Inhaled:



5/6

- *Move person to fresh air.
- *If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth to mouth, if possible.
- *Call a poison control center or doctor for further treatment advice.

If On Skin Or Clothing:

- *Take off contaminated clothing.
- *Rinse skin immediately with plenty of water for 15-20 minutes.
- *Call a poison control center or doctor for treatment advice.

If In Eyes:

- *Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- *Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- *Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER – Box Format

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information on this pesticide product (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Information Center at 1-800-858-7378.

ENVIRONMENTAL HAZARDS

For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash waters.

STORAGE AND DISPOSAL – Box Format

STORAGE: Store in a cool, dry, locked location out of direct sunlight, in original container, and not accessible to children or pets. Avoid contamination of feed and foodstuffs.

DISPOSAL: If empty: Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waster agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling

TO APPLY

This product is for use in Home and Garden areas. Corry's® Slug & Snail (3.25) is so easy to use. This product requires no mixing, spraying or special applicators. Just scatter lightly on the soil surface in infested areas. Apply heavier if infestation is severe. If slugs and snails are invading from adjacent properties, a pencil thin line the entire length of the infested area will form a barrier resulting in excellent control. This bait is extremely attractive to slugs and snails and actually lures them from their hiding places and kills them. Reapply bait every two weeks – more often during heavy infestations or in areas heavily watered. All likely places should be treated as these pests migrate. They favor damp places around vegetable plants, flower gardens, rockeries, hedges, compost heaps, dichondra lawns, ivy patches and other ground cover where they can obtain shelter by day. For best results, be sure area to be baited is damp. In very dry weather, water well before baiting. Use approximately one pound per 2000 square feet.

Corry's® Slug & Snail (3.25) can be used to protect the following fruit and vegetable plants. Apply only

6/6

to the soil surface. Do not apply to the foliage or edible parts of the plant. Use Corry's® Slug & Snail (3.25) to protect asparagus, beans, cabbage, carrots, celery, cucumbers, lettuce, melons, onions, peas, peppers, potatoes, radishes, spinach, squash, tomatoes, turnips, apples, avocados, blackberries, cherries, citrus, grapes, peaches, plums and strawberries.

Manufactured By: E. M. Matson, Jr. Co., Inc. ©12-2-02
P. O. Box 1820
North Bend, Washington 98045
EPA Reg. No. 8119-XXX
EPA Est. No. 8119-WA-1
www.protectyourgarden.com

Page 5

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

Corry's® Slug & Snail (3.25) rev. 5-21-03

