| - setructione | on reverse before compl | eting form. | Form Ar | proved. 4948 No. | 2070-0060 | Approvel expires 2-28-9 | |
|---|--|---|--|---|---------------------------------------|--|--|
| ≎EPA | United States Environmental Protection Age Washington, DC 20460 | | | Registra Amend Other | | OPP Identifier Number | |
| | | Application for | Pesticide - Sec | tion I | | | |
| 1. Company/Product Number 8119-11 | | | 2. EPA Product Menager 3. Dan Kenny | | | posed Classification None Restricted | |
| 4. Company/Product (Name) Corry's Slug & Snail (3.25) | | | PM# 4A | | | harand | |
| 5. Name and Address of Applicant (Include ZIP Code) | | | 6. Expedited Re | 6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) | | | |
| E.M. Matson, Jr. 0 PO Box 1820 North Bend, WA 9 | | | (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. | | | | |
| Check it | f this is a new address | Product Name | Product Name | | | | |
| | | Se | ction - II | | | | |
| Amendment - Ex | response to Agency lette | Final printed labels in repsonse to Agency letter dated "Me Too" Application. Other - Explain below. | | e to | NOTIFICATION JUN 2 4 2003 | | |
| This notification is consi- labeling or the confident EPA. I further understan | ERNATE BRAND NAME F stent with the provisions of ial statement of formula of id that if this notification is r piect to enforcement action | PR Notice 98-10 and EF this product. I understand not consistent with the tel | PA regulations at 40CFR d that it is a violation of 1 rms of PR Notice 98-10 | 152.46, and no other 8 U.S.C. Sec. 1001 and 40 CFR152.46, | r changes h | ave been made to the make any false statement to | |
| | | Sec | ction - III | | | | |
| 1. Meterial This Product | Will Be Packaged in: | | | | | | |
| Child-Resistant Packagir | Wate | Water Soluble Packaging 2. Type of Cert | | | | | |
| Yes | | | You | | _ Metal Plastic | | |
| No No | | | No | | Glass | | |
| * Certification must be submitted If "Yes" Unit Packaging wg | | No. per If "You container Pack" | 110. por | | Paper Other (S | pecify) | |
| 3. Location of Net Conte | ents Information | 4. Size(s) Retail Cont | ainer | 5. Location of Lal | pel Directio | ns . | |
| Lebel Conteiner | | | | | | | |
| 6. Manner in Which-Label is Affixed to Product Little Paper Sten | | | graph Other | | | | |
| | _ | | tion - IV | | · · · · · · · · · · · · · · · · · · · | | |
| 1. Contact Point (Comp | lete items directly below | for identification of indi | ividual to be contacted, | , if necessary, to pr | ocess this | application.) | |
| l , | | | tile Telepi gent for E.M. Matson, Jr. Co., Inc. 503/6 | | | No. (Include Area Code) 525 | |
| Certification certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. acknowledge that any knowlingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law. | | | | | | 6. Care Application Received (Stamped) | |
| 2. Signature Lene Borne | | | . Title Agent for E.M. Matson, Jr. Co., Inc. | | | | |
| 4. Typed Name | | 5. Date | | | | • | |
| Irene Boone | | | Tune | 9 200 | 3 | | |



Original ENGLISH FORMULA

LUG&SNA



Easy To Use Meal Formula

KEEP OUT OF REACH OF CHILDREN

CAUTION: THIS PESTICIDE MAY BE FATAL TO DOGS OR OTHER PETS IF EATEN. KEEP PETS OUT OF TREATED AREA. SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

NET.WT. 2 LBS (908 grams)

Active Ingradient:
Metaldenyde (2,4,6, 8-tetrametry)
1, 3, 5, 7-tetraoxycyclo-octane).....

PULL TAR TO OPEN

CORRY SLUG& SNAIL DEATH

• New! Easy Application Container

- Fast, Effective Control Of Slugs and Snalls
- Contains Bitron* (Denatonium Benzoate)
- Protects Fruit, Vegetable, Flower And Omamental Gardens

m, Jr. Co., Inc. @12-1-02 A. O. Box 1820 th Bond, Washington 98045 EPA Rog. No. 8119-11 EPA Est. No. 8119-WA-1

NOTIFICATION

JUN 2 4 2003





Can Be Used Around Fruit and Vegetable Plants, Lawns and Ornamental Plants too!

Provides Up To Two Weeks of Plant Protection.

Slugs and snails are two of our most destructive garden pests. Although their outward appearance is quite different, they are essentially the same creature, except that the slug does not have the external shell of the snail.

Slugs and snails feed almost entirely at night, in the evening or during dark days. They prefer moist, warm conditions and rarely venture from their hiding places during cold weather or during exceeding dry or hot spells.

Slugs and snails hatch from eggs, laid in clusters, under debris, stones, compost heaps or beneath the surface of the soil. Generally, they will hatch out after 20 to 30 days of favorable weather conditions after which time they will continue to grow slowly, eating our most tender and succulent vegetation.

While these small slugs and snalls are growing and eating they migrate towards better feeding and sheltering conditions. It is because of this migrating habit that it is impossible to completely eliminate the slug and snail problem. However, with the use of Corry's Slug & Snail Death (3.25) and a consistent baiting program, these pests can be reduced to where they no longer present a major threat to our gardens.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

TO APPLY: This product is for use in Home and Garden areas. Corry's Slug & Snall Death (3.25) is so easy to use. This product requires no mixing, spraying or special applicators. Just scatter lightly on the soil surface in infested areas. Apply heavier if intestation is severe. If slugs and snails are invading from adjacent properties, a pencil thin line the entire length of the intested area will form a barrier resulting in excellent control. This bait is extremely attractive to slugs and snails and actually lures them from their hiding places and kills them. Reapply bait every two weeks - more often during heavy infestations or in areas heavily watered. All likely places should be treated as these pests migrate. They favor damp places around vegetable plants, flower gardens, rockeries, hedges, compost heaps, dichondra lawns, ivy patches and other ground cover where they can obtain shelter by day. For best results, be sure area to be baited is damp. In very dry weather, water well before baiting. Use approximately one pound per 2000 square feet.

Corry's® Slug & Snall Death (3.25) can be used to protect the following fruit and vegetable plants. Apply only to the soil surface. Do not apply to the foliage or edible parts of the plant. Use Corry's® Slug & Snall Death (3.25) to protect asparagus, beans, cabbage, carrots, celery, cucumbers, lettuce, melons, onions, peas, peppers, potatoes, radishes, spinach, squash, tomatoes, turnips, apples, avocados, blackberries, cherries, citrus, grapes, peaches, plums and strawberries.

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry, tocked location out of direct sunlight, in original container, and not accessible to children or pets. Avoid contamination of feed and foodstuffs.

DISPOSAL: If empty: Do not reuse this container. Place in trash or offer for recycling it available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down indoor or outdoor drain.

SECOND TO STATE DOMESTIC ANNALS

CAUTION: May be hurnful if smalle breathing dust. Avoid excited with side, upon or closhing. Weak thoroughly often use. IEEE OUT OF REACH OF CHILDREN AND BOMESTIC ANNUALS. pericide may be lated to dogs or oil a. Kong pats out of tracked area.

IMPORTANT COMPANY OF THE PARTY OF THE PARTY

- IF ON SKIN OR CLOTHING:
- 15.20 admire
- Call (pitter port of control of decor for Instituted which
- IF IN EYES