9-30-2003 Form Approved. OMB No. 2070-0060. Approvel expires reverse before completing form OPP Identifier Number Registration United States **Environmental Protection Agency Amendment** Washington, DC 20460 Other Application for Pesticide - Section I 2, EPA Product Manager 1. Company/Product Number 3. Proposed Classification 8119-11 Dan Kenny None Restricted 4. Company/Product (Name) PM# Corry's Slug & Snail Death (3.25) 4A 5. Name and Address of Applicant (Include ZIP Code) 6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling Matson, LLC P.O. Box 1820 EPA Reg. No. North Bend, WA 98045 Check if this is a new address **Product Name** Section - II Amendment - Explain below. Final printed labels in repsonse to Agency letter deted NOTIFICATION Resubmission in response to Agency letter dated ____ "Me Too" Application. Other - Explain below. Notification - Explain below. SEP 3 0 2003 Explanation: Use additional page(s) if necessary. (For section I and Section II.) Notification of revised packaging and related non-FIFRA labeling per PR Notice 98-10. Revisions highlighted on attached draft label. This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40CFR152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. Matson, LLC understands that it is a violation of 18 USC Sec. 1001 to willfully make any false statement to EPA. Matson, LLC further understands that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and Matson LLC may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA. Section - III 1. Material This Product Will Be Peckaged in: Child-Resistant Packaging **Unit Packaging** Water Soluble Packaging 2. Type of Container Matel Yes Yes Plastic Ī No No No Glass Pager If "Yes" No. per if "Yes" No. per * Cartification must Unit Packaging wgt. container Package wat Other (Specify) container be submitted 18 lhe 3. Location of Net Contents Information 4. Size(s) Retail Container 5. Location of Label Directions On label Container 2,3,4,5,8,9,10,11,12,15,18,20 lb. Label 6. Manner in Which Label is Affixed to Product Lithograph Other Paper glued Stenciled Section - IV 1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.) Name Title Telephone No. (Include Aree Code). 503/675-8525 irene Boone Agent for Matson, LLC 6. Date Application Certification Received I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowlingly false or misleading statement may be punishable by fine or imprisonment or (Stamped) --both under applicable law. here Borne Agent for Matson, LLC 4. Typed Name 5. Date Irene Boone 9-18-03

NOTIFICATION

SEP 3 0 2003

TWIN PACK **CONTAINS TWO EASY-TO-OPEN** RECLOSABLE 9 LB. **BAGS**

BAIT APPLICATOR **ENCLOSED**



Easy To Use Meal Formula

KEEP OUT OF REACH OF CHILDREN

CAUTION: THIS PESTICIDE MAY BE FATAL TO DOGS OR OTHER PETS IF EATEN. KEEP PETS OUT OF TREATED AREA. SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

NET.WT. 18 LBS (8.16 kg)

Contains 2 - 9 LB Bags

Active Ingredient:
Metaldenyde (2,4,6, 8-tetramethyl1, 3, 5, 7-tetraoxycyclo-octane)...
Other Ingredients:

PULL TAB TO OPEN



- New! Easy Application Container
- · Fast, Effective Control Of Slugs and Snails
- Protects Fruit, Vegetable, Flower And Ornamental Gardens

NOTICE:

Buyer assumes all responsibility for safety and use not in accordance with directions.

Manufactured by son, LLC. @12-1-02 P. O. Box 1820 Bend, Washington 98045 EPA Reg. No. 8119-11 EPA Est. No. 8119-WA-T ww.prejectyourgarden.com

META® is a registered trademark of Lonza Ltd. and the right to use the META mark has been granted to





meta.

Can Be Used Around Fruit and Vegetable Plants, Lawns and Ornamental Plants too!

Provides Up To Two Weeks of Plant Protection.

Slugs and snails are two of our most destructive garden pests. Although their outward appearance is quite different, they are essentially the same creature, except that the slug does not have the external shell of the snail.

Slugs and snails feed almost entirely at night, in the evening or during dark days. They prefer moist, warm conditions and rarely venture from their hiding places during cold weather or during exceeding dry or hot spells.

Slugs and snails hatch from eggs, laid in clusters, under debris, stones, compost heaps or beneath the surface of the soil. Generally, they will hatch out after 20 to 30 days of favorable weather conditions after which time they will continue to grow slowly, eating our most tender and succulent vegetation.

While these small slugs and snails are growing and eating they migrate towards better feeding and sheltering conditions. It is because of this migrating habit that it is impossible to completely eliminate the slug and snail problem. However, with the use of Corry's Slug & Snail Death (3.25) and a consistent baiting program, these pests can be reduced to where they no longer present a major threat to our gardens.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

TO APPLY: This product is for use in Home and Garden areas. Corry's Slug & Snail Death (3.25) is so easy to use. This product requires no mixing, spraying or special applicators. Just scatter lightly on the soil surface in infested areas. Apply heavier if infestation is severe. If slugs and snails are invading from adjacent properties, a pencil thin line the entire length of the infested area will form a barrier resulting in excellent control. This bait is extremely attractive to slugs and snails and actually lures them from their biding places and kills them. Reapply bait every two weeks - more often during heavy infestations or in areas heavily watered. All likely places should be treated as these pests migrate. They favor damp places around vegetable plants. flower gardens, rockeries, hedges, compost heaps, dichondra lawns, ivy patches and other ground cover where they can obtain shelter by day. For best results, be sure area to be baited is damp. In very dry weather, water well before baiting. Use approximately one pound per 2000 square feet.

Corry's Slug & Snail Death (3.25) can be used to protect the following fruit and vegetable plants. Apply only to the soil surface. Do not apply to the foliage or edible parts of the plant. Use Corry's® Stug & Snall Death (3.25) to protect asparagus, beans, cabbage, carrots, celery, cucumbers, lettuce, meions, onions, peas, peppers, potatoes, radishes, spinach, squash, tomatoes, turnips, apples, avocados, blackberries, cherries, citrus, grapes, peaches, plums and strawberries.

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry, locked location out of direct sunlight, in original container, and not accessible to children or pets. Avoid contamination of feed and foodstuffs.

BISPOSAL: If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ARMIALS

CAUTION: May be harmful if swale breathing dest. Aroid contact with skin, eyes or clothing. Wesh thoroughly after use, KEEP OUT OF REACH OF CHRIDREN AND DOMESTIC ANIMALS. This posticide may be fated to dogs or other post if eaten. Keep pets out of pregnal area. IMPORTANT: Keep overy from children, dogs and pets. Bull may be afrective to dogs. Confine pots during application to prevent them from ballering they are being fed. Use and store under conditions where there will not be a hezard.

FIRST AND

- ' Call paison control conter or doctor imm
- Hore person sip a glass of water if citle to smallow

 Do not induce veniting unless told to do so by
 the poison control center or dector:
- Do not give anything by mouth to on. UNCONSCIOUS PORSON.

IF INHALED-

- Move person to fresh oic.
- nove passon in irest cir.

 If person is not broathing, call \$1\$ or on embourace, then give artificial respiration, preferably by mouth-to-mouth, if possible.

 Call a paison control conter or doctor for further
- treatment advice

IF ON SILIN OR CLOTHING:

- Take off conteminated clothing. Kinse skin immediately with plenty of water for
- 15-20 minutes. Call a poison control contex or decise for tractment service.

IF IN EYES:

irealment cavics.

- Hold eye open and riese slowly and gently with
- water for 15-20 minutes.

 Ramove context leases, if present, offer the first
 5 minutes, then continue rissing oye.

 Call a poison control center or declar for

HOT LINE MUMBER

Here the product container or label with you when colling a peison central center or de going for treatment. For information on t ion on his going for tree ticide product (Including h proute (account hum. morganius, or posticide incidents), cull nal Pittlicide information Conter at 1-800-853-2378

ENVIRONMENTAL HAZARDS

For terrestrici uses, do not apply directly to water, or to areas where surface water is present or to intertial areas below the mean high width finish. Do not contamined water when disposing or equipment Wish waters.

Ball Hay Que Crow