■ 8119-11		3-24-	Form Approved	I. OMB No. 20	70-0060. Approvel expires 2-28-95
SEPA Environ	on Agency	V	Registrati Amendme Other	OPP Identifier Number	
Application for Pesticide - Section I					
1. Company/Product Number 8119-11 4. Company/Product (Name)		2. EPA Product Manager Dani Daniel PM#			3. Proposed Classification None Restricted
Corry's Slug & Snail Death (3.25					
5. Name and Address of Applicant (Incl Matson, LLC P. O. Box 1820 North Bend, Washington 980 Check if this is a new a	6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. Product Name				
Section - II					
Resultancesion in response to Agency letter deted					WORFICATION MAR 2 4 2004 vegetable gardens, flower gardens ce 98-10 and EPA regulations at 40 I understand that it is a violation of
and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalities under section 12 and 14 of FIFRA. Section - III					
1. Material This Product Will Be Packaged In:					
Yes No * Certification must be submitted Unit Packaging Yes Yos No If "Yes" Unit Packaging wgt. No. per container		Yes No If "Yes" Package wgt	No Pter Gia		Metal Metal Plastic Glass Paper Other (Specify)
3. Location of Net Contents Information	tail Container 5. Location of Label Directions 4, 5, 7, 8, 9, 10, 12, 15, 18 lb				
6. Manner in Which Label is Affixed to Product Lithograph Paper glued Stenciled					
Section - IV					
1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)					
Name David L. Grassman		Title President		1	stephone No. (Includh Area Code) 25-888-6212
	ation I all attachments thereto are true, accurate and complete. stement may be punishable by fine or imprisonment or 3. Title President			5	
4. Typed Neme David L. Grassman		March 6, 2004			,

NOTIFICATION

MAR 2 4 2004

MASTER LABEL CORRY'S® SLUG & SNAIL DEATH (3.25) EPA REGISTRATION #8119-11

Front Label Panel

Corry's® Slug & Snail Death (3.25)

- *Original English Formula
- *Not Affected By Rain
- *Ideal For Vegetable Gardens
- *Easy Application Container
- *Ready To Use Formula
- *Protects Fruit, Vegetable, Flower And Ornamental Gardens
- *Easy To Use Meal Formula
- *Provides Up To Two Weeks of Plant Protection
- *Can Be Used Around Fruit and Vegetable Plants, Lawns and Ornamental Plants too!
- *Contains META® "The Mollusicide"
- *Fast, Effective Control Of Slugs and Snails
- *Attracts And Kills Slugs and Snails
- *Contains Denatonium Benzoate
- *Scatter lightly around hiding places: vegetable gardens, flower gardens and ground covers

KEEP OUT OF REACH OF CHILDREN

CAUTION: THIS PESTICIDE MAY BE FATAL TO DOGS OR OTHER PETS IF EATEN. KEEP PETS OUT OF TREATED AREA. SEE SIDE/BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

Active Ingredient:

Metaldehyde (2,4,6,8-tetramethyl-1,3,5,7-tetraoxycyclo-octane)......3.25% Other Ingredients:.....96.75%

Net Weight 2 lbs. (908 kg.)



Corry's Slug & Snail Death (3.25) Page 2 of 5

Side/Back Label Panels

PRODUCT USAGE
Kills – Snails and slugs
Use On – Around fruit and vegetable plants, flower gardens and ground covers
Amount to Use – One pound per 2000 sq. ft.

Slugs and snails are two of our most destructive garden pests. Although their outward appearance is quite different, they are essentially the same creature, except that the slug does not have the external shell of the snail.

Slugs and snails feed almost entirely at night, in the evening or during dark days. They prefer moist, warm conditions and rarely venture from their hiding places during cold weather or during exceeding dry or hot spells.

Slugs and snails hatch from eggs, laid in clusters, under debris, stones, compost heaps or beneath the surface of the soil. Generally, they will hatch out after 20 to 30 days of favorable weather conditions after which time they will continue to grow slowly, eating our most tender and succulent vegetation.

While these small slugs and snails are growing and eating they migrate towards better feeding and sheltering conditions. It is because of this migrating habit that it is impossible to completely eliminate the slug and snail problem. However, with the use of Corry's® Slug & Snail Death (3.25) and a consistent baiting program, these pests can be reduced to where they no longer present a major threat to our gardens.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: May be harmful if swallowed. Avoid breathing dust. Avoid contact with skin, eyes or clothing. Wash thoroughly after use. KEEP OUT OF REACH OF CHILDREN AND DOMESTIC ANIMALS. This pesticide may be fatal to dogs or other pets if eaten. Keep pets out of treated area.

IMPORTANT: Keep away from children, dogs and pets. Bait may be attractive to dogs. Confine pets during application to prevent them from believing they are being fed. Use and store under conditions where there will not be a hazard.

Corry's Slug & Snail Death (3.25) Page 3 of 5

Side/Back Label Panels

FIRST AID - Box Format

(1) If Swallowed:

- *Call poison control center or doctor immediately for treatment advice.
- *Have person sip a glass of water if able to swallow.
- *Do not induce vomiting unless told to do so by the poison control center or doctor.
- *Do not give anything by mouth to an unconscious person.

(2) If Inhaled:

- *Move person to fresh air.
- *If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth to mouth, if possible.
- *Call a poison control center or doctor for further treatment advice.

(3) If On Skin Or Clothing:

- *Take off contaminated clothing.
- *Rinse skin immediately with plenty of water for 15-20 minutes.
- *Call a poison control center or doctor for treatment advice.

(2) If In Eyes:

- *Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- *Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- *Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER - Box Format

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information on this pesticide product (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Information Center at 1-800-858-7378.

ENVIRONMENTAL HAZARDS

For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash waters.

Corry's Slug & Snail Death (3.25) Page 4 of 5

STORAGE AND DISPOSAL - Box Format

STORAGE: Store in a cool, dry, locked location out of direct sunlight, in original container, and not accessible to children or pets. Avoid contamination of feed and foodstuffs.

DISPOSAL: If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling

TO APPLY – (See graphics for suggested application methods)

This product is for use in Home and Garden areas. Corry's® Slug & Snail Death (3.25) is so easy to use. This product requires no mixing, spraying or special applicators. Just scatter lightly on the soil surface in infested areas as recommended in the graphics below. Apply heavier if infestation is severe. If slugs and snails are invading from adjacent properties, a pencil thin line the entire length of the infested area will form a barrier resulting in excellent control. This bait is extremely attractive to slugs and snails and actually lures them from their hiding places and kills them. Reapply bait every two weeks – more often during heavy infestations or in areas heavily watered. All likely places should be treated as these pests migrate. They favor damp places around vegetable plants, flower gardens, rockeries, hedges, compost heaps, dichondra lawns, ivy patches and other ground cover where they can obtain shelter by day. For best results, be sure area to be baited is damp. In very dry weather, water well before baiting. Use approximately one pound per 2000 square feet.

Corry's® Slug & Snail Death (3.25) can be used to protect the following fruit and vegetable plants. Apply only to the soil surface. Do not apply to the foliage or edible parts of the plant. Use Corry's® Slug & Snail Death (3.25) to protect asparagus, beans, cabbage, carrots, celery, cucumbers, lettuce, melons, onions, peas, peppers, potatoes, radishes, spinach, squash, tomatoes, turnips, apples, avocados, blackberries, cherries, citrus, grapes, peaches, plums and strawberries.

Manufactured By: Matson, LLC ©1-2-04

P. O. Box 1820

North Bend, Washington 98045

EPA Reg. No. 8119-11 EPA Est. No. 8119-WA-1 www.protectyourgraden.com

4/6

Corry's Slug & Snail Death (3.25) Page 5 of 5

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

SEE ENCLOSED ATTACHMENT FOR APPLICATION GRAPHICS

Master Label SSD Meal 1