

2/6

NOTIFICATION
MAY 17 2004

**MASTER LABEL
Corry's® SLUG & SNAIL DEATH (3.25)
EPA REGISTRATION #8119-11**

Front Label Panel

Corry's® Slug & Snail Death (3.25)

- *Original English Formula
- *Not Affected By Rain
- *Ideal For Vegetable Gardens
- *Easy Application Container
- *Ready To Use Formula
- *Protects Fruit, Vegetable, Flower And Ornamental Gardens
- *Easy To Use Meal Formula
- *Provides Up To Two Weeks of Plant Protection
- *Can Be Used Around Fruit and Vegetable Plants, Lawns and Ornamental Plants too!
- *Contains META® "The Molluscicide"
- *Fast, Effective Control Of Slugs and Snails
- *Attracts And Kills Slugs and Snails
- *Contains Denatonium Benzoate
- *Treats up to 4000 Sq. Ft.

KEEP OUT OF REACH OF CHILDREN


CAUTION: THIS PESTICIDE MAY BE FATAL TO DOGS OR OTHER PETS IF EATEN. KEEP PETS OUT OF TREATED AREA. SEE SIDE/BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

Active Ingredient:

Metaldehyde (2,4,6,8-tetramethyl-1,3,5,7-tetraoxycyclo-octane).....3.25%

Other Ingredients:.....96.75%

Net Weight 2 lbs. (908 kg.)



Side/Back Label Panels

FIRST AID – Box Format

(1) If Swallowed:

- *Call poison control center or doctor immediately for treatment advice.
- *Have person sip a glass of water if able to swallow.
- *Do not induce vomiting unless told to do so by the poison control center or doctor.
- *Do not give anything by mouth to an unconscious person.

(2) If Inhaled:

- *Move person to fresh air.
- *If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth to mouth, if possible.
- *Call a poison control center or doctor for further treatment advice.

(3) If On Skin Or Clothing:

- *Take off contaminated clothing.
- *Rinse skin immediately with plenty of water for 15-20 minutes.
- *Call a poison control center or doctor for treatment advice.

(2) If In Eyes:


- *Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- *Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- *Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER – Box Format

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information on this pesticide product (including health concerns, medical emergencies, or pesticide incidents), call 1-800-561-1333.

ENVIRONMENTAL HAZARDS

For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash waters.



STORAGE AND DISPOSAL – Box Format

STORAGE: Store in a cool, dry, locked location out of direct sunlight, in original container, and not accessible to children or pets. Avoid contamination of feed and foodstuffs.

DISPOSAL: If empty: Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

If you apply Corry's Slug & Snail Death (3.25) as directed and are not completely satisfied, send proof of purchase from this package & the original cash register receipt to the address below. We will refund the purchase price you paid.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling

TO APPLY – (See graphics for suggested application methods)

This product is for use in Home and Garden areas. **Corry's® Slug & Snail Death (3.25)** is so easy to use. This product requires no mixing, spraying or special applicators. Just scatter lightly on the soil surface in infested areas as recommended in the graphics below. Apply heavier if infestation is severe. If slugs and snails are invading from adjacent properties, a pencil thin line the entire length of the infested area will form a barrier resulting in excellent control. This bait is extremely attractive to slugs and snails and actually lures them from their hiding places and kills them. Reapply bait every two weeks – more often during heavy infestations or in areas heavily watered. All likely places should be treated as these pests migrate. They favor damp places around vegetable plants, flower gardens, rockeries, hedges, compost heaps, dichondra lawns, ivy patches and other ground cover where they can obtain shelter by day. For best results, be sure area to be baited is damp. In very dry weather, water well before baiting. Use approximately one pound per 2000 square feet.

Corry's® Slug & Snail Death (3.25) can be used to protect the following fruit and vegetable plants. Apply only to the soil surface. Do not apply to the foliage or edible parts of the plant. Use **Corry's® Slug & Snail Death (3.25)** to protect asparagus, beans, cabbage, carrots, celery, cucumbers, lettuce, melons, onions, peas, peppers, potatoes, radishes, spinach, squash, tomatoes, turnips, apples, avocados, blackberries, cherries, citrus, grapes, peaches, plums and strawberries.

