

 United States Environmental Protection Agency Washington, DC 20460	<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other	OPP Identifier Number
---	--	-----------------------

Application for Pesticide - Section I

1. Company/Product Number 8119-11	2. EPA Product Manager Dani Daniel	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Corry's Slug & Snail Death (3.25)	PM#	
5. Name and Address of Applicant (Include ZIP Code) Matson, LLC P. O. Box 1820 North Bend, Washington 98045 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II


<input type="checkbox"/> Amendment - Explain below. <input type="checkbox"/> Resubmission in response to Agency letter dated _____ <input checked="" type="checkbox"/> Notification - Explain below.	<input checked="" type="checkbox"/> Final printed labels in response to Agency letter dated _____ <input type="checkbox"/> "Me Too" Application. <input type="checkbox"/> Other - Explain below.	NOTIFICATION AUG 18 2004
--	--	--

Explanation: Use additional page(s) if necessary. (For section I and Section II.)
 "HOT LINE NUMBER": the addition of alternate hot line number 1-800-257-2941. NOTIFICATION PER PR NOTICE 98-10: This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 USC sec 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under section 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:						2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No				<input type="checkbox"/> Metal <input checked="" type="checkbox"/> Plastic <input type="checkbox"/> Glass <input checked="" type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____	
* Certification must be submitted		If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt	No. per container		
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container			4. Size(s) Retail Container 1, 2, 2.5, 4, 5, 7, 8, 9, 10, 12, 15, 18 lb		5. Location of Label Directions <input checked="" type="checkbox"/> On label		
6. Manner in Which Label is Affixed to Product <input checked="" type="checkbox"/> Lithograph Paper glued Stenciled				<input type="checkbox"/> Other _____			

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name David L. Grassman	Title President	Telephone No. (include Area Code) 425-888-6212
<p style="text-align: center;">Certification</p> I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature 	3. Title President	
4. Typed Name David L. Grassman	5. Date July 24, 2004	

2/6

NOTIFICATION

AUG 18 2004

**MASTER LABEL
Corry's® SLUG & SNAIL DEATH (3.25)
EPA REGISTRATION #8119-11**

Front Label Panel

Corry's® Slug & Snail Death (3.25)

- *Original English Formula
- *Not Affected By Rain
- *Ideal For Vegetable Gardens
- *Easy Application Container
- *Ready To Use Formula
- *Protects Fruit, Vegetable, Flower And Ornamental Gardens
- *Easy To Use Meal Formula
- *Provides Up To Two Weeks of Plant Protection
- *Can Be Used Around Fruit and Vegetable Plants, Lawns and Ornamental Plants too!
- *Contains META® "The Molluscicide"
- *Fast, Effective Control Of Slugs and Snails
- *Attracts And Kills Slugs and Snails
- *Contains Denatonium Benzoate
- *Scatter lightly around hiding places: vegetable gardens, flower gardens and ground covers
- *Treats up to 4000 Sq. Ft.

KEEP OUT OF REACH OF CHILDREN

CAUTION: THIS PESTICIDE MAY BE FATAL TO DOGS OR OTHER PETS IF EATEN. KEEP PETS OUT OF TREATED AREA. SEE SIDE/BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

Active Ingredient:

Metaldehyde (2,4,6,8-tetramethyl-1,3,5,7-tetraoxycyclo-octane).....3.25%

Other Ingredients:.....96.75%

Net Weight 2 lbs. (908 kg.)

5/16

Corry's Slug & Snail Death (3.25)

Page 2 of 5

Side/Back Label Panels

PRODUCT USAGE

Kills – Snails and slugs

Use On – Around fruit and vegetable plants, flower gardens and ground covers

Amount to Use – One pound per 2000 sq. ft.

Slugs and snails are two of our most destructive garden pests. Although their outward appearance is quite different, they are essentially the same creature, except that the slug does not have the external shell of the snail.

Slugs and snails feed almost entirely at night, in the evening or during dark days. They prefer moist, warm conditions and rarely venture from their hiding places during cold weather or during exceeding dry or hot spells.

Slugs and snails hatch from eggs, laid in clusters, under debris, stones, compost heaps or beneath the surface of the soil. Generally, they will hatch out after 20 to 30 days of favorable weather conditions after which time they will continue to grow slowly, eating our most tender and succulent vegetation.

While these small slugs and snails are growing and eating they migrate towards better feeding and sheltering conditions. It is because of this migrating habit that it is impossible to completely eliminate the slug and snail problem. However, with the use of **Corry's® Slug & Snail Death (3.25)** and a consistent baiting program, these pests can be reduced to where they no longer present a major threat to our gardens.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION: May be harmful if swallowed. Avoid breathing dust. Avoid contact with skin, eyes or clothing. Wash thoroughly after use. **KEEP OUT OF REACH OF CHILDREN AND DOMESTIC ANIMALS.** This pesticide may be fatal to dogs or other pets if eaten. Keep pets out of treated area.

IMPORTANT: Keep away from children, dogs and pets. Bait may be attractive to dogs. Confine pets during application to prevent them from believing they are being fed. Use and store under conditions where there will not be a hazard.

Corry's Slug & Snail Death (3.25)

Page 3 of 5

Side/Back Label Panels

FIRST AID – Box Format

(1) If Swallowed:

- *Call poison control center or doctor immediately for treatment advice.
- *Have person sip a glass of water if able to swallow.
- *Do not induce vomiting unless told to do so by the poison control center or doctor.
- *Do not give anything by mouth to an unconscious person.

(2) If Inhaled:

- *Move person to fresh air.
- *If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth to mouth, if possible.
- *Call a poison control center or doctor for further treatment advice.

(3) If On Skin Or Clothing:

- *Take off contaminated clothing.
- *Rinse skin immediately with plenty of water for 15-20 minutes.
- *Call a poison control center or doctor for treatment advice.

(2) If In Eyes:

- *Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- *Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- *Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER – Box Format

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information on this pesticide product (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Information Center at 1-800-527-2941

ENVIRONMENTAL HAZARDS

For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash waters.

5/6

Corry's Slug & Snail Death (3.25)

Page 4 of 5

STORAGE AND DISPOSAL – Box Format

STORAGE: Store in a cool, dry, locked location out of direct sunlight, in original container, and not accessible to children or pets. Avoid contamination of feed and foodstuffs.

DISPOSAL: If empty: Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

If you apply Corry's Slug & Snail Death (3.25) as directed and are not completely satisfied, send proof of purchase from this package & the original cash register receipt to the address below. We will refund the purchase price you paid

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling

TO APPLY – (See graphics for suggested application methods)

This product is for use in Home and Garden areas. **Corry's® Slug & Snail Death (3.25)** is so easy to use. This product requires no mixing, spraying or special applicators. Just scatter lightly on the soil surface in infested areas as recommended in the graphics below. Apply heavier if infestation is severe. If slugs and snails are invading from adjacent properties, a pencil thin line the entire length of the infested area will form a barrier resulting in excellent control. This bait is extremely attractive to slugs and snails and actually lures them from their hiding places and kills them. Reapply bait every two weeks – more often during heavy infestations or in areas heavily watered. All likely places should be treated as these pests migrate. They favor damp places around vegetable plants, flower gardens, rockeries, hedges, compost heaps, dichondra lawns, ivy patches and other ground cover where they can obtain shelter by day. For best results, be sure area to be baited is damp. In very dry weather, water well before baiting. Use approximately one pound per 2000 square feet.

Corry's® Slug & Snail Death (3.25) can be used to protect the following fruit and vegetable plants. Apply only to the soil surface. Do not apply to the foliage or edible parts of the plant. Use **Corry's® Slug & Snail Death (3.25)** to protect asparagus, beans, cabbage, carrots, celery, cucumbers, lettuce, melons, onions, peas, peppers, potatoes, radishes, spinach, squash, tomatoes, turnips, apples, avocados, blackberries, cherries, citrus, grapes, peaches, plums and strawberries.

Corry's Slug & Snail Death (3.25)
Page 5 of 5

Manufactured By: Matson, LLC ©1-2-04
P. O. Box 1820
North Bend, Washington 98045
EPA Reg. No. 8119-11
EPA Est. No. 8119-WA-1
www.protectyourgraden.com

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

SEE ENCLOSED ATTACHMENT FOR APPLICATION GRAPHICS

Master Label SSD Meal 1