

8119-11

01/12/2006

1/6

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0080. Approval expires 2-28-95



United States  
Environmental Protection Agency  
Washington, DC 20460

Registration  
 Amendment  
 Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 8119-11	2. EPA Product Manager Kenny	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Corry's Slug & Snail (3.25)	PM# 1	
5. Name and Address of Applicant (Include ZIP Code) Matson, LLC P.O. Box 1820 North Bend, WA 98045 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input checked="" type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

**NOTIFICATION**  
JAN 12 2006

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification of additional size packaging (14 LB) and submission of final printed bilingual (English/Spanish) labeling for 8 & 14 lb packaging. This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the Confidential Statement of Formula of this product. Matson, LLC understands that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA, and further understands that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and Matson, LLC may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		<input type="checkbox"/> Metal	<input checked="" type="checkbox"/> Plastic
* Certification must be submitted		If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt	No. per container
				<input checked="" type="checkbox"/> Glass	<input checked="" type="checkbox"/> Paper
				Other (Specify) _____	
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container 1,2,2½,4,5,7,8,9,10,12,15,14,18 LB		5. Location of Label Directions <input checked="" type="checkbox"/> on label	
6. Manner in Which Label is Affixed to Product <input checked="" type="checkbox"/> Lithograph Paper glued <input type="checkbox"/> Stenciled			<input type="checkbox"/> Other _____		

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Rebecca M. Horton	Title Consultant/Agent for Matson, LLC	Telephone No. (include Area Code)
<b>Certification</b> I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		8. Date Application Received (Stamped)
2. Signature <i>Rebecca M. Horton</i>	3. Title Consultant/Agent for Matson, LLC	
4. Typed Name Rebecca M. Horton	5. Date December 21, 2005	


**8 LBS  
SIZE**

*Original* ENGLISH FORMULA



# CORRY'S SLUG & SNAIL DEATH (3.25)

**IDEAL  
FOR  
VEGETABLE  
GARDENS**



**NET.WT. 8 LBS (3.62 kg)**

Active Ingredient:

Metaldehyde (2,4,6,8-tetramethyl- 1, 3,5, 7 Tetraoxycyclo-octane).....	3.25%
Other Ingredients:.....	96.75%

*Easy To Use Mecl Formula*

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION:** THIS PESTICIDE MAY BE FATAL TO DOGS OR OTHER PETS IF EATEN. KEEP PETS OUT OF TREATED AREA. SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.



- Fast, Effective Control of Slugs and Snails.
- Contains Denatonium Benzoate.
- Can Be Used Around Fruit and Vegetable Plants, Lawns and Ornamental Plants too!
- Provides Up To Two Weeks of Plant Protection.
- Protects Fruit, Vegetable, Flower and Ornamental Gardens.



Slugs and snails are two of our most destructive garden pests. Although their outward appearance is quite different, they are essentially the same creature, except that the slug does not have the external shell of the snail.

Slugs and snails feed almost entirely at night, in the evening or during dark days. They prefer moist, warm conditions and rarely venture from their hiding places during cold weather or during exceedingly dry or hot spells.

Slugs and snails hatch from eggs, laid in clusters, under debris, stones, compost heaps or beneath the surface of the soil. Generally, they will hatch out after 20 to 30 days of favorable weather conditions after which time they will continue to grow slowly, eating our most tender and succulent vegetation.

While these small slugs and snails are growing and eating they migrate towards better feeding and sheltering conditions. It is because of this migrating habit that it is impossible to completely eliminate the slug and snail problem. However, with the use of Corry's<sup>®</sup> Slug & Snail Death (3.25) and a consistent baiting program, these pests can be reduced to where they no longer present a major threat to our gardens.

**PRECAUTIONARY STATEMENTS**  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** May be harmful if swallowed. Avoid breathing dust. Avoid contact with skin, eyes or clothing. Wash thoroughly after use. KEEP OUT OF REACH OF CHILDREN AND DOMESTIC ANIMALS. This pesticide may be fatal to dogs or other pets if eaten. Keep pets out of treated area.

**IMPORTANT:** Keep away from children, dogs and pets. Bait may be attractive to dogs. Confine pets during application to prevent them from believing they are being fed. Use and store under conditions where there will not be a hazard.

**FIRST AID**

<p><b>IF SWALLOWED:</b></p> <ul style="list-style-type: none"> <li>• Call poison control center or doctor immediately for treatment advice.</li> <li>• Have person sip a glass of water if able to swallow.</li> <li>• Do not induce vomiting unless told to do so by the poison control center or doctor.</li> <li>• Do not give anything by mouth to an unconscious person.</li> </ul>	<p><b>IF ON SKIN OR CLOTHING:</b></p> <ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<p><b>IF INHALED:</b></p> <ul style="list-style-type: none"> <li>• Move person to fresh air.</li> <li>• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth to mouth, if possible.</li> <li>• Call a poison control center or doctor for further treatment advice.</li> </ul>	<p><b>IF IN EYES:</b></p> <ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>

**HOT LINE NUMBER**

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information on this pesticide product (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Information Center at 1-800-858-7378.

**ENVIRONMENTAL HAZARDS**

For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash waters.

**STORAGE AND DISPOSAL**

**STORAGE:** Store in a cool, dry, locked location out of direct sunlight, in original container, and not accessible to children or pets. Avoid contamination of feed and foodstuffs.  
**DISPOSAL:** If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

**DIRECTIONS FOR USE**

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

**TO APPLY** (See graphics for suggested application methods) This product is for use in Home and Garden areas. Corry's<sup>®</sup> Slug & Snail Death (3.25) is so easy to use. This product requires no mixing, spraying or special applicators. Just scatter lightly on the soil surface in infested areas as recommended in the graphics below. Apply heavier if infestation is severe. If slugs and snails are invading from adjacent properties, a pencil thin line the entire length of the infested area will form a barrier resulting in excellent control. This bait is extremely attractive to slugs and snails and actually lures them from their hiding places and kills them. Reapply bait every two weeks - more often during heavy infestations or in areas heavily watered. All likely places should be treated as these pests migrate. They favor damp places around vegetable plants, flower gardens, rockeries, hedges, compost heaps, dichondra lawns, ivy patches and other ground cover where they can obtain shelter by day. For best results, be sure area to be baited is damp. In very dry weather, water well before baiting. Use approximately one pound per 2000 square feet.



Corry's<sup>®</sup> Slug & Snail Death (3.25) can be used to protect the following fruit and vegetable plants. Apply only to the soil surface. Do not apply to the foliage or edible parts of the plant. Use Corry's<sup>®</sup> Slug & Snail Death (3.25) to protect asparagus, beans, cabbage, carrots, celery, cucumbers, lettuce, melons, onions, peas, peppers, potatoes, radishes, spinach, squash, tomatoes, turnips, apples, avocados, blackberries, cherries, citrus, grapes, peaches, plums and strawberries.

**NOTICE:** Buyer assumes all responsibility for safety and use not in accordance with directions. META<sup>®</sup> is a registered trademark of Lonza Ltd. and the right to use the META mark has been granted to Matson, LLC, by Lonza Inc.

**FORMULA INGLESA ORIGINAL**  
El molusquicida Meta<sup>®</sup>  
**CORRY'S<sup>®</sup>**  
**LA LLUVIA NO LO AFECTA**  
**MATA BABOSAS Y CARACOLES (3.25)**  
**IDEAL PARA HORTALIZAS**  
Formula de harina facil de utilizar

- Control efectivo y rapido de babosas y caracoles
  - Protege jardines de frutas, de vegetales, de flores ornamentales
  - Contiene benzoato de denatonio
- Tambien se puede utilizar alrededor de plantas de frutas y vegetales, de cesped y de plantas ornamentales!  
Proporciona hasta dos semanas de proteccion a las plantas

Las babosas y los caracoles son dos de nuestras plagas de jardin mas destructivas. A pesar de que su apariencia exterior es bastante diferente, esencialmente estas son la misma criatura, excepto que los caracoles no tienen la concha del caracol. Las babosas y los caracoles se alimentan casi totalmente durante la noche en las tardes o durante los dias calidos. Prefieren las condiciones humedas y calidas y raramente se amanujan a salir de sus escondrijos durante el clima frio o durante periodos excesivamente secos o calientes.

Las babosas y los caracoles nacen en huevos colocados en racimos debajo de escombros, piedras, pilas de compost o debajo de la superficie de la tierra. Generalmente nacen despues de 20 a 30 dias de condiciones climaticas favorables, tiempo despues del cual continuaran creciendo lentamente, comiendo nuestra vegetacion mas tierna y succulenta.

Mientras estos pequeños caracoles y babosas están creciendo y comiendo, migran hacia mejores condiciones de alimentación y de albergue. Es debido a este hábito de migración que es imposible eliminar completamente el problema de las babosas y de los caracoles. Sin embargo, con el uso del Mata Babosas y Caracoles Corry's<sup>®</sup> (3.25) y un programa consistente de cebadura, estas plagas se pueden reducir hasta donde ya no presenten una amenaza significativa para nuestros jardines.

**MANTENGASE FUERA DEL ALCANCE DE LOS NIÑOS**

**PRECAUCION: ESTE PESTICIDA PUEDE SER FATAL PARA LOS PERROS U OTRAS MASCOTAS SI SE INGIERE. MANTENGA A LAS MASCOTAS FUERA DEL AREA TRATADA. CONSULTE EL PANEL POSTERIOR PARA CONOCER AVISOS DE PRECAUCION ADICIONALES.**

**AVISOS DE PRECAUCION**  
**RIESGOS PARA HUMANOS Y ANIMALES DOMESTICOS**

**PRECAUCION:** Puede ser nocivo si se ingiere. Evite el contacto con ojos, piel o ropa. Lave inmediatamente despues de utilizarlo.  
**MANTENGASE FUERA DEL ALCANCE DE LOS NIÑOS Y DE LOS ANIMALES DOMESTICOS.** Este pesticida puede ser fatal para perros y otras mascotas. Si se ingiere, llame a su medico o veterinario inmediatamente.  
**IMPORTANTE:** Mantengase fuera del alcance de los niños, perros y mascotas. El cebo puede ser atractivo para los perros. Evite a los niños y mascotas durante la aplicación para evitar que estén expuestos accidentalmente. Utilice y almacene en condiciones en donde no sea peligroso.

Manufactured by  
**Matson, LLC. ©1-2-04**  
P. O. Box 1820  
North Bend, Washington 98045  
www.protectyourgarden.com



**AVISO:** El comprador asume toda la responsabilidad de seguridad y uso si no se siguen las instrucciones.

EPA Reg. No. 8119-11  
EPA Est. No. 8119-WA-1

**PRIMEROS AUXILIOS**

<p><b>SI SE TRAGA:</b></p> <ul style="list-style-type: none"> <li>• Llame inmediatamente al centro de control de envenenamiento o al doctor para obtener sus recomendaciones de tratamiento.</li> <li>• Aunque sea la primera vez que se utiliza un cepo con agua, se puede tragarse.</li> <li>• No induce el vomito y asegure que la etiqueta al centro de control de envenenamiento o al doctor.</li> <li>• No le de nada por la boca a una persona envenenada.</li> </ul>	<p><b>SI CAE EN LA PIEL O EN LA ROPA:</b></p> <ul style="list-style-type: none"> <li>• Quite la ropa contaminada.</li> <li>• Enjuague inmediatamente la piel con mucha agua durante 15-20 minutos.</li> <li>• Llame al centro de control de envenenamiento o al doctor para obtener sus recomendaciones de tratamiento.</li> </ul>
<p><b>SI SE INHALA:</b></p> <ul style="list-style-type: none"> <li>• Lleve a la persona al aire fresco.</li> <li>• Si la persona no respira llame al 911 o a una ambulancia. Lleve de respiracion artificial, preferible de boca a boca, si es posible.</li> <li>• Llame al centro de control de envenenamiento o al doctor para obtener recomendaciones adicionales de tratamiento.</li> </ul>	<p><b>SI HAY CONTACTO CON LOS OJOS:</b></p> <ul style="list-style-type: none"> <li>• Mantenga al ojo abierto y enjuague con agua durante un periodo por 15-20 minutos.</li> <li>• Si ocurre lesiones de contacto, consulte despues de lavarse con agua con los parámetros de tiempo de enjuague contra la etiqueta del producto.</li> <li>• Llame al centro de control de envenenamiento o al doctor para obtener sus recomendaciones de tratamiento.</li> </ul>

**NUMERO DE LA LINEA DE ACCESO DIRECTO**

Llame al numero de acceso directo y la persona llamada le dara el centro de control de envenenamiento o al doctor o el lugar mas cercano. Para mayor informacion sobre este producto, póngase en contacto a través de Internet, sobre agua, emergencias, medicos y mascotas con pesticidas llame al centro Nacional de Informacion sobre Pesticidas al 1-800-16-1238

**RIESGOS AMBIENTALES**

Para sus mascotas, no le suelte accidentalmente el cebo o un cepo donde hay agua ni la superficie a un cepo donde haya agua. Evite el contacto con el agua. Evite el contacto con el agua de la superficie a un cepo donde haya agua.

**ALMACENAMIENTO Y ELIMINACION**

Almacene en un lugar frio, seco y cerrado lejos de la luz solar directa, en el envase original y sin acceso a niños o mascotas. Evite la contaminación de comestibles y alimentos para animales.  
Si el mata está vacío: No vuelva a usar este envase. Tirelo a la basura o, si está disponible, ófracelo para reciclar. Si está parcialmente lleno, llame a su agencia de desechos sólidos o al 1-800-CLEANUP para obtener instrucciones sobre como eliminarlo. Nunca elimine el producto no utilizado en drenajes internos o externos.

**INSTRUCCIONES DE USO**

Es una violación a la ley federal usar este producto de forma inconsistente con su etiqueta.  
**PARA APLICAR:** (Vea las graficas para los metodos de aplicacion sugeridos.) Este producto es para utilizarlo en areas de la casa y jardines. El Mata Babosas y Caracoles Corry's<sup>®</sup> (3.25) es facil de usar. Este producto no necesita mezclarse con agua ni con aplicadores especiales. Solo dispense ligeramente sobre la superficie de la tierra en las areas infestadas, según se recomienda en las graficas que se encuentran mas adelante. Aplique mayor cantidad si la infestacion es severa. Si las babosas y los caracoles están invadendo, de propiedades adyacentes, una linea delgada de lapiz alrededor del area infestada formara una barrera la cual sera un excelente control. Este cebo es extremadamente atractivo para las babosas y los caracoles y realmente los atrae desde sus escondrijos y los mata. Aplique de nuevo el cebo cada dos semanas - con mayor frecuencia durante mayores infestaciones o en areas mucho mas mojadas. Todos los lugares probables se deben tratar, ya que estas plagas migran. Los agradan los lugares humedos alrededor de las hortalizas, los jardines de flores, jardines, rocas, setos, pilas de compost, cesped de paja de rillon, media y otros cubre suelos en donde pueden obtener refugio durante el dia. Para obtener mejores resultados asegure que el area en la cual colocará el cebo está húmeda. En climas muy secos, regue bastante antes de colocar el cebo. Utilice aproximadamente una libra por 2000 pies cuadrados (118.81 metros cuadrados).



El Mata Babosas y Caracoles Corry's<sup>®</sup> (3.25) se puede utilizar para proteger las siguientes plantas de frutas y de vegetales. Aplique solo a la superficie de la tierra. No aplique al follaje o partes comestibles de la plantas. Use el Mata Babosas y Caracoles Corry's<sup>®</sup> (3.25) para proteger espárragos, frijoles, pepino, zanahorias, ajo, pimientos, lechuga, melones, cebollas, chicharos, pimientos, papas, rabanitos, espinacas, calabaza, tomates, nabos, manzanas, aguacates, zarzamoras, cerezas, ciruelos, uvas, melocotones, durazno, ciruelas y fresas.

4/6

14-LB  
SIZE

*Original* ENGLISH FORMULA




**CORRY'S**  
**SLUG & SNAIL**  
**DEATH (3.25)**

# CORRY'S SLUG & SNAIL DEATH (3.25)

IDEAL  
FOR  
VEGETABLE  
GARDENS

- La lluvia no lo afecta
- Ideal para hortalizas
- Protege jardines de frutas, de vegetales, de flores ornamentales
- Proporciona hasta dos semanas de protección a las plantas



NET.WT. 14 LBS (6.35 kg)

*Easy To Use Meal Formula*  
KEEP OUT OF REACH OF CHILDREN

Active Ingredient:  
 Metaldahyde (2,4,6,8-tetramethyl- 1, 3,5, 7  
 Tetraoxycyclo-octane)..... 3.25%  
 Other Ingredients: ..... 96.75%

**CAUTION:** THIS PESTICIDE MAY BE FATAL TO DOGS OR OTHER PETS IF EATEN. KEEP PETS OUT OF TREATED AREA. SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.



6/6

December 21, 2005

CERTIFIED MAIL #7001 2510 0008 2406 1311

Document Processing Desk (NOTIF)  
Office of Pesticide Programs  
Registration Division (7505C)  
U.S. Environmental Protection Agency  
Ariel Rios Building  
1200 Pennsylvania Ave., NW  
Washington, DC 20460

Re: Matson, LLC, North Bend, WA – EPA Company #8119  
Notification of Additional Size Packaging/Final Printed Bilingual Labels  
EPA Reg. No. 8119-11, Corry's Slug & Snail Death (3.25)

Registrations  
by Design™  
Inc.

Attn: Dan Kenny, PM Team 1

On behalf of Matson, LLC of North Bend, Washington, enclosed is notification of additional size packaging and submission of final printed, bilingual labels (8 & 14 LB) for the above-referenced pesticide registration.

If additional action or information is required in this matter, please advise.

Best regards,



Rebecca M. Horton  
Consultant/Agent for  
MATSON, LLC

e-mail: hortonb@ntelos.net

/bmh

Enclosures

cc: DGrassman/Matson

Member CHEMICAL PRODUCERS & DISTRIBUTORS ASSN.

Federal & State Pesticide/Fertilizer Registration Services plus typesetting & design of final product labeling  
118½ E. Main Street, Ste. 1, Salem, VA 24153-3805 • (540)375-8826 • fax (540)375-8827

~~email: registrationsbydesign@ntelos.net~~