

8119-11

9-29-2006

1/5

Please read instructions on reverse before completing form.

Form Approved, OMB No. 2070-0060, Approval expires 2-28-95



United States
Environmental Protection Agency
Washington, DC 20460

 Registration
 Amendment
 Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 8119-11	2. EPA Product Manager Kenny	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Corry's Slug & Snail (3.25)	PM# 1	
5. Name and Address of Applicant (Include ZIP Code) Matson, LLC P.O. Box 1820 North Bend, WA 98045 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____	NOTIFICATION SEP 29 2006
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.	
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.	

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

NOTIFICATION OF: (1) minor bilingual (Spanish) text translation as required by CDPR and miscellaneous non-FIFRA label text -- as highlighted on enclosed. This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the Confidential Statement of Formula of this product. MATSON, LLC understands that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA, and further understands that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and MATSON, LLC may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:			
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No If "Yes" Unit Packaging wgt. _____ No. per container _____	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No If "Yes" Package wgt. _____ No. per container _____	2. Type of Container <input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container	5. Location of Label Directions <input type="checkbox"/>
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			<input type="checkbox"/> Other _____

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Rebecca M. Horton	Title Consultant/Agent for MATSON, LLC	Telephone No. (Include Area Code) 540-375-8826
2. Signature <i>Rebecca M. Horton</i>		6. Date Application Received (Stamped)
3. Title Consultant/Agent for MATSON, LLC		
4. Typed Name Rebecca M. Horton	5. Date 9-5-06	

**TWIN
PACK**

CONTAINS 2 EASY-TO-CARRY
EASY-TO-OPEN RESEALABLE 9 LB. BAGS

THIS PACKAGE TREATS UP TO 36,000 SQ FT


Original ENGLISH FORMULA

BAIT
APPLICATOR
ENCLOSED
TRADUCCIÓN EN ESPAÑOL COLUCADA EN EL PANEL LATERAL / POSTERIOR



CORRY'S SLUG & SNAIL DEATH (3.25)

**IDEAL
FOR
VEGETABLE
GARDENS**



Easy To Use Meal Formula

Active Ingredient:
Metaldehyde (2,4,6,8-tetramethyl- 1, 3,5, 7- Tetraoxycyclo-octane).....3.25%
Other Ingredients:.....96.75%

NET.WT. 18 LBS (8.16 kg)
CONTAINS 2 - 9 LB BAGS

**KEEP OUT OF REACH OF CHILDREN
MANTENGASE FUERA DEL ALCANCE DE LOS NIÑOS**

CAUTION:
THIS PESTICIDE MAY BE FATAL
TO DOGS OR OTHER PETS IF EATEN. KEEP PETS OUT
OF TREATED AREA. SEE SIDE / BACK PANEL FOR
ADDITIONAL PRECAUTIONARY STATEMENTS.

PRECAUCION:
ESTE PESTICIDA PUEDE SER FATAL PARA LOS PERROS Y OTROS
MAMIFEROS SI SE INGEREN. MANTENGA A LOS MAMIFEROS FUERA
DEL AREA TRATADA. VIGILANTE EL PANEL LATERAL / POSTERIOR
PARA CONOCER AVISOS DE PRECAUCION ADICIONALES.

meta Original ENGLISH FORMULA



- **Can Be Used Around Fruit and Vegetable Plants, Lawns & Ornamental Plants too!**
- **Provides Up To Two Weeks of Plant Protection.**
- **Protects Fruit, Vegetable, Flower and Ornamental Gardens.**

Slugs and snails are two of our most destructive garden pests. Although their outward appearance is quite different, they are essentially the same creature, except that the slug does not have the external shell of the snail. Slugs and snails feed almost entirely at night, in the evening or during dark days. They prefer moist, warm conditions and rarely venture from their hiding places during cold weather or during exceedingly dry or hot spells. Slugs and snails hatch from eggs, laid in clusters, under debris, stones, compost heaps or beneath the surface of the soil. Generally, they will hatch out after 20 to 30 days of favorable weather conditions after which time they will continue to grow slowly, eating our most tender and succulent vegetation. While these small slugs and snails are growing and eating they migrate towards better feeding and sheltering conditions. It is because of this migrating habit that it is impossible to completely eliminate the slug and snail problem. However, with the use of **Corry's® Slug & Snail Death (3.25)** and a consistent baiting program, these pests can be reduced to where they no longer present a major threat to our gardens.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

TO APPLY: (See graphics for suggested application methods) This product is for use in Home and Garden areas. **Corry's® Slug & Snail Death (3.25)** is so easy to use. This product requires no mixing, spraying or special applicators. Just scatter lightly on the soil surface in infested areas as recommended in the graphics below. Apply heavier if infestation is severe. If slugs and snails are invading from adjacent properties, a pencil thin line the entire length of the infested area will form a barrier resulting in excellent control. This bait is extremely attractive to slugs and snails and actually lures them from their hiding places and kills them. Reapply bait every two weeks – more often during heavy infestations or in areas heavily watered. All likely places should be treated as these pests migrate. They favor damp places around vegetable plants, flower gardens, rockeries, hedges, compost heaps, dichondra lawns, ivy patches and other ground cover where they can obtain shelter by day. For best results, be sure area to be baited is damp. In very dry weather, water well before baiting. Use approximately one pound per 2000 square feet.



Corry's® Slug & Snail Death (3.25) can be used to protect the following fruit and vegetable plants. Apply only to the soil surface. Do not apply to the foliage or edible parts of the plant. Use **Corry's® Slug & Snail Death (3.25)** to protect asparagus, beans, cabbage, carrots, celery, cucumbers, lettuce, melons, onions, peas, peppers, potatoes, radishes, spinach, squash, tomatoes, turnips, apples, avocados, blackberries, cherries, citrus, grapes, peaches, plums and strawberries.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions. META® is a registered trademark of Lonza Ltd. and the right to use the META mark has been granted to Matson, LLC, by Lonza Inc.

Manufactured by
Matson, LLC. ©12-1-06
P. O. Box 1820, North Bend, Washington 98045
www.protectyourgarden.com
www.metaworksbest.com
EPA Reg. No. 8119-11 EPA Est. No. 8119-WA-1

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION: May be harmful if swallowed. Avoid breathing dust. Avoid contact with skin, eyes or clothing. Wash thoroughly after use. **KEEP OUT OF REACH OF CHILDREN AND DOMESTIC ANIMALS.** This pesticide may be fatal to dogs or other pets if eaten. Keep pets out of treated area. **IMPORTANT:** Keep away from children, dogs and pets. Bait may be attractive to dogs. Confine pets during application to prevent them from believing they are being fed. Use and store under conditions where there will not be a hazard.

FIRST AID	
IF SWALLOWED:	<ul style="list-style-type: none"> * Call poison control center or doctor immediately for treatment advice. * Have person sip a glass of water if able to swallow. * Do not induce vomiting unless told to do so by the poison control center or doctor. * Do not give anything by mouth to an unconscious person.
IF INHALED:	<ul style="list-style-type: none"> * Move person to fresh air. * If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth to mouth, if possible. * Call a poison control center or doctor for further treatment advice.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> * Take off contaminated clothing. * Rinse skin immediately with plenty of water for 15-20 minutes. * Call a poison control center or doctor for treatment advice.
IF IN EYES:	<ul style="list-style-type: none"> * Hold eye open and rinse slowly and gently with water for 15-20 minutes. * Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. * Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information on this pesticide product (including health concerns, medical emergencies, or pesticide incidents), call **1-800-308-3723**.

ENVIRONMENTAL HAZARDS

For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash waters.

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry, locked location out of direct sunlight, in original container, and not accessible to children or pets. Avoid contamination of feed and foodstuffs. **DISPOSAL:** If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

4/5

FORMULA INGLESA *Original*

CORRY'S

MATA BABOSAS Y CARACOLES (3.25)



IDEA PARA HORTALIZAS

- Protege jardines de frutas, de vegetales, de flores ornamentales ;También se puede utilizar alrededor de plantas de frutas y vegetales, de césped y de plantas ornamentales!
- Proporciona hasta dos semanas de protección a las plantas.

Fórmula de harina fácil de utilizar



NOTIFICATION

SEP 29 2006

Las babosas y los caracoles son dos de nuestras plagas de jardín más destructivas. A pesar de que su apariencia exterior es bastante diferente, esencialmente éstos son la misma criatura, excepto que las babosas no tienen la concha del caracol. Las babosas y los caracoles se alimentan casi totalmente durante la noche, en las tardes o durante los días oscuros. Prefieren las condiciones húmedas y cálidas y raramente se arriesgan a salir de sus escondrijos durante el clima frío o durante periodos excesivamente secos o calientes.

Las babosas y los caracoles incuban en huevos, colocados en racimos debajo de escombros, piedras, pilas de compost o debajo de la superficie de la tierra. Generalmente nacerán después de 20 a 30 días de condiciones climáticas favorables, tiempo después del cual continuarán creciendo lentamente, comiendo nuestra vegetación más tierna y succulenta. Mientras estos pequeños caracoles y babosas están creciendo y comiendo, migran hacia mejores condiciones de alimentación y de albergue. Es debido a este hábito de migración que es imposible eliminar completamente el problema de las babosas y de los caracoles. Sin embargo, con el uso del **Mata Babosas y Caracoles Corry's® (3.25)** y un programa consistente de **alimentación**, estas plagas se pueden reducir hasta donde ya no presenten una amenaza significativa para nuestros jardines.

INSTRUCCIONES DE USO

Es una violación a la ley federal usar este producto de forma inconsistente con su etiqueta.

PARA APLICAR: (Vea las gráficas para consultar los métodos de aplicación sugeridos.) Este producto es para utilizarlo en áreas dentro de la casa y **jardín.**

El **Mata Babosas y Caracoles Corry's® (3.25)** es fácil de usar. Este producto no necesita mezclarse, rociarse o de aplicadores especiales. Sólo disperse ligeramente sobre la superficie de la tierra en las áreas infestadas, según se recomienda en las gráficas que se encuentran más adelante. Aplique mayor cantidad si la infestación es severa. Si las babosas y los caracoles están invadiendo de propiedades adyacentes, una línea delgada de lápiz alrededor del área infestada formará una barrera, la cual será un excelente control. Este cebo es extremadamente atractivo para las babosas y los caracoles, y realmente los atrae desde sus escondrijos y los mata. Aplique de nuevo el cebo cada dos semanas - con mayor frecuencia durante mayores infestaciones o en áreas mucho más mojadas. Todos los lugares probables se deben tratar, ya que estas plagas migran. Les agradan los lugares húmedos alrededor de las hortalizas, los jardines de flores, jardines rocosos, setos, pilas de compost, césped de oreja de ratón, hiedra y otros cubre suelos, en donde puede obtener albergue durante el día. Para obtener mejores resultados, asegúrese que el área en la cual colocará el cebo esté húmeda. En climas muy secos, riegue bastante antes de colocar el cebo. Utilice aproximadamente una libra por 2000 pies cuadrados (185.81 metros cuadrados).

AVISO: El comprador asume toda la responsabilidad de seguridad y uso si no se siguen las instrucciones.

El **Mata Babosas y Caracoles Corry's® (3.25)** se puede utilizar para proteger las siguientes plantas de frutas y de vegetales. Aplique sólo a la superficie de la tierra. No aplique al follaje o partes comestibles de las plantas. Use el **Mata Babosas y Caracoles Corry's® (3.25)** para proteger espárragos, frijoles, repollo, zanahorias, apio, pepinos, lechuga, melones, cebollas, chícharos, pimientos, papas, rábanos, espinaca, calabaza, tomates, nabos, manzanas, aguacates, zarzamoras, cerezas, cítricos, uvas, melocotones (**durazno**), ciruelas y fresas.



CORRECTO



CORRECTO



CORRECTO



INCORRECTO



INCORRECTO

CONSULTE EL PANEL LATERAL / POSTERIOR PARA CONOCER AVISOS DE PRECAUCIÓN ADICIONALES

FORMULA INGLESA *Original*

5/8



MANTENGASE FUERA DEL ALCANCE DE LOS NIÑOS
PRECAUCION: ESTE PESTICIDA PUEDE SER FATAL PARA LOS PERROS U OTRAS MASCOTAS SI SE INGIERE.
MANTENGA A LAS MASCOTAS FUERA DEL AREA TRATADA. CONSULTE EL PANEL LATERAL PARA CONOCER AVISOS DE PRECAUCION ADICIONALES.

AVISOS DE PRECAUCION
RIESGOS PARA HUMANOS Y ANIMALES DOMESTICOS

PRECAUCION: Puede ser nocivo si se ingiere. Evite respirar el polvo. Evite el contacto con ojos, piel o ropa. Lávese minuciosamente después de utilizarlo.

MANTENGASE FUERA DEL ALCANCE DE LOS NIÑOS Y DE LOS ANIMALES DOMESTICOS. Este pesticida puede ser mortal para perros y otras mascotas, si se ingiere. Mantenga a las mascotas fuera del área tratada.

IMPORTANTE: Manténgase fuera del alcance de los niños, perros y mascotas. El cebo puede ser atractivo para los perros. Encierre a sus mascotas durante la aplicación para evitar que crean que están siendo alimentados. Utilice y almacene en condiciones en donde no sea peligroso.

PRIMEROS AUXILIOS

SI SE TRAGA:

- * Llame inmediatamente al centro de control de envenenamiento o al doctor para obtener más recomendaciones de tratamiento.
- * Haga que la persona tome sorbos de un vaso con agua, si puede tragar.
- * No induzca el vómito a menos que lo indique el centro de control de envenenamientos o el doctor.
- * No le dé nada por la boca a una persona inconsciente.

SI SE INHALA:

- * Lleve a la persona al aire fresco.
- * Si la persona no respira llame al 911 o a una ambulancia, luego dé respiración artificial, preferible de boca a boca, si es posible.
- * Llame al centro de control de envenenamiento o al doctor para obtener recomendaciones adicionales de tratamiento.

SI CAE EN LA PIEL O EN LA ROPA:

- * Quite la ropa contaminada.
- * Enjuague inmediatamente la piel con mucha agua durante 15-20 minutos.
- * Llame al centro de control de envenenamiento o al doctor para obtener más recomendaciones de tratamiento.

SI HAY CONTACTO CON LOS OJOS:

- * Mantenga el ojo abierto y enjuague con agua despacio y con cuidado por 15-20 minutos.
- * Si tuviera lentes de contacto, quítelos después de lavarse con agua en los primeros 5 minutos y después continúe lavando el ojo.
- * Llame al centro de control de envenenamiento o al doctor para obtener más recomendaciones de tratamiento.

NUMERO DE LA LINEA DE ACCESO DIRECTO

Tenga a la mano el envase del producto o la etiqueta cuando llame al centro de control de envenenamiento o al doctor, o al buscar tratamiento. Para mayor información sobre este producto pesticida (incluso si tiene preguntas sobre salud, emergencias médicas o incidentes con pesticidas), llame 1-800-308-3723.

RIESGOS AMBIENTALES

Para usos terrestres, no lo aplique directamente al agua o en áreas donde hay agua en la superficie o en áreas entre mareas bajo la marca alta promedio de agua. No contamine el agua al deshacerse de la que usó para limpiar el equipo.

ALMACENAMIENTO Y ELIMINACION

ALMACENAMIENTO: Almacene en un lugar frío, seco y cerrado lejos de la luz solar directa, en el envase original y sin acceso a niños o mascotas. Evite la contaminación de comestibles y alimentos para animales.

ELIMINACION: Si está vacío: No vuelva a usar este envase. Térelo a la basura o, si está disponible, ofrézcalo para reciclaje.

Si está parcialmente lleno: Llame a su agencia de desechos sólidos o al 1-800-CLEANUP para obtener instrucciones sobre cómo eliminarlo. Nunca elimine el producto no utilizado en drenajes internos o externos.

CONSULTE EL PANEL LATERAL / POSTERIOR PARA CONOCER AVISOS DE PRECAUCIÓN ADICIONALES