

8119-11

03/09/2009

1/5



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES AND

Rebecca M. Horton
Consultant/Agent for Matson, LLC
C/o Registrations by Design, Inc.
118½ East Main Street, Suite 1
Salem, VA 24153-3805

MAR 9 2009

SUBJECT: Applications for Pesticide Notification – Additional Size Packaging
Corry's® Slug & Snail Death (3.25) EPA Reg. No. 8119-11
Application Dated October 27, 2008
Corry's® Slug & Snail Pellets (MP) EPA Reg. No. 8119-13
Application Dated October 21, 2008

Dear Ms. Horton:

The Agency is in receipt of your Applications for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above products. The Registration Division (RD) has conducted a review of these requests for their applicability under PRN 98-10 and finds that the actions requested fall within the scope of PRN 98-10. The labels submitted with the applications have been date-stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Terri Stowe of my staff at 703-305-6117.

Sincerely,

A handwritten signature in black ink, appearing to be "Linda Arrington".

Linda Arrington
Notifications & Minor Formulations Team Leader
Registration Division (7505P)
Office of Pesticide Programs



Read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060. Approval expires 2-28-95

2/5



United States
Environmental Protection Agency
Washington, DC 20460

Registration
 Amendment
 Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 8119-11	2. EPA Product Manager Eagle	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Corry's® Slug & Snail Death (3.25)	PM# Team 1	
5. Name and Address of Applicant (Include ZIP Code) Matson, LLC P.O. Box 1820 North Bend, WA 98045 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: NOTIFICATION EPA Reg. No. _____ MAR 9 2009 Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

NOTIFICATION of administrative label changes: Additional Size Packaging (3.5 LB)

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the Confidential Statement of Formula of this product. Matson, LLC understands that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA, and further understands that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and Matson, LLC may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Unit Packaging <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		<input type="checkbox"/> Metal	<input checked="" type="checkbox"/> Plastic
* Certification must be submitted	If "Yes" Unit Packaging wgt. 9 lb.	No. per container 2	If "Yes" Package wgt	<input type="checkbox"/> Glass	<input checked="" type="checkbox"/> Paper
			No. per container	Other (Specify) paperboard box	
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container 1 lb./2 lb./2.5 lb./3.5 lb./4 lb./5 lb./7 lb./8 lb./9 lb./10 lb./12 lb./14 lb./15 lb./18 lb.		5. Location of Label Directions <input checked="" type="checkbox"/> on label	
6. Manner in Which Label is Affixed to Product <input checked="" type="checkbox"/> Lithograph <input checked="" type="checkbox"/> Paper glued <input checked="" type="checkbox"/> Stenciled			<input type="checkbox"/> Other _____		

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Rebecca M. Horton	Title Consultant/Agent for Matson, LLC	Telephone No. (Include Area Code) (540) 375-8826
2. Signature <i>Rebecca M. Horton</i>		6. Date Application Received (Stamped)
3. Title Consultant/Agent for Matson, LLC		
4. Typed Name Rebecca M. Horton	5. Date Oct. 27, 2008	
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		

October 27, 2008

Registrations by Design, Inc.™

118 1/2 East Main Street
Suite 1
Salem, VA 24153-3805
phone 540.375.8826
fax 540.375.8827


Document Processing Desk (NOTIF)
Office of Pesticide Programs/Reg. Div. (7505P)
U.S. Environmental Protection Agency
Ariel Rios Bldg.
1200 Pennsylvania Ave., NW
Washington, DC 20460

Re: Notification of Minor Label Changes
EPA Reg. No. 8119-11, Corry's® Slug & Snail Death (3.25)

Attn: Linda Arrington, Team Leader
Minor Formulations & Notifications

On behalf of Matson, LLC of North Bend, WA, enclosed is notification of additional size packaging (3.5 LB) for the above pesticide registration. Copy of the final printed label for this new package is enclosed.

Best regards,




Rebecca M. Horton
Consultant/Agent for
MATSON, LLC

e-mail: hortonb@ntelos.net

BMH/sjh

Enclosures



Original ENGLISH FORMULA





CORRY'S

NOT AFFECTED BY RAIN

SLUG & SNAIL DEATH (3.25)

IDEAL FOR VEGETABLE GARDENS



- Easy Application Container
- Fast, Effective Control Of Slugs and Snails
- Protects Fruit, Vegetable, Flower And Ornamental Gardens
- Contains Denatonium Benzoate

NOTICE:

To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

Manufactured by
 Matson, LLC ©10-08
 P. O. Box 1820
 North Bend, Washington 98045
 EPA Reg. No. 8119-11
 EPA Est. No. 8119-WA-1
 www.protectyourgarden.com
 www.metaworksbest.com

Easy To Use Meal Formula

KEEP OUT OF REACH OF CHILDREN

NET.WT. 3.5 LB (1.58 kg)

CAUTION: THIS PESTICIDE MAY BE FATAL TO DOGS OR OTHER PETS IF EATEN. KEEP PETS OUT OF TREATED AREA. SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS & FIRST AID.

Active Ingredient:
 Metaldehyde (2,4,6,8-tetramethyl-1,3,5,7-tetraoxocyclo-octane).....3.25%
 Other Ingredients:.....96.75%

META® is a registered trademark of Lanza Ltd. and the right to use the META mark has been granted to Matson, LLC. by Lanza Inc.



Can Be Used Around Fruit and Vegetable Plants, Lawns and Ornamental Plants too!

Provides Up To Two Weeks of Plant Protection.

Slugs and snails are two of our most destructive garden pests. Although their outward appearance is quite different, they are essentially the same creature, except that the slug does not have the external shell of the snail.

Slugs and snails feed almost entirely at night, in the evening or during dark days. They prefer moist, warm conditions and rarely venture from their hiding places during cold weather or during exceedingly dry or hot spells.

Slugs and snails hatch from eggs, laid in clusters, under debris, stones, compost heaps or beneath the surface of the soil. Generally, they will hatch out after 20 to 30 days of favorable weather conditions after which time they will continue to grow slowly, eating our most tender and succulent vegetation.

While these small slugs and snails are growing and eating they migrate towards better feeding and sheltering conditions. It is because of this migrating habit that it is impossible to completely eliminate the slug and snail problem. However, with the use of **Corry's® Slug & Snail Death (3.25)** and a consistent baiting program, these pests can be reduced to where they no longer present a major threat to our gardens.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

TO APPLY: (See graphics for suggested application methods) This product is for use in Home and Garden areas. **Corry's® Slug & Snail Death (3.25)** is so easy to use. This product requires no mixing, spraying or special applicators. Just scatter lightly on the soil surface in infested areas as recommended in the graphics below. Apply heavier if infestation is severe. If slugs and snails are invading from adjacent properties, a pencil thin line the entire length of the infested area will form a barrier resulting in excellent control. This bait is extremely attractive to slugs and snails and actually lures them from their hiding places and kills them. Reapply bait every two weeks – more often during heavy infestations or in areas heavily watered. All likely places should be treated as these pests migrate. They favor damp places around vegetable plants, flower gardens, rockeries, hedges, compost heaps, dichondra lawns, ivy patches and other ground cover where they can obtain shelter by day. For best results, be sure area to be baited is damp. In very dry weather, water well before baiting. Use approximately one pound per 2000 square feet.



CORRECT



CORRECT



CORRECT



INCORRECT



INCORRECT

Corry's® Slug & Snail Death (3.25) can be used to protect the following fruit and vegetable plants. Apply only to the soil surface. Do not apply to the foliage or edible parts of the plant. Use **Corry's® Slug & Snail Death (3.25)** to protect asparagus, beans, cabbage, carrots, celery, cucumbers, lettuce, melons, onions, peas, peppers, potatoes, radishes, spinach, squash, tomatoes, turnips, apples, avocados, blackberries, cherries, citrus, grapes, peaches, plums and strawberries.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store in a cool, dry, locked location out of direct sunlight, in original container, and not accessible to children or pets. Avoid contamination of feed and foodstuffs.

PESTICIDE DISPOSAL: If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER DISPOSAL: If empty: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: May be harmful if swallowed. Avoid breathing dust. Avoid contact with skin, eyes or clothing. Wash thoroughly after use. **KEEP OUT OF REACH OF CHILDREN AND DOMESTIC ANIMALS.** This pesticide may be fatal to dogs or other pets if eaten. Keep pets out of treated area.

IMPORTANT: Keep away from children, dogs and pets. Bait may be attractive to dogs. Confine pets during application to prevent them from believing they are being fed. Use and store under conditions where there will not be a hazard.

FIRST AID

IF SWALLOWED:

- * Call poison control center or doctor immediately for treatment advice.
- * Have person sip a glass of water if able to swallow.
- * Do not induce vomiting unless told to do so by the poison control center or doctor.
- * Do not give anything by mouth to an unconscious person.

IF INHALED:

- * Move person to fresh air.
- * If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth to mouth, if possible.
- * Call a poison control center or doctor for further treatment advice.

IF ON SKIN OR CLOTHING:

- * Take off contaminated clothing.
- * Rinse skin immediately with plenty of water for 15-20 minutes.
- * Call a poison control center or doctor for treatment advice.

IF IN EYES:

- * Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- * Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- * Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information on this pesticide product (including health concerns, medical emergencies, or pesticide incidents), call 1-800-308-3723.

ENVIRONMENTAL HAZARDS

For terrestrial uses, do not apply directly to water, or to areas where surface waters are present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash waters.