

**U S ENVIRONMENTAL PROTECTION AGENCY**  
**Office of Pesticide Programs**  
**Registration Division (7505P)**  
**Ariel Rios Building**  
**1200 Pennsylvania Ave , NW**  
**Washington, D C 20460**

EPA Reg Number

Date of Issuance

8119-13

SEP 20 2012

Term of Issuance **Unconditional**

Name of Pesticide Product

**Corry's Slug & Snail Pellets (MP)**

**NOTICE OF PESTICIDE**

Registration  
 Reregistration  
 (under FIFRA as amended)

Name and Address of Registrant (include ZIP Code)  
 Rebecca Horton, Consultant/Agent for Matson, LLC  
 P O Box 1019  
 Salem, VA 24153

**Note** Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce In any correspondence on this product always refer to the above EPA registration number

On the basis of information furnished by the registrant the above named pesticide is hereby reregistered under the Federal Insecticide Fungicide and Rodenticide Act Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency In order to protect health and the environment, the Administrator on his motion may at any time suspend or cancel the registration of a pesticide in accordance with the Act The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others

Based on your response to the Reregistration Eligibility Decision, EPA has reregistered the product listed above This action is taken under the authority of section 4(g)(2)(C) of the Federal Insecticide, Fungicide, and Rodenticide Act, as amended Reregistration under this section does not eliminate the need for continual reassessment of pesticides EPA may require submission of data at any time to maintain the registration of your product

Generic data requirements that have been identified in the Metaldehyde RED as confirmatory data for the active ingredient contained in the subject product will continue to be tracked and assessed in the Agency's continual reassessment of pesticides

The basic Confidential Statement of Formula (CSF) and Alternate # 1, 2, and 3 all dated 6/23/10, are acceptable All other CSF's including Alternates have been superseded by these CSFs These have been added to your record

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable

Submit one (1) copy of the final printed label before you release the product for shipment Products shipped after 12 months from the date of this Notice or the next printing of the label whichever occurs first, must bear the new revised label A stamped copy of the label is enclosed for your records If you have any questions, contact Marianne Lewis at 703-308-8043 or [lewis.marianne@epa.gov](mailto:lewis.marianne@epa.gov)

Signature of Approving Official  
 Venus Eagle, PM 01  
 Insecticide-Rodenticide Branch  
 Registration Division (7505P)


Date

SEP 20 2012

# CORRY'S® SLUG & SNAIL PELLETS (MP)

[Optional Marketing Statements]

- Not Affected By Rain
- Ideal for Use Around Listed Fruit and Vegetables
- Protects Listed Fruit, Vegetable and Ornamental Gardens
- Easy To Use Mini Pellet Formula
- One Application Protects Plants Up to 2 Weeks
- Ready to Use Formula
- Fast Acting Formula
- Easy Application Container
- Contains Bitrex®
- Contains denatonium benzoate
- Can Be Used Around Listed Fruit, Vegetable and Ornamental Plants –see back/side panel(s) for use sites and application directions
- Can Be Used Around Listed Fruit and Vegetable Plants – See back/side panel(s) for use sites and application directions
- Use this product around listed fruit and vegetable gardens and ornamentals – See back/side panel(s) for use sites and application directions
- Fast, Effective Control of Slugs and Snails
- Attracts and Kills Slugs and Snails
- Apply around hiding places: Listed fruit and vegetable gardens, and ornamentals
- One pound covers [treats] 882 linear feet.



[Final label may include graphic representation of labeled use – e.g. – slugs and snails and proper methods of application around plants]

**ACTIVE INGREDIENT:**

Metaldehyde (2,4,6,8-tetramethyl-1,3,5,7-tetraoxycyclo-octane).....3.25%

**OTHER INGREDIENTS:** .....96.75%

**TOTAL:** ..... 100.00%

**KEEP OUT OF REACH OF CHILDREN AND DOMESTIC ANIMALS**

**CAUTION**

This pesticide may be harmful to children and fatal to domestic animals if ingested. Exclude children and pets from treated areas until the applied product is no longer visible. For additional precautionary measures, see "Directions for Use" and "Storage and Disposal"



Net Weight 2 LB (908 g) / 3LB (1.36 kg) / 4 LB (1.81 kg) / 7 LB (3.17 kg) / 9 LB (4.08 kg) / 10 LB (4.54 kg) / 12 LB (5.44 kg) / 14 LB (6.35 kg) / 15 LB (6.8 kg) / 18 LB (8.16 kg)

[Back/Side/Other Panel(s)]

<b>FIRST AID</b>
<p><b>If on skin or clothing</b>            Take off contaminated clothing            Rinse skin immediately with plenty of water for 15 – 20 minutes            Call a poison control center or doctor for treatment advice</p>
<p><b>If inhaled</b>            Move person to fresh air            If person is not breathing call 911 or ambulance then give artificial respiration preferably mouth to mouth if possible            Call a poison control center or doctor for further treatment advice</p>
<p><b>If swallowed</b>            Call poison control center or doctor immediately for treatment advice            Have person sip a glass of water if able to swallow            Do not induce vomiting unless told to by the poison control center or doctor            Do not give anything by mouth to an unconscious person</p>
<p><b>If in eyes</b>            Hold eye open and rinse slowly and gently with water for 15 – 20 minutes            Remove contact lenses if present after the first 5 minutes then continue rinsing eye            Call a poison control center or doctor for treatment advice</p>
<p><b>POISONING HOTLINE</b></p>
<p>Seek medical care as soon as possible after exposure For incidents involving animals seek veterinary care as soon as possible after exposure Have the product container or label with you when you call a poison control center or doctor or veterinarian or when going for treatment For information on this pesticide product (including health concerns medical emergencies treatment advice or pesticide incidents) call PROSAR at 1 800 308 3723</p>
<p><b>Metoldehyde is a systemic toxin There is no antidote The following instructions are not intended for laypeople There is no home treatment Exposed individuals and animals should receive emergency care as quickly as possible</b></p> <p><b>NOTE TO PHYSICIAN</b> Dust inhalation is usual route of accidental exposure the product is rarely ingested Treatment is symptomatic and supportive Monitor severe exposures closely seizures electrolyte imbalances acidosis dehydration and increased body temperature have been reported  <b>NOTE TO VETERINARIAN</b> Animals typically are exposed via ingestion Treatment is symptomatic and supportive If significant ingestion suspected and the animal is asymptomatic consider induction of emesis or gastric lavage and administration of activated charcoal cathartic and enema to limit absorption Monitor asymptomatic and symptomatic animals closely Treat seizures electrolyte imbalances acidosis dehydration and increased body temperature Monitor liver function post recovery</p>

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION** Harmful if absorbed through skin Harmful if inhaled Harmful if swallowed Causes moderate eye irritation Avoid breathing dust Avoid contact with skin eyes or clothing Wash thoroughly after handling and before eating drinking chewing gum using tobacco or using the toilet Remove and wash contaminated clothing before reuse

**IMPORTANT** This product may be harmful to children and fatal to domestic animals if ingested Children and dogs may be attracted to metaldehyde products and their packaging Keep children and pets out of treated areas from the start of application until the applied product is no longer visible

**ENVIRONMENTAL HAZARDS**

This product is toxic to mollusks (e.g. clams oysters scallops mussels) Do not apply product near water (including garden ponds) or storm drains Do not apply if heavy rain is expected This pesticide is toxic to birds and mammals Collect and remove any product that is spilled Apply this product only around gardens and ornamental plants

**Product Usage – See Directions for Use for application instructions**

This product – Kills Slugs and Snails

Where to Use – Around listed fruit vegetable and ornamental plants

How to Use – Apply as directed around individual plants between rows of plants or as barrier treatment

Slugs and snails are two of our most destructive garden pests These creatures feed almost entirely at night in the evening or during dark days They prefer moist warm conditions and rarely venture from their hiding places during cold weather or during exceedingly dry or hot spells Slugs and snails hatch from eggs laid in clusters under debris stones compost heaps or beneath the surface of the soil Generally they will hatch out after 20 to 30 days of favorable weather conditions after which time they will continue to grow slowly eating our most tender and succulent vegetation While these small slugs and snails are growing and eating they migrate towards better feeding and sheltering conditions It is because of this migrating habit that it is impossible to completely eliminate the slug and snail problem However with the use of **Corry's® Slug & Snail Pellets (MP)** these pests can be reduced to where they no longer present a major threat to our gardens

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

Not for use on plants being grown for sale or other commercial use or for commercial seed production or for research purposes

**PRECAUTIONS AND RESTRICTIONS**

Keep people and pets out of the area during application This pesticide may be harmful to children and fatal to dogs and other domestic animals if ingested Children and dogs may be attracted to metaldehyde products both in the package and when applied Children and domestic animals must be kept out of treated areas from the start of application until the applied product is no longer visible Application of this metaldehyde product is prohibited unless children and domestic animals can be excluded from the treated areas from the start of application until the applied product is no longer visible Avoid applying pellets in piles that may attract pets

Applications to turf and dichondra are prohibited Application is permitted only to non turf areas (e.g. on soil or mulch) directly surrounding plants listed on the label Broadcast and foliar applications of this product are prohibited **Application is permitted only as a barrier around gardens or individual plants Application is prohibited within one foot of vegetable plants or fruit bearing plants not listed on this label**

Certain cultural practices may reduce damage from snails and slugs These practices include eliminating hiding places by removing leaf litter and debris in the garden removing slugs and snails during daylight hours from nearby leaf litter mulch and other protected areas watering in the morning to reduce humidity during the night when snails and slugs are active

**TO APPLY:** This product is for outdoor use only. Corry's® Slug & Snail Pellets (MP) is so easy to use. This product requires no mixing, spraying or special applicators. Apply to the soil surface in infested areas as specified in the Product Application Chart [and the graphics presented below].

[insert graphic(s) representing correct product application around listed plants]

If slugs and snails are invading from adjacent properties, placing a line of pellets the entire length of the infested area will form a barrier resulting in excellent control. This bait is extremely attractive to slugs and snails and actually lures them from their hiding places and kills them. They favor damp places around listed fruit, vegetable and ornamental plants where they can obtain shelter by day. Preferred baiting time is in the evening and/or after rain or watering, as these pests are most active during the nighttime hours and during damp conditions.

Corry's Slug & Snail Pellets (MP) can be used to protect the following listed ornamental, fruit and vegetable plants. Apply only to the soil surface. Do not apply to the foliage or edible parts of the plant. Apply this product evenly around individual plants, between rows of plants or as a barrier treatment around plants that you wish to protect. Apply product as specified in the Product Application Chart below [on this label].

<b>Product Application Chart</b>		
	<b>Minimum Retreatment</b>	<b>Maximum Applications</b>
Use Rate: 18 mini pellets per linear foot (Note to EPA – not printed on marketing label – provides a protection barrier covering approximately 6 sq. ft. (0.624 lb ai metaldehyde/A)		
	<b>Interval:</b>	<b>Per Season:</b>
<b>Plants:</b>		
Artichokes – annual	18 days	2
Artichokes – perennial	18 days	6
Blueberries	14 days	3
Caneberries (bingleberry, black raspberry, blackberry, boysenberry, dewberry, lowberry, marionberry, olallieberry, red raspberry, youngberry) and Other Berries (currant, elderberry, gooseberry, huckleberry, loganberry, lingonberry, juneberry, salal)	14 days	3
Citrus	14 days	6
Lettuce, Cole Crops and other leafy greens (broccoli, Brussels sprouts, cabbage, cauliflower, cavalo broccolo, collards, kale, kohlrabi, mizuna, mustard greens, rape greens, spinach)	14 days	3
Tomatoes	14 days	3
Strawberries	14 days	3
Ornamentals	21 days	6

**STORAGE AND DISPOSAL**

Do not contaminate water food or feed by storage and disposal

**PESTICIDE STORAGE** This product can be harmful to children and fatal to domestic animals if ingested Dogs have been known to ingest metaldehyde after opening or tearing packaging Store this product in its original packaging in a cool secure location and out of reach of children and pets

**PESTICIDE DISPOSAL** **If partly filled** Call your local solid waste agency for disposal instructions Never place unused product down any indoor or outdoor drain

**CONTAINER DISPOSAL** **If empty** Nonrefillable container Do not reuse or refill this container Place in trash or offer for recycling if available

[Optional Disclaimer]

**NOTICE** To the extent consistent with applicable law seller makes no warranty expressed or implied concerning the use of this product other than indicated on the label To the extent consistent with applicable law buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions

Mfd by **Matson LLC**  
P O Box 1820  
North Bend WA 98045

[www.protectyourgarden.com](http://www.protectyourgarden.com)  
[www.metaworksbest.com](http://www.metaworksbest.com)

[Lot no to be added at production ]

[Optional]

For more information please visit our website at (insert website address)

If you apply Corry s® Slug & Snail Pellets (MP) as directed and are not completely satisfied send proof of purchase from this package and the original cash register receipt to the address below [on this package] We will refund the purchase price you paid

Corry s is a registered trademark of Matson LLC

Bitrex® is a registered trademark of Macfarlan Smith