

AUG 29 1997

Ameron International Corporation
Protective Coatings Group
201 North Berry Street
Brea, CA. 92821


Subject: Amercoat 698HS Antifoulant
EPA Registration No. 8120-48
Notification Per PR-Notice 95-2
Your Notification Dated July 28, 1997

Dear Mr. McCarthy:

This will acknowledge receipt of your notification to add the brand name "Devoe ABC #1 Antifouling" submitted under the provisions of FIFRA section 3(c)9. Based on a review of the submitted material, the following comments apply.

The application is acceptable and the notification has been made a part of the records for this file.

Sincerely,



Marshall Swindell
Notification Coordinator
Antimicrobial Program Branch
Antimicrobial Division (7510W)

CONCURRENCES							
SYMBOL	7510W						
SURNAME	T. H. G. G. G.						
DATE	8/26/97						AUG 29 97

RESTRICTED USE PESTICIDE:

Due to Toxicity of Aquatic Organisms including Shellfish. For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

A M E R C O A T

DEVOE ABC® #1

Manufactured by AMERON INTERNATIONAL

Active ingredients: Tributyltin Methacrylate (as part of polymer)	9.5%
Cuprous oxide	16.7%
Inert Ingredients:	73.8%
	100.0%

Copper as metallic: 14.8%
Total Tin as metallic: 3.0%
Contains Petroleum Distillates

Antifouling

KEEP OUT OF REACH OF CHILDREN
DANGER

See other cautions on side panel and MSDS. Use only in accordance with instructions accompanying shipment.
NOTE: This product contains a chemical/s known to the state of California to cause cancer, birth defects or other reproductive harm.

FOR USE IN COMMERCIAL SHIPYARDS ONLY

POISON



ACCEPTED
with COMMENTS
in EPA Letter Dated:

MJC 29 1997

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No.

8120-48

Precautionary Statements

HAZARDS TO HUMANS (and Domestic Animals):
DANGER! CORROSIVE. Causes skin burns. Wear protective clothing such as gloves, long-sleeved cotton shirt, long pants, and hat. Fatal if inhaled. Causes eye irritation. May be fatal if swallowed. Harmful if absorbed through skin. This product may be a dermal sensitizer. Do not get in eyes, on skin or clothing. Do not breath vapor; spray mist, dust or chips from sanding. Wear a mask or respirator jointly approved by the Mining Safety and Health Administration and the National Institute for Occupational Safety and Health. Wash thoroughly with soap and water after handling and before eating or smoking. Use with adequate ventilation.

STATEMENT OF PRACTICAL TREATMENT: If swallowed, drink promptly a large quantity of water. Avoid alcohol. Get medical attention.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

AMERON
INTERNATIONAL

Protective Coatings Group

201 N. Berry Street, Brea, California 92822-1020 U.S.A.
J.F. Kennedylaan 7,4191 MZ Geldermalsen. The Netherlands

If in **eyes**: Flush with plenty of water and get medical attention. If **on skin**: Wash with plenty of soap and water. Get medical attention. If **inhaled**: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to aquatic organisms including fish and shellfish.

PHYSICAL OR CHEMICAL HAZARDS: Flammable. Keep away from heat, sparks, arc and open flame. In case of spillage, eliminate all sources of ignition.

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. It is unlawful to use this product on non-aluminum hulled vessels less than 82 feet (25 meters) in length (on deck) except for the outboard motor or lower drive unit of such vessel. Users must comply with all applicable OSHA requirements.

See applications instructions.

STORAGE AND DISPOSAL: Keep container closed when not in use. Store in cool, dry, well ventilated area. Do not contaminate water, food or feed by storage or disposal.

Pesticide Disposal: Paint chips, spent abrasives, and any other waste materials from removal of old paint must be disposed of in a sanitary landfill (or, if required by Federal, State or local regulations, handled as a hazardous waste). If possible, use all of the contents by application according to label instructions. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA. Manage excess paint, rinsate, and other application wastes in accordance with Federal, State, and local requirements. Consult your State pesticide or Environmental control agency, nearest EPA Regional Office, or the RCRA/Superfund Hotline (800-424-9346) for waste disposal guidance.

Container Disposal: Triple rinse container if intended for recycling or reconditioning. Empty paint containers with small amounts of dried residue must be disposed of in a sanitary landfill (or, if required by Federal, State or local regulations, handled as a hazardous waste).

WARRANTY - Refer to Ameron's product data sheet for Ameron's warranty and application instructions for this product.

Photochemically Reactive

DOT - Paint UN - 1263

VOC: 372 g/L, 3.1 lbs/gal

Thinned, 65 (1/2 pt/gal) 396 g/L, 3.3 lb/gal

HMIS - H3 F3 R0

FOR INDUSTRIAL USE ONLY

COMMODITY NO: 428280-05

Net Contents: 5.00 U.S. Gal (18.93 Liters)

EMERGENCY (in case of spills or leaks)

CHEMTREC 800-424-9300

EPA Est. No.: 8120 AR-1

EPA Registration No.: 8120-48

373