# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS **CAUTION**

HARMFUL OR FATAL IF SWALLOWED CONTAINS PETROLEUM DISTILLATES CALL PHYSICIAN IMMEDIATELY

May cause irritation of eyes, nose, throat and skin. If swallowed, do NOT induce vomiting. Immediately drink egg whites, milk, or gelatin solution.
Call physician immediately. Avaid breathing
vapor or mist when spraying this product. Avaid contact with skin, eyes, or clathing. In case of contact with skin, wash with soap and water. In case of contact with eyes, immediately flush with large amounts of water, and get medical attention. Remove and wash contaminated clothing with good laundry detergent before reuse.

Apply the product only as specified on this label. Do not apply when weather conditions favor drift from areas treated.

### ENVIRONMENTAL HAZARDS

This product is taxic to fish and wildlife. Do not contaminate water by cleaning of equipment or disposal of waste. Do not apply on or near destrable trees, shrub-, grasses, or other plants, or on areas where roots of desirable vegetation may extend. Do not contaminate irrigation or domestic water supplies. Thoroughly clewn application equipment with some good detergent after each use.

Vapors from this product may injure susceptible plants in the immediate vicinity.

Coarse sprays are less likely to drift.

Avoid spray drift to susceptible plants, as this product may injure cotton, beans, peas, grapes, ornamentals, etc.

### PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flome.

#### GENERAL INFORMATION

This product is a specially formulated non-selective vegetation killer for controlling a wide range of annual and perennial weeds and grasses. Apply undiluted as a spray on non-cropland areas where bare ground is desired. Control will vary with the amount of chemical applied, soil type, rainfall and other conditions. This product is non-corrosive to metal surfaces. Especially compounded for industrial and municipal weed control.

Keg # 8123-29



# AND SEMI-SOIL STERILANT

ACTIVE INGREDIENTS: 95.83% Petroleum Solvent 2.4-Dichlorophanoxyocetic acid, is sactyl ester\* 1.09 .98 Bromaell (5-bromo-3-sec-butyl-6-methyluracil) 2.10 INERT INGREDIENTS: TOTAL 100.00%

\*2.4-Dichlorophenox, acetic acid equiv. ...70%

EPA REG. NO. 8123-29 EPA EST. 10. 8123-1L-1

SCIENTIFICALLY FORMULATED FOR INDUSTRIAL and ASTITUTIONAL USE

## CAUTION:

KEEP OUT OF REACH OF CHILDREN CONTAINS PETROLEUM DISTILLATES HARMFUL OR FATAL IF SWALLGOLD Read Side Panel for Additional Cautions and Directions

EXCLUSIVELY SOLD BY

FRANK MILLER & SONS, INC. 13831 S. Emerald Avenue Chicago, Illinois 60627

### DIRECTIONS FOR USE

It is a violation of Federal Law to us this product In a manner inconsistent with its labelling.

## STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Do not expose to extreme temperatures. Do not stack more than five drums high. Drums should be opened in well-ventilated areas. Leaking or domaged drums should be placed in overpack drums for disposal. Spills should be absorbed in sawdust or sand and disposed of in a sanitary landfill. Keep container closed when not in use. Do not store near fertilizers, seeds, insecticides or

fungicides.
PESTICIDE DISPOSAL: Posticide wastes are taxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law If these wastes cannot be disposed of by use according to label instructions, contact your State Posticide or Environmental Control Agency, or the Hazardous Waste representative at your EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivolant). Then after for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local

ou thorities.

GENERAL WEED CONTROL: To control most weeds on non-cropland areas such as parking lots, fence rows, railroad sldings and storage yards, spray at the rate of 1 to 2 gallons for each 1,000 square feet.

This product may be applied at any time of the year, EXCEPT when ground is frozen. Best results are obtained after vegetation has emerged, in late spring or early summer. Use power sprayers, compressed air hand sprayers, or an ordinary sprinkling can. No dilution or agitation is required.

NET CONTENTS:_	 
BATCH NO.1	 

LVK-88 (4/87)

H - 8 - 9 <u>3</u>

**BEST AVAILABLE COPY**