



- d. Revise the statement (Sanitization section - right panel):

At this level potable water rinse is required  
to read:

A potable water rinse is required.

- e. Revise the referral statement to read:

See side panel for additional precautionary statements.

- f. We prefer that the signal word: DANGER be placed directly below the  
statement: Keep Out Of Reach Of Children (Center panel only).

- g. Add the following statement:


This product is also fungicidal against the pathogenic fungi  
Trichophyton mentagrophytes at 2 ounces per gallon.

2. Submit five (5) copies of your final printed labeling before you  
release the product for shipment. Refer to the A-79 Enclosure for a further  
description of final printed labeling.

Your release for shipment of the product bearing the amended labeling  
constitutes acceptance of these conditions.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,



John H. Lee  
Product Manager (31)  
Disinfectants Branch  
Registration Division TS-767C)

Enclosure

RD/DIS:DCR-07657:J.Lee:RD-09:eg:Kendrick & Co.: 898-1270:10/11/84:Del.10.23.84



PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING

Keep Out of Reach of Children. Causes eye and skin irritation. Do not get in eyes, skin or on clothing. Harmful if swallowed.

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Call a physician.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labelling.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. STORAGE: Do not stack more than four drums high. Leaking or damaged drums should be placed in overpack drums for disposal. Spills should be absorbed in sawdust or sand and disposed of in a sanitary landfill. Keep container closed when not in use.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

This product detergent/disinfectant has been designed specifically for hospitals, nursing homes, schools, food processing plants and other institutions where housekeeping is of prime importance.

DISINFECTION: To disinfect hard inanimate surfaces (such as walls, floors, table tops), apply solution with mop, cloth, sponge or mechanical spray so as to wet all surfaces thoroughly. Allow to remain wet for 10 minutes and then let air dry.

DILUTION RATES: General Disinfection - Add 2 ounces of product per gallon of water. Hospital Disinfection - Add 3 ounces of product per gallon of water.

For heavily soiled areas, apre-cleaning step is recommended. Prepare a fresh solution for each use.

SANITIZATION - To sanitize previously cleaned and rinsed non-porous food contact surfaces, prepare 200 ppm active quatamony of product solution by adding 4 ounces of product to 3 gallons of water.

To sanitize immobile items (such as tanks, chopping blocks, counter tops), flood the area with 200 ppm of product solution or apply with a cloth or sponge, making sure to wet all surfaces completely for at least 60 seconds. RINSE THOROUGHLY WITH POTABLE WATER. Prepare a fresh solution for each use.

To sanitize mobile items (such as drinking glasses, eating utensils), immerse in 200 ppm of product solution for at least 60 seconds making sure to immerse completely. REMOVE AND RINSE THOROUGHLY WITH POTABLE WATER. Prepare a fresh solution daily or more frequently as soil is apparent.

# GERMICIDAL CLEANER

CLEANER  
DEODORANT

DISINFECTANT  
FUNGICIDE

ACTIVE INGREDIENTS:

n-Alkyl (60% C14, 30% C16, 5% C12, 5% C18)	1.6%
dimethyl benzyl ammonium chlorides	1.6%
n-Alkyl (60% C12, 32% C14) dimethyl	3.0%
ethylbenzyl ammonium chlorides	1.0%
Sodium carbonate	92.8%
Tetrasodium ethylenediamine tetraacetate	
<b>INERT INGREDIENTS:</b>	<b>TOTAL 100.0%</b>

EPA REG. NO. 512-51-01  
EPA EST. NO. 512-51-01

NET CONTENTS

WARNING:

KEEP OUT OF REACH OF CHILDREN

SEE SIDE PANELS FOR ADDITIONAL PRECAUTIONARY STATEMENTS

SOLD BY

FRANK M. LEWIS & SONS, INC.

2450 S. W. 10th Ave., Ft. Lauderdale, Fla. 33304

Phone: (305) 467-1111

ACCEPTED  
WITH COMMENTS  
In EPA Letter Dated

OCT 16 1984

Product registered under EPA Reg. No. 512-51-01  
As a disinfectant and sanitizer  
registered under EPA Reg. No. 512-51-01  
812 3-38

This product is a pH sanitizer designed for ceiling plants and II where housekeeping is hazard of cross contamination (walls, floors, sink top phones). For larger restrooms, the product and disinfecting.

In addition, this product are hard to keep fresh empty garbage bins and which are prone to odor.

DISINFECTION - At 2 exhibits effective disinfection

Enter  
Esch.  
Klebs.  
Salmo  
Salmo  
Brevi  
Strep.  
Shige  
Staph.

At 3 ounces per gallon disinfectant and demonstration of efficacy.

SANITIZATION - When food equipment or food to 200 ppm. At 1/2 gal.

ONLY FOR  
STORAGE