

[8123-59]

FOR USE IN FEDERALLY INSPECTED
MEAT & POULTRY ESTABLISHMENTS

INSECTICIDE FOR USE DILUTE 1 PART CONCENTRATE WITH 7 PARTS BASE OIL AND USE WITH A ULV SPRAYING DEVICE AT THE RATE OF ONE OUNCE PER THOUSAND CUBIC FEET OF ROOM SPACE. REPEAT DOSAGE AS NECESSARY FOR CONTROL OF ROACHES, SILVERFISH, WATERBUGS, EARWIGS, ANTS, SPIDERS

CAUTION

APPLY THIS PRODUCT ONLY AS SPECIFIED ON THIS LABEL

DO NOT BREATHE SPRAY MIST. WEAR MASK OR RESPIRATOR OF A TYPE RECOMMENDED BY THE U. S. BUREAU OF MINES TO GIVE ADEQUATE PROTECTION AGAINST THIS MATERIAL. WEAR PROTECTIVE CLOTHING. WASH HANDS, ARMS, AND FACE WITH SOAP AND WATER AFTER HANDLING AND BEFORE EATING AND SMOKING. WASH ALL CONTAMINATED CLOTHING WITH SOAP AND HOT WATER BEFORE REUSE.

HARMFUL IF SWALLOWED. DO NOT APPLY DIRECTLY TO FOOD. COVER OR REMOVE ANY FOOD AND FOOD PROCESSING EQUIPMENT DURING APPLICATION. DO NOT APPLY WHILE FOOD PROCESSING IS UNDERWAY. AFTER SPRAYING IN MEAT PACKING PLANTS, BAKERIES AND OTHER FOOD PROCESSING PLANTS, WASH ALL EQUIPMENT, BENCHES, SHELVING, ETC. WHERE EXPOSED FOOD WILL BE HANDLED, WITH POTABLE WATER.

BEFORE USING EXPOSED FOOD PRODUCTS AND PACKAGING MATERIALS MUST BE REMOVED FROM ROOM OR PROTECTED. AFTER USING, EQUIPMENT AND UTENSILS MUST BE THOROUGHLY RINSED WITH POTABLE WATER BEFORE OPERATIONS ARE RESUMED. USE ONLY WHEN PLANT IS NOT IN OPERATION.

DO NOT POUR OR SPILL NEAR OPEN FLAME. MIX WELL IN CONTAINER BEFORE EACH USE. KEEP CONTAINER CLOSED AND STORE IN A COOL PLACE

DO NOT REUSE EMPTY DRUM. RETURN TO DRUM MANUFACTURER OR DESTROY BY PERFORATING OR CRUSHING AND BURYING IN A SAFE PLACE

REMOVE PETS, BIRDS, AND COVER FISH AQUARIUMS BEFORE SPRAYING.

This product is toxic to fish. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning, or pouring or discarding of wastes.

INSECTICIDE CONCENTRATE

DESIGNED FOR ULV SPRAYING DEVICES

ACTIVE INGREDIENTS

Pyrethrins	3.00%
Piperonyl Butoxide, Technical*	6.00%
N-octyl bicycloheptene	
dicarboximide**	10.00%
Petroleum Distillates	81.00%

TOTAL 100.00%

*Equivalent to 4.80% Butylcarbamoyl 6-bromoisobutyrate
and 1.20% related compounds
**MGK-264 Insecticide Synergist

CAUTION

KEEP OUT OF REACH OF CHILDREN
SEE OTHER PRECAUTIONS ON THE BACK SIDE PANEL

NET CONTENTS: _____

DIRECTIONS FOR USE

SPACE SPRAY - Use undiluted to kill all life stages of insects infesting dried fruit products in storage or being processed. Close room or warehouse and shut off all ventilating system. Use a ULV spraying device to disperse this product as a fine mist in the air above the trays and shelves. Do not apply to fruit directly. Use one ounce per 1000 cubic feet of space. Repeat application at this dosage once a given month. Leave the room closed for one hour. Do not remain in treated areas and ventilate area before re-entry. *Indian Meal Moth, Dried Fruit Beetle, Confused Flour Beetle, Saw-toothed Grain Beetle and Roaches.

SPACE SPRAY - Use undiluted to kill the adult and accessible forms of insect pests* of stored food (stored in multiwall paper bags or in cloth bags) in warehouses, storage rooms & similar locations. Close room or warehouse and shut off all ventilating systems. Use a ULV spraying device to disperse this product. First direct spray into corners under pallets and around stacks of packaged goods hitting as many insects as possible and then treated as a space spray. Infested stored products should be fumigated or treated by other effective methods using an approved product intended for this purpose. Use a dosage of one fluid ounce of this spray per 1000 cubic feet of room space. Repeat applications as necessary for insect control. Leave the room closed for one hour. Do not remain in treated areas and ventilate area before re-entry.

*Rice Weevil, Yellow Meal Worm, Cadelle, Confused Flour Beetle, Saw-toothed Grain Beetle, Angoumois, Grain Moth, Mediterranean Flour Moth and Indian Meal Moth.

SPACE SPRAY - Use diluted to kill flies, mosquitoes and gnats in open areas. Dilute concentrate with Petroleum Distillate such as Kleoral N.F. at the rate of 1 part concentrate to 7 parts oil and mix well. Use at a time when the temperature is cool (75° or less) and the wind velocity is approximately 5 MPH, with a ULV spraying device, spray at a dosage rate of 25 ounces per minute up-wind of the area to be controlled. If the equipment is truck mounted, keep the speed to approximately 5 MPH with a swath width of no more than 300 feet. Repeat application as required.

SPACE SPRAY AND CONTACT SPRAY - Use undiluted to kill roaches, silverfish, waterbugs, earwigs, ants, spiders, in sheltered situations. With a ULV spraying device, apply the spray into all cracks and crevices in wood-work, walls, floors, underneath sinks, behind pipes and in all places where these insects shelter. Contact as many insects as possible. Do not allow spray to contact stored food. Use at a dosage rate of approximately one-half fluid ounce per 1000 cubic feet of room space. Repeat dosage as necessary for control. Leave the room closed for one hour. Do not remain in treated areas and ventilate area before re-entry.

E.P.A. REG. NO. 8123-59
E.P.A. Est. 8123-11-1