

FOR USE IN FEDERALLY INSPECTED  
MEAT & POULTRY ESTABLISHMENTS

**PRECAUTIONARY STATEMENT  
HAZARD TO HUMANS AND DOMESTIC ANIMALS  
CAUTION**

Harmful if swallowed or absorbed through the skin. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Do not breathe vapors or spray mist. Wear mask or respirator of a type recommended by the U. S. Bureau of Mines to give adequate protection against this material. Wear protective clothing. Wash hands, arms, and face with soap and water after handling and before eating and smoking. Wash all contaminated clothing with soap and hot water before reuse. Obtain medical attention if irritation persists. If swallowed, do not induce vomiting. Call a physician immediately. Do not apply directly to food. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is under way. After space spraying in meat packing plants, bakeries, and other food processing plants, wash with potable water all equipment, benches, shelving, etc., where exposed food will be handled. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Remove pets and birds, and cover fish aquariums before spraying.

**ENVIRONMENTAL HAZARDS**

This product toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

**PHYSICAL OR CHEMICAL HAZARDS**

DO NOT POUR OR SPILL NEAR OPEN FLAME. MIX WELL IN CONTAINER BEFORE EACH USE. KEEP CONTAINER CLOSED AND STORE IN A COOL PLACE.

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labelling.

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal.

**STORAGE:** Do not expose to extreme temperatures. Do not stack more than four drums high. Drums should be opened in well-ventilated areas. Leaking or damaged drums should be placed in overpack drums for disposal. Spills should be absorbed in sawdust or sand and disposed of in a sanitary landfill. Keep container closed when not in use.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at approved waste disposal facilities.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent). Then offer for recycling or secondary use, or purchase and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

# INSECTICIDE CONCENTRATE

**DESIGNED FOR ULV SPRAYING DEVICES**

**ACTIVE INGREDIENTS:**

Pyrethrins	3.00%
Piperonyl Butoxide, Technical*	6.00%
N-octyl bicycloheptene dicarboximide**	10.00%
Petroleum Distillates	81.00%

TOTAL 100.00%

\*Equivalent to 4.80% (Butylcarbityl) (6-propylpiperonyl) Ether and 1.20% related compounds.

\*\*MGK-264 Insecticide Synergist.

## CAUTION

SEE OTHER PRECAUTIONS ON THE BACK/SIDE PANEL  
**KEEP OUT OF REACH OF CHILDREN**

EPA REG. NO. 8123-59  
EPA EST. NO. 8123-IL-1

NET CONTENTS: \_\_\_\_\_

SOLD BY

**FRANK MILLER & SONS, INC.**  
13831 S. Emerald Avenue  
Chicago, Illinois 60627

FEB 11 1985

8123-59

**DIRECTIONS FOR USE-DILUTE 1 PART CONCENTRATE WITH 3 PARTS BASE OIL AND USE WITH A ULV SPRAYING DEVICE AT THE RATE OF ONE OUNCE PER THOUSAND CUBIC FEET OF ROOM SPACE. REPEAT DOSAGE AS NECESSARY FOR CONTROL OF ROACHES, SILVERFISH, WATERBUGS, EARWIGS, ANTS, SPIDERS.**


**SPACE SPRAY -** Use undiluted to kill accessible stages of insects\* infesting dried fruit products in storage or being processed: Close room or warehouse and shut off all ventilating system. Use a ULV spraying device to disperse this product as a fine mist in the air above the trays and shelves. Do not apply to fruit directly. Use one ounce per 1000 cubic feet of space. Repeat application at this dosage in any given month. Leave the room closed for one hour. Do not remain in treated areas and ventilate area before re-entry. \*Indian Meal Moth, Dried Fruit Beetle, Confused Flour Beetle, Saw-Toothed Grain Beetle and Roaches.

**SPACE SPRAY -** Use undiluted to kill the adult and accessible forms of insect pests\* of stored food (stored in multi-wall paper bags or in cloth bags) in warehouses, storage rooms & similar locations: Close room or warehouse and shut off all ventilating systems. Use a ULV spraying device to disperse this product. First direct spray into corners under pallets and around stacks or packaged goods hitting as many insects as possible and then treated as a space spray. Infested stored products should be fumigated or treated by other effective methods using an approved product intended for this purpose. Use a dosage of one fluid ounce of this spray per 1000 cubic feet of room space. Repeat applications as necessary for insect control. Leave the room closed for one hour. Do not remain in treated areas and ventilate area before reentry.

\*Rice Weevil, Yellow Meal Worm, Cadelle, Confused Flour Beetle, Saw-Toothed Grain Beetle, Angoumois, Grain Moth, Mediterranean Flour Moth and Indian Meal Moth.

**SPACE SPRAY -** Use diluted to kill flies, mosquitoes and gnats in open areas: Dilute concentrate with Petroleum Distillate such as Kleenol N.F. at the rate of 1 part concentrate to 2 parts oil and mix well. Use at a time when the temperature is cool (75° or less) and the wind velocity is approximately 5 MPH, with a ULV spraying device, spray at a dosage rate of 25 ounces per minute up-wind of the area to be controlled. If the equipment is truck mounted, keep the speed to approximately 5 MPH with a swath width of no more than 300 feet. Repeat application as required.

**SPACE SPRAY AND CONTACT SPRAY -** Use undiluted to kill roaches, silverfish, waterbugs, earwigs, ants, spiders, in sheltered situations: With a ULV spraying device, apply the spray into all cracks and crevices in wood-work, walls, floors, underneath sinks, behind pipes and in all places where these insects shelter. Contact as many insects as possible. Do not allow spray to contact stored food. Use at a dosage rate of approximately one-half fluid ounce per 1000 cubic feet of room space. Repeat dosage as necessary for control. Leave the room closed for one hour. Do not remain in treated areas and ventilate area before re-entry.



**BEST AVAILABLE COPY**