

PM 16- 8123-60

1 JUN 1984

301 / 17 122,246 / 1

Frank Miller & Sons, Inc.
13831 South Emerald Ave.
Chicago, IL 60627

Gentlemen:

Subject: Ag Insecticide
EPA Registration No. 8123-60
Your Application Dated May 17, 1984

The amendment referred to above, submitted in connection with registration under FIFRA, is acceptable provided that you:

1. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling:
 - a. Substitute the heading "Environmental Cautions" with "Environmental Hazards." The bee statement must appear in this section.
2. Submit five (5) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

William H. Miller
Product Manager (16)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

Enclosure

RD-IRB;DCR-40620;Miller;Raven;557-2226;bje;RD-06;5/29/84;Del.6/15/84

CONCURRENCES							
SYMBOL ▶							
SURNAME ▶							10/2
DATE ▶							

ENVIRONMENTAL CAUTIONS

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label. Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

DIRECTIONS

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

The following are general use directions for AG-Insecticide. Thorough and full coverage applications of this product should be made to insure maximum effectiveness.

Do not enter treated areas without protective clothing until sprays have dried. Because certain states may require more restrictive reentry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.

Written or oral warnings must be given to workers who are expected to be in a treated area about to be treated with this product. When oral warnings are given, warnings shall be given in a language customarily understood by workers. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. Written warnings must include the following information:

CAUTION: Area treated with malathion on (date).
Do not enter without appropriate protective clothing until spray is dry.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Do not expose to extreme temperatures. Do not stack more than four drums high. Drums should be opened in well-ventilated areas. Leaking or damaged drums should be placed in overpack drums for disposal. Keep container closed when not in use.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

VEGETABLE INSECT CONTROL - Use indicated amount in sufficient amount of water for good coverage, per acre of vegetable. **ASPAGUS** - For asparagus beetles and thrips use 2 pints. Allow 3 days between last application and harvest. **BEANS** - For ophids, Mexican Bean Beetle, leafhopper, spider mite, use 1 1/2 pints. Allow 5 days between last application and harvest. **CABBAGE, BROCCOLI, KALE, TURNIP** - For aphids, imported cabbage worm, and cabbage looper, use 1 1/2 pints. Allow 7 days between last application and harvest, except for looper, which requires a 3 day interval. **CARROTS, LETTUCE, SPINACH** - For aphids and spider mites, use 2 pints. Allow 7 days between last application and harvest. **CELERY** - For aphids and spider mites, use 1 1/2 pints. Allow 7 days between last application and harvest. **CORN** - For aphids, thrips, and sap beetles, use 1 1/2 pints. Allow 5 days between last application and harvest. **CUCUMBER, MELONS, SQUASH** - For aphids and spider mites, use 1 1/2 pints. Allow 1 day between last application and harvest. **ONIONS** - For thrips, use 1 1/2 pints. Allow 3 days between last application and harvest. **PEAS, RUTABAGAS** - For aphids, use 1 1/2 pints. Allow 3 days between last application and harvest. **POTATO** - For aphid and leafhopper, use 1 pint. Allow 3 days between last application and harvest. **TOMATO** - For aphids and spider mites, use 1 1/2 pints. Allow 3 days between last application and harvest. **PEPPERS** - For aphids, use 1 pint. Allow 3 days between last application and harvest.

AG-INSECTICIDE

ACTIVE INGREDIENTS:	
Malathion*	57%
Methylated Naphthalenes	34%
INERT INGREDIENTS:	9%
	100%

(Contains 5 pounds premium grade Malathion per gallon)
*O,O-Dimethyl Dithiophosphate of Diethyl Mercaptosuccinate

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed, inhaled or absorbed through skin. Avoid contact with spray mist. Avoid contact with the skin. Wash with soap and water after using Malathion. Wash clothing with soap and water before reuse. Avoid contamination of food and feedstuffs. Keep out of reach of children and domestic animals.

This product is highly toxic to bees exposed to direct treatment residues on crops. Protective information may be obtained from Cooperative Agricultural Extension Service.

FIRST AID

EXTERNAL - If spilled on skin or clothing wash thoroughly with soap and change clothes. For eyes, flush with water for 15 minutes; get medical attention promptly.

INTERNAL - If swallowed, call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching throat with finger, or if available, by administering syrup of ipecac. Do not induce vomiting or give anything by mouth to an unconscious person. **SYMPTOMS** of poisoning are pin-point pupils, drooling, lacrimation, difficulty breathing, vomiting, marked tremors, diarrhea, and convulsions. These symptoms should occur after handling or using Malathion. **CALL A PHYSICIAN IMMEDIATELY.**

NOTE TO PHYSICIAN: If the above symptoms are present, Malathion is antidotal.

CAUTION - KEEP OUT OF REACH OF CHILDREN
See Directions and Additional Cautions on Side Panels

SOLD BY
FRANK MILLER & SONS, INC.
13831 S. Emerald Avenue
Chicago, Illinois 60627

BEST AVAILABLE