DIFECTIONS FOR USE

Apply this algueride when the system is in jeopardy of becoming affected or after cleaning system whose efficiency is already impaired.

INITIAL DOSE: 1 2 gallons Alguecide to each 5,000 gallons of water contained in the system (20-40 ppm active guaternaries). Repeat until control is evident.

PERIODIC DOSE: When system is in control, add 1 - 3 guarts of Algaecide to each 5,000 gallons of water (5-15 ppm active quaternaries) contained in the system every 7 days or sooner shipld visible growth appear.

For best results, clean heavily contaminated systems before treatment with this product. If soap or anionic deteraent is used, rinse thoroughly before charging with the algaecide. Apply product at a point in the system where uniform mixing will take place.

Do not be alarmed with the sudden appearance of organic debris in the system during the first week of operation. This is normal and is a good indication that the product has effectively penetrated and dislodged dead organic material which tenaciously adheres to metal and wooden surfaces as living matter. This debris should be removed from the system to avoid clogging of screens and pipes.

FISH AND OR WILDLIFE PRECAUTIONS This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds or public waters. Apply this product only as specified on this label.

Cameraman's Note Poor Copy

WATER COOLING TOWER ALGAECIDE HELPS KEEP WATER COOLING TOWER

SYSTEMS CLEAR AND FREE OF VISIBLE ALGAE SLIMES.

ACTIVE INGREDIENTS:

n-Alkyl (60% C14, 30% C16, 5% C12, 5% C18) dimethyl benzyl ammonium chlorides n-Alkyl (68% C12 32% C14) dimethyl

ethylbenzyl ammonium chlorides

> E.P.A. REG. NO. 8123-75 E.P.A. EST. NO. 8123-1L-1

NET VOLUME:

DANGER **KEEP OUT OF REACH OF CHILDREN**

See "First Aid" and other precautionary statements on left panel.

Soid By

FRANK WILLER & SPNS, MIL 135.1 9. Ernerad Avenue - Huant I mail 6 4 . 7

5% 5% 100%

When this product is used as directed it will aid in controlling and or preventing the de clopment of unsanitary algae slime conditions which ure unsightly, produce foul odors and which are often the cause of equipment breakdown.

This algaecide is compatible with virtually all corrosion inhibition additives, but should not be used in the presence of soap or other anichic detergents. This product, at use dilution, is non-corrosive to inanimate hard surfaces

DANGER: Keep Out of Reach of Children. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing Protect eyes and skin when handling. Harmful if swallowed. Avoid contamination of food.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or, if these are not available, drink large quantities of water. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

Rinse empty container thoroughly with water before discarding or returning to drum reconditioner.

ļ

. 1

\$12.5.1

₩TT-44