

CAUTIONS

This product will kill or seriously injure many desirable forms of vegetation. Do not apply directly to or permit spray drift to susceptible plants, as this product may injure flowers, fruits, vegetables, grapes, cotton, ornamentals or other desirable plants. Do not use when there is hazard from drifting mists. (Coarse sprays are less likely to drift.)

Vapors from this product may injure susceptible plants in the immediate vicinity.

Avoid contamination of water used for domestic purposes and irrigation purposes. Excessive amounts of this product in the soil may temporarily inhibit seed germination and plant growth.

Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

Do not store near fertilizers, seeds, insecticides or fungicides.

Avoid contamination of feed and foodstuffs.

Do not reuse empty drums. Return to drum reconditioner or destroy by perforation or crushing and burying in a safe place. Do not burn.

Spray equipment used in applying this product should be thoroughly cleaned before using for any other purpose. Use repeated flushing with soap and warm water or suitable chemical cleaner. It is best to use a separate sprayer for application of insecticides and fungicides.

May cause skin irritation.

Harmful if swallowed.

Avoid contact with eyes, skin or clothing.

Avoid inhaling spray mist.

Do not use on light sandy soils.

Do NOT store with foodstuffs.

Local conditions may affect the use of this chemical. Consult State Agricultural Experimental Station or Extension Service weed and turf specialists for specific recommendations as to dosage and time of application and for control of other weeds.

NOTICE

Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

BROADLEAF WEED KILLER WIDE-SPECTRUM FORMULATION

FOR CONTROL OF BROADLEAF WEEDS IN
LAWNS, GOLF COURSES, PARK GROUNDS
AND SIMILAR NON-CROP TURF AREAS.

ACTIVE INGREDIENTS:

*Dimethylamine salt of 2,4-Dichlorophenoxyacetic acid	3.5%
Diethanolamine salt of 2-(2-methyl-4-chlorophenoxy) propionic acid	4.3%

INERT INGREDIENTS:

92.2%

100.0%

*Equivalent to 2.90% 2,4-Dichlorophenoxyacetic acid, or 0.25 lbs. 2,4-D acid per gallon and 2.90% 2-(2-methyl-4-chlorophenoxy) propionic acid, or 0.25 lbs. MCPP acid per gallon.

CAUTION:

KEEP OUT OF REACH OF CHILDREN
See Additional Precautions on Side Panels

GENERAL INFORMATION: The individual ingredients in this formulation have proven to be very useful in the control of the broadleaf weeds, however, when combined, 2,4-D and MCPP will control more weeds more effectively, than if either ingredient was used separately. In some areas, Dichondra, bent grasses, or carpet buffalo may be injured. Do not use on St. Augustine or bent grass turf.

WEEDS CONTROLLED:

Ground Ivy	Buckhorn	Heal-all
Stitchwort	Curled Dock	Lambsquarter
Knotweed	Wild Garlic	Thistle
Clover	Wild Onion	Pigweed
Chickweed	Red Sorrel	Shepherd's Purse
Plantains	Ground Ivy	Purslane
Dandelion	Ragweed	Many others

SOLE BY
1031 S. EMERALD AVE
CHICAGO, ILL. 60601

DIRECTIONS

Use 4 to 5 gal. per acre (12 to 15 oz. in 1 - 2 gallons water per 1,000 sq. ft.) in sufficient water for uniform spray coverage. Repeat applications may be necessary. Use lower rate for easy-to-kill species; higher rate for more effective weed control. Use in the spring or fall when weeds are actively growing.

Do not mow turf for several days before or after treatment. Do not sprinkle turf for 24 hours after application. Do not use on newly seeded lawns.

CAUTION: Do not apply when turf is suffering from drought conditions or during very hot or very wet weather as damage to turf may result.

FOR INDUSTRIAL USE ONLY

E.P.A. REG. NO. 8123-75

E.P.A. EST. NO. 8123-IL-1

NET CONTENTS:

LSK-77