

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS  
CAUTION**

Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists. If swallowed, do NOT induce vomiting. Call a physician immediately.

Do not apply directly to food. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is underway. After space spraying in meat packing plants, bakeries and other food processing plants, wash all equipment, shelving, etc. where exposed food will be handled, with potable water. In the home, all food processing surfaces and utensils should be covered during treatment, or thoroughly washed before use.

Containers larger than one gallon may not be transported or stored in food handling establishments. This product is a finely divided powder which combines the flushing and killing powers of pyrethrins and piperonyl-butoxide with the dehydrative principle of thermally treated hydrogel.

It is relatively odorless and non-staining and may be used in accordance with directions in restaurants, stores, hotels, offices, plants, warehouses, truck trailers and railroad cars. When used as directed, it is highly effective in controlling such insects as ants, roaches, silverfish, bedbugs, fleas, ticks, and dry wood termites.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Do not apply directly to water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal. **STORAGE:** Do not stack more than four drums high. Leaking or damaged drums should be placed in overpack drums for disposal. Spills should be collected and disposed of in a sanitary landfill. Keep container closed when not in use.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner in a sanitary landfill or by incineration if allowed by State and local authorities. If drum is contaminated and cannot be reused, dispose of in the same manner.

**APPLICATIONS WITHIN FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS**

Food processing plants and warehouses, bakeries, beverage plants, restaurants, supermarkets, meat and poultry processing plants, hotels, motels, hospitals and schools.

**LIMITED TO CRACK AND CREVICE TREATMENT ONLY:**

Using a bulbous duster apply a small amount of material directly into cracks and crevices such as expansion joints between different elements of construction or between equipment bases and the floor, wall, voids, motor housing, junction boxes or switch bases, conduits or hollow equipment legs where roaches, ants, silverfish, spiders and crickets hide. Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces.

Application of this product in food areas of food handling establishments, other than as a crack and crevice treatment, are not permitted.

**ACCEPTED**  
SEP 12 1984  
EPA Reg No 8123-25

**INSECTICIDE  
POWDER**

Active Ingredients:	
Pyrethrins	1.0%
* Piperonyl Butoxide Technical	10.0%
Amorphous Silica Gel	40.0%
Petroleum Distillate	49.0%
	<b>100.0%</b>

\*Equivalent to 8.0% (butylcarbyl 16-propylpiperonyl ether and 2.0% related compounds)

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

**STATEMENT OF PRACTICAL TREATMENT**

If swallowed, Do not induce vomiting. Seek physician immediately.

See Side Panels to Additional Precautionary Statements

E.P.A. REG. NO. 8123-25  
E.P.A. EST. NO. 4123-IL-1

NET CONTENTS: \_\_\_\_\_

Sold By

**FRANK MILLER & SONS, INC.**  
13831 S. Emerald Avenue  
Chicago, Illinois 60627

**APPLICATIONS:**

Instructions, hospitals, office buildings, hotels, motels, theaters, schools, truck trailers and railroad cars. To control such roaches and crawling insects as ants, cockroaches, silverfish, and fleas in animal quarters, distribute Insecticide Powder at the rate of 2 ounces per 100 square feet surface area. Apply at a continuous visible film underneath and behind stoves, refrigerators, and appliances. Treat on, around and behind mantling, shelving, baseboards, pipe openings, cracks, crevices, and other areas where insects may hide. For severe infestations, apply behind cabinets and walls in crawl spaces and attics, at the rate of 1/2 ounce per 1000 square feet of surface area. Repeat treatment as necessary. When used in hospitals, patients should be removed prior to treatment. Ventilate for two hours after treatment. Do not return patients to room until after ventilation.

**AMERICAN AND ORIENTAL COCKROACH INFESTATIONS:**

American and Oriental cockroach infestations in sewers may be treated with approximately 0.3 lbs. of Insecticide Powder per manhole. When treating sewers, one manhole per 200 feet of line should be treated. Treatments are made by removing the manhole cover and replacing with a disc of plywood bored to receive the usual flexible hose from portable or truck mounted ventilating equipment. 0.3 lbs. of Insecticide Powder is introduced into the ventilating air to be dispersed quickly and thoroughly through the system.

**Bed Bugs:**

Take bed apart. Dust into joints and channels. If hollow, such as square or round tubing, see that the interior of framework is well dusted. Mattresses should be dusted, especially tufts, folds, and edges. Picture frame moldings and all cracks and crevices in the room should be treated.

**By Wood Termites:**

These termites are restricted to certain parts of the country and should not be confused with Subterranean termites. Use an electric or hand operated rotary duster to distribute Insecticide Powder through an entry e.g. crawl hole into the attic and the crawl space of the building. Rate of application is recommended at one (1) pound per 1000 square feet of floor area. All wood surfaces must be covered. All vents and louvers on the windward side to be closed.

**Dogs and cats:**

Liberally apply powder to the animal rubbing thoroughly to the skin. Begin with the neck and include the under body, legs, feet, and the base of the tail. Repeat as necessary. Surfaces of kennels should be dusted at rate of one ounce per 500 square feet. Repeat as necessary.

**Warranty Statement:**

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

FRANK MILLER & SONS, INC.  
13831 S. Emerald Avenue  
Chicago, Illinois 60627