

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS & DOMESTIC ANIMALS**

**CAUTION**

Harmful if swallowed. Avoid contamination of feed and foodstuffs. When using this product in food processing plants, foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using this product in these areas, apply only when the facility is not in operation. Remove pets, birds and cover fish aquariums before spraying. Do not remain in treated areas and ventilate the area after treatment is completed.

**PHYSICAL OR CHEMICAL HAZARDS**

Do not spray near or toward an open flame.

**DIRECTIONS FOR USE**

**GENERAL CLASSIFICATION**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**STORAGE AND DISPOSAL**

Do not contaminate water, food and feed by storage or disposal. Open dumping is prohibited.

Pesticide, spray mixture or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.

Triple rinse (or equivalent) and offer for recycling, reconditioning or disposal in approved landfill or bury in a safe place.

Consult Federal, state or local disposal authorities for approved alternative procedures.

# INSECT SPRAY

Kills houseflies, mosquitoes, gnats, small flying moths, wasps, roaches, water bugs, earwigs, grain mites, sowbugs, spiders and centipedes. For use in Bakeries, Food Plants, Restaurants, Motels, Hotels, Office Buildings, Hospitals, and Food Handling Plants.

**ACTIVE INGREDIENTS:**

Resmethrin [5-(phenylmethyl)-3-furyl]	0.250%
methyl 2,2 dimethyl-3-(2-methyl-1-propenyl)	0.034%
cyclopropanecarboxylate	0.329%
Related Compounds	99.375%
Aromatic Petroleum Hydrocarbons	0.012%
Petroleum Distillate	100.000%
<b>INERT INGREDIENTS:</b>	

\*Cis/trans isomers ratio: max. 30% (±) cis and 70% (±) trans.  
U. S. Patent No. 3,445,007

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

HARMFUL IF SWALLOWED. DO NOT SPRAY NEAR  
OR TOWARD AN OPEN FLAME.

AVOID CONTAMINATION OF FEED AND FOODSTUFFS.

E.P.A. REG. NO. 8123-86  
E.P.A. EST. NO. 8123-IL-1

**NET CONTENTS:**

SOLD BY:

FRANK MILLER & SONS, INC.  
13831 S. EMERALD AVE.  
CHICAGO, IL. 60627.

**ACCEPTED**

MAY 1 1981

U.S. Dept. of Agriculture,  
Soil, Water, and Air Conservation Act,  
as amended for the pesticide  
registered under  
EPA Reg. No. 8/23-86

Mosquitoes, Houseflies, Gnats, Small Flying Moths: Close all doors and windows. Direct the spray to all parts of the room. Fill the room with mist, then leave the treated area. Keep room closed for at least 15-30 minutes. Ventilate the room when treatment is completed.

Wasps: Application should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat as necessary.

Cockroaches, Waterbugs, Earwigs, Grain Mites, Sowbugs, Spiders and Centipedes: Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards and storage areas. Spray directly on insects where possible. Repeat as necessary.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

**FOR INDUSTRIAL AND INSTITUTIONAL  
USE ONLY**

**ONLY FOR SALE TO, USE, AND  
STORAGE BY SERVICE PERSONS.**

18-11-12/81