

This product kills most outdoor insects which destroy lawns, roses, flowers, trees, and shrubs or annoy pets and people. Contains Diazinon® Insecticide which provides positive control of many "hard-to-kill" sucking and chewing insects. Works fast and remains effective for an extended period of time.

For lawns, measure the area to be sprayed. For all other applications, apply as a thorough cover spray. Make applications when insects first appear. Repeat applications as needed.

Use coarse drizzling sprays for lawns. Use medium-fine mist sprays for trees and plants. Thorough coverage is important. Flush sprayer with clean water after each use.

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC  
ANIMALS  
CAUTION**

Harmful if swallowed.  
May be absorbed through the skin.  
Do not breathe spray mist.  
Do not get in eyes, on skin, or on clothing.  
Wash thoroughly after handling and before eating or smoking.  
Avoid contamination of food and feed.  
Do not use on household pets or humans.  
Do not permit children or pets to go onto sprayed areas until the spray has completely dried.  
Keep out of reach of domestic animals.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish, birds, and wildlife. Birds feeding on treated areas may be killed.  
Keep out of any body of water.  
Do not apply when weather conditions favor drift from areas treated.  
Do not contaminate ornamental fishponds.  
Do not contaminate water by cleaning of equipment or disposal of wastes.

Apply this product only as specified on this label. This product is highly toxic to bees exposed to direct treatment or to residues remaining on the treated area. Do not apply when bees are actively visiting plants blooming in the treatment area. Application should be timed to provide the maximum possible interval between treatment and the next period of bee activity.

**PHYSICAL OR CHEMICAL HAZARDS**

Do not use, pour, spill, or store near heat or open flame.

**LAWN AND ORNAMENTAL  
INSECTICIDE  
(EMULSIFIABLE CONCENTRATE)**

Active Ingredients	
O,O-diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate*	12.5%
Aromatic Petroleum Derivative Solvent	73.0%
Inert Ingredients	14.5%
	100.0%

\*Diazinon® is a registered trademark of Ciba-Geigy Corporation

**KEEP OUT OF REACH OF CHILDREN  
CAUTION:  
STATEMENT OF PRACTICAL  
TREATMENT**

**IF SWALLOWED** - Call a physician or Poison Control Center immediately. Gastric lavage is indicated if material was taken internally. **DO NOT INDUCE VOMITING**; vomiting may cause aspiration pneumonia.

**IF INHALED** - Remove victim to fresh air and apply respiration if indicated.

**IF ON SKIN** - Wash promptly with soap and water. Rinse thoroughly.

**IF IN EYES** - Rinse eyes for at least 15 minutes with water and call a physician immediately.

**NOTE TO PHYSICIAN:** 2-PAM is antidotal and may be administered in conjunction with Atropine Sulfate.

**DIRECTIONS FOR USE:**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

**PESTICIDE DISPOSAL:**

Pesticide, spray mixture or residue that cannot be used according to label instructions must be disposed of according to Federal, State or local procedures under the Resource Conservation and Recovery Act.

**CONTAINER DISPOSAL:**

a) Recycle container and offer for recycling, or b) Triple rinse (or equivalent) and offer for recycling, or reconditioning, or dispose of in a sanitary landfill, or by other approved State and local procedures.

**GENERAL:**

Consult Federal, State, or Local disposal authorities for approved alternative procedures.

**LAWNS:** To control lawn chinch bugs, ants, armyworms, cutworms, earwigs, lawn billbugs, sod webworms, ticks, Bermuda mites, chiggers, leafhoppers, fleas, clover mites, crickets, and sowbugs, thoroughly wet down grass a few hours before applying. Use 4 tablespoons (tbsp.) per 3 gal. water per 125 sq. ft. (Use 2 tbsp. if chinch bugs are only problem in North.) For lawn billbugs, irrigate the lawn thoroughly immediately after treatment. To control millipedes, use 8 tbsp. per 3 gal. water per 125 sq. ft. May be used on Bluegrass, Bermuda, Fescue, Marion, St. Augustine, Dichondra, and Bent grasses.

**ORNAMENTALS:** To control aphids, bagworms, clover mites, leafhoppers, thrips, webworms, whiteflies, scale crawlers, European red mites, leaf miners, flea beetles, privet mites, two-spotted mites, use 4 tbsp. per 3 gal. of water. To control Fall webworms, Oak looper, leaf rollers, pear slugs, and tent caterpillars, use 12 tbsp. per 3 gal. of water. Wet leaves and branches to dripping point. Try to penetrate dense foliage and hit underside of leaves.

May be used on arbutus, birch, boxwood, oak, pine, maple, rose, rhododendron, spruce, willow, camellia, chrysanthemum, azalea, Douglas fir, lilac, and locust. Do NOT use on certain ferns, pines, hibiscus, papaya, pines, and gardenia, since injury may occur.

**ONLY FOR SALE TO, USE, AND STORAGE BY SERVICEPERSONS.**

E.P.A. REG. NO. 8123-92  
E.P.A. EST. NO. 8123-IL-1

NET CONTENTS \_\_\_\_\_  
SOLD BY \_\_\_\_\_

**ACCEPTED**  
OCT 27 1981  
Federal Insecticide and Fungicide Act  
EPA Reg. No.