This product kills most outdoor insects which destroy lawns, roses, flowers, trees, and shrubs or annoy pets and people Contains Diazinon insecticide which provides positive control of many "hard-to-kill" sucking and chewing insects. Works fast and remains effective for an extended period of time.

For lawns, measure the area to be sprayed. For all other applications, apply as a thorough cover spray. Make applications when insects first appear. Repeat applications as needed.

Use coarse drenching sprays for lawns. Use medium-fine mist sprays for trees and plants. Thorough coverage is important. Flush sprayer with clean water after each use.

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful If swallowed.

May be absorbed through the skin.

Do not breathe spray mist.

Do not get in eyes, on skin, or an clothing.

Wash maraughly after handling and before eating or smaking.

Avoid contamination of food and feed,

Do not use on household pets or humans.

Do not permit children or pets to go onto sprayed areas until the spray has completely dried.

Keep out of reach of domestic animals.

### ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and wildlife. Birds tending on treated areas may be killed.

Keep out of any body of water.

Do not apply when weather conditions favor drift from areas treated.

Do not contaminate amomental fishponds.

Do not contaminate water by cleaning of equipment or disposal of wastes.

Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or to residues remaining on the treated area. Do not apply when bees are actively visiting plants blooming in the treatment area. Application should be timed to provide the maximum possible interval between treatment and the next period of bee activity.

### PHYSICAL OR CHEMICAL HAZARDS

Do not use, your, spill, or store near heat or open flame.

# LAWN AND ORNAMENTAL INSECTICIDE (EMULSIFIABLE CONCENTRATE)

Active Ingredients:

O,O-diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorathioate\*

Aromatic Petroleum Derivative Solvent

Inert Ingredients:

ിവുന്നു. \*Diazinon <sup>●</sup> is a registered trademark of Ciba-Geigy Corporation

12.5%

73.0%

1 5%

## KEEP OUT OF REACH OF CHILDREN CAUTION: STATEMENT OF PRACTICAL TREATMENT

- IF SWALLOWED Call a physician or Poison Control Center immediately. Gastric lavage is indicated if material was taken internally. DO NOT INDUCE VOMITING: vomiting may cause aspiration pneumonia.
- IF INHALED Remove victim to fresh air and apply respiration if indicated.

IF ON SKIN - Wash promptly with soap and water. Rinse thoroughly.

water. Rinse thoroughly,

1F IN EYES - Rinse eyes for at least 15 minutes with water and call a physician immediately.

NOTE TO PHYSICIAN: 2 PAM is antidotal and may be administered in conjunction with Atropine Sulfate.

E.P.A. REG. NO. 8123-92 E.P.A. EST. NO. 8123-IL- 1

NET CONTENTS: -----

SOLD BY FRANK MILLER & SONS, INC.

13831 S. Criedald Avertue Chicago, Idinois 60627

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labelling.

#### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage of disposal.

STORAGE: Do not expose to extreme temperatures. Do not stack mare than five drums high. Drums should be opened in well-ventilated areas. Leaking or damaged drums should be placed in overpack drums for disposal. Spills should be absorbed in sawdust or sand and disposed of in a so itary

landfill. Keep container closed when not in use.
PESTICIDE DISPOSAL: Wastes resulting from the se of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary fundfill, or by other procedures approved by state and local authorities.

LAWNS: To control lawn chinch bugs, ants, armyworms, cutworms, earwigs, lawn billbugs, sad webworms, ticks, Bermudo mites, chiggers, leafhoppers, fleas, clovermites, crickets, and sowbugs, thoroughly wet down brass a few hours before applying. Use 4 toblespoons (tbsp.) per 3 gal. water per 125 sq. ft. (Use 2 tbsp. if chinch bugs are only problem in North.) For lawn billbugs, irrigate the lawn thoroughly immediately after treatment. To control millipedes, use 8 tbsp. per 3 gal. water per 125 sq. ft. May be used on Bluegrass, Bermuda, Fescue, Merion, St. Augustine, Dichondta, and Bent grasses.

ORNAMENTALS: To control aphids, bogworms, clovermites, leafhoppers, thrips, webworms, whiteflies, scale crowlers, European red mites, leaf miners, flea heetles, privet mites, two-spotted mites, use 4 tbsp. per 3 gal. of water. To control Fall webworms, Oak loopers, leaf rollers, pear slugs, and tent caterpillars, use 12 tbsp. per 3 gal. of water. Wet leaves and branches to dripping point. Try to penetrate dense foliage and hit underside of leaves.

May be used an arborvitae, birch, boxwood, och, pine, maple, rose, rhododendren, spruce, willow, comation, chrysanthamum, azaleo, Douglas fir, illac, and locust. Do NOT use on certain ferns, painsettia, hibiscus, papaya, pileo, and gardenia, since Injury may occur.

ONLY FOR SALE TO, USE, AND STORAGE BY SERVICEPERSONS.

ACCEPTED

NOV 1 8 1985

U. 1.1 e. 1.1 e. 1.1. Act. Act. 1.1 e. 1.1. Act. 1.1. Ac

G1-22 (5/84