

US ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (75-767)
WASHINGTON, DC 20460

EPA REGISTRATION NO. C

DATE OF ISSUANCE
APR 22 1987

8123-205

TERM OF ISSUANCE

Conditional

NAME OF PESTICIDE PRODUCT

TRIO Lawn Weed Killer

NOTICE OF PESTICIDE: REGISTRATION
 REREGISTRATION
(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)

1054
Prod
10/1/87

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Frank Miller & Sons, Inc.
13631 South Emerald Avenue
Chicago, IL 60627

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

1. submit/cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.

2. make the labeling changes listed below before you release the product for shipment:

- a. Add the phrase, "EPA registration no. 8123-205."
- b. Add the statement "This product may cause general sensitization reactions" to the precautionary statement based on hazard and benefit signals.
- c. Delete the recommendation for the nose-end application method. Do consider this method inappropriate for products that may cause general sensitization. Do discuss this issue further with your suppliers. However, until and unless this issue is resolved this does not apply to this pesticide.

BEST AVAILABLE COPY

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

APR 22 1987

3. Refer to 40 CFR 162.16 for the proper format for certification that the packaging for this product meets Child-Resistant Packaging requirements [§§162.16(h)(1) and (2)(1)(ii)].

4. Submit one (1) copy of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Richard F. Mountfort *RFM*
Product Manager (23)
Fungicide-Herbicide Branch
Registration Division (TS-767C)

Enclosures

Identified
to 228-181
OK

dimethyl
propionic

TRIO LAWN WEED KILLER

FOR SELECTIVE BROADLEAF WEED CONTROL
IN ORNAMENTAL LAWNS AND TURF GRASSES

ONE QUART COVERS 10,000 SQUARE FEET

ACTIVE INGREDIENTS:

| | |
|--|---------------|
| Dimethylamine Salt of 2,4-Dichlorophenoxyacetic Acid | 4.55% |
| Dimethylamine Salt of 2-(2-Methyl-4-chlorophenoxy) Propionic Acid | 4.58% |
| Dimethylamine Salt of 2-(2,4-Dichlorophenoxy) Propionic Acid | 4.53% |
| INERT INGREDIENTS: | 86.34% |

TOTAL 100.00%

Isomer Specific AOAC Method

- * Equivalent to 3.8% 2,4-Dichlorophenoxyacetic Acid or 6.33 lbs./gallon
- ** Equivalent to 3.8% 2-(2-Methyl-4-chlorophenoxy) Propionic Acid or 0.33 lbs./gallon.
- *** Equivalent to 3.8% 2-(2,4-Dichlorophenoxy) Propionic Acid or 0.33 lbs./gallon

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS
WARNING**

Do not get in eyes. Causes substantial but temporary eye injury. Wear goggles or face shield when handling concentrate. Harmful if swallowed. Avoid contact with skin or clothing. Avoid breathing vapors or spray mist.

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Immediately flush eyes with fresh water for 15 minutes and get medical attention immediately.

IF ON SKIN: Wash skin with plenty of soap and water. Get medical attention if irritation persists.

IF SWALLOWED: Drink one or two glasses of water. Induce vomiting by touching back of throat with fingers. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention immediately.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water or wetlands. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.**

This herbicide is effective for the control of Black Medic, Buckhorn, Burdock, Buttercup, Canada Thistle, Carpet Weeds, Chickweed, Chicory, Clover, Cocklebur, Dandelion, Dock, Dog Fennel, English Daisy, Florida Pursley, Frenchweed, Ground Ivy, Hawkweed, Heal-All, Heartleaf Drymary, Henbit, Jimson Weed, Knotweed, Lambsquarter, Mallow, Morning Glory, Mustard, Oxalis, Pennywort, Pepperweed, Pigweed, Plantain, Poison Ivy, Poison Oak, Purslane, Rag Weed, Red Clover, Red Sorrel, Sheep Sorrel, Smartweed, Speedwell, Spurge, Spur Weed, Stitchwort, Toadflax, Veronica, Wild Aster, Wild Carrot, Wild Sorrel, Yarrow and many other broadleaf weeds.

IMPORTANT: Do not use this product for controlling weeds in flower or vegetable beds or around shrubs or ornamental plantings. Do not reseed for 3 to 4 weeks after use.

If lawn needs watering, water thoroughly before application. Do not water for 48 hours after application. Spray entire lawn, wetting weeds and lawn grasses; do not overspray. Spray when air is calm to avoid spray drift that might injure desirable ornamental plants. Do not apply when temperatures are expected to exceed 85° F within 24 hours following application. Make new diffusion for each use.

**KEEP OUT OF REACH OF CHILDREN
WARNING**
SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Reg. No. 8123-
EPA Est. No. 8123-IL-1

NET CONTENTS: _____

SOLD BY

FRANK MILLER & SONS, INC.
13831 South Emerald Avenue
Chicago, Illinois 60626

ACCEPTED
 with comments
 APR 23 1987
 Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, this pesticide is registered under EPA Reg. No. 8123-205

LAWN WEEDS: To kill dandelion, wild onion, pennwort, plantain, heal-all and similar weeds: Use 8 ounces in 6 gallons of water and apply with pump or hose end sprayer, or sprinkling can to 2,500 square feet of lawn. (For smaller areas use 2 teaspoonfuls in 2 quarts of water applied to 100 square feet.) For larger areas, use 1 gallon in 50 gallons of water to 1 acre.

To kill weeds such as thistles, bindweed, dock and ragweed, use 8 ounces in 6 gallons of water (or 2 teaspoonfuls in 2 quarts of water), and apply directly to plants, wetting them thoroughly. Repeat as necessary. For larger areas use 1 gallon in 50 gallons of water.

To kill undesirable plants such as poison ivy and poison oak, use 8 teaspoonfuls in 2 quarts of water or 1 gallon in 12½ gallons of water and drench plants when they are fully leaved. Repeat in about 4 weeks if necessary. Certain hard-to-kill weeds such as poison ivy, poison oak and English daisy may require a fall application.

IMPORTANT: Avoid drift spray (coarse sprays are less likely to drift) on vegetables, flowers, ornamental shrubs, trees and other desirable crop plants. Do not pour solution used to clean sprayer near desirable plants.

STORAGE AND DISPOSAL

STORAGE: Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers. Avoid contamination of feed and foodstuffs. Do not store near feed, foodstuffs, fertilizers, seeds, insecticides or fungicides. Store in a cool, dry, locked storage area. Do not store diluted spray.

DISPOSAL: PRODUCT - Partially filled container may be disposed of by securely wrapping original container in several layers of newspaper and discard in trash.

DISPOSAL: CONTAINER - Do not reuse empty container. Rinse thoroughly before discarding in trash.

NOTICE

Buyer assumes all risks of use, storage and handling of this product not in strict accordance with directions given herewith.

TRIO (3/87)