


**ACCEPTED**

OCT 28 1968


UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTER-  
ED UNDER NO. 8132-2

**CHEMICAL SEWER CLEANER  
AND ROOT DESTROYER**

 <p><b>DANGER-POISON</b> Causes Severe Burns On Contact. See Warnings and Anti- dote Statement On Back Panels</p>	<b>INGREDIENTS</b>	
	<p><b>ACTIVE INGREDIENTS</b> Sodium Hydroxide (Caustic Soda) ..... 85.69% Copper Sulphate ..... .30%</p> <p><b>INERT INGREDIENTS</b> ..... 14.01%</p> <p><b>TOTAL</b> ..... 100.00%</p>	
<b>KEEP OUT OF REACH OF CHILDREN</b>		



**NET WEIGHT 25 POUNDS**

*FRONT  
PANEL*



U. S. D. A. REG. No. 8132-1

KEEP CONTAINER CLOSED AND DRY  
KEEP OUT OF REACH OF CHILDREN  
CONTAINS SODIUM HYDROXIDE  
(CAUSTIC SODA)

 **DANGER—POISON** 

**CAUSES SEVERE BURNS ON CONTACT**

- PROTECT SKIN, EYES, MUCOUS MEMBRANES and CLOTHING
  - Avoid inhaling fumes
  - Do not take internally
- Use utmost caution to avoid contact with any solution remaining after use.

**KEEP HANDS AND FACE AWAY  
FROM POINT OF ENTRANCE AT ALL TIMES**

**ANTIDOTE**

**EXTERNAL**—Flood with water and then wash with vinegar.  
**INTERNAL**—Give vinegar or juice of lemon, grapefruit, or orange copiously. Follow with olive oil, butter or other cooking oils.  
 DO NOT induce vomiting.  
**EYES**—Flush with water for at least 15 minutes.  
**CALL PHYSICIAN AT ONCE**

Be sure container is completely empty,  
then rinse thoroughly before discarding.

**GUARANTEE**

The ROOTO Corporation guarantees the ROOTO products to do the job for which they are intended. In the event of a failure the retailer is free to refund the purchase price and receive a replacement from his jobber. The ROOTO Corporation, in turn, will replace the unit to the jobber with his next order.

**ROOTO No. 1 REDUCES SEWER GERMS**

**GENERAL DIRECTIONS**

**CAUTION!**

**READ BEFORE USING**

1. Do not use more than 2½-pound dose at a time.
2. Pour the ROOTO No. 1 into the opening SLOWLY.
3. Add cold water SLOWLY, into the opening.
4. Wait at least ten minutes before second dose. ROOTO No. 1, in working, generates heat which may cause expansion of air or gases in an enclosed space.

**FOLLOW ABOVE DIRECTIONS TO AVOID ERUPTION OR "SPITTING"  
KEEP HANDS AND FACE AWAY FROM POINT OF ENTRANCE.**

**DIRECTIONS FOR USE**

**(ROOTO No. 1—Red Label)**


**READ AND FOLLOW CAREFULLY—DO NOT EXPERIMENT!**

The density of the root-blockage in any sewer varies. The stoppage may be due to a single large root or many fine hair roots. The line may be exceptionally long or blocked in more than one place. In most cases, one 25-pound drum of ROOTO No. 1 is usually sufficient to clear the average root-blocked sewer (usually from 35 feet to 50 feet in length). In very densely clogged lines or in longer lines, two or more drums may be needed.

When using ROOTO No. 1, pour the crystals SLOWLY directly into the clean-out. Pouring SLOWLY will avoid crystallization and "spitting." Insert about 2½ pounds of ROOTO No. 1 at a time, following with a pail of cold water, poured SLOWLY. Repeat procedure at ten minute intervals until entire contents of the drum is used. ROOTO No. 1, being heavier than water, will find its way to the blockage. We recommend using ROOTO No. 1 AT NIGHT, before retiring, allowing

**NET WEIGHT 25 POUNDS**

*SIDE &  
BACK PANELS*



ROOTO No. 1 six to twelve hours in are not in use.

ROOTO No. 1 does the most effective the opening nearest the blockage. In clean-out, at the base of the stack.


In the majority of cases ROOTO No. 1 blocked sewer in from six to twelve feet. If the blockage is particularly dense or the line is long, use ROOTO No. 1 more time to work.

If a basement is flooded with water, pump the water out before using ROOTO No. 1. If the clean-out is in an iron or a tapered stove pipe, insert ROOTO No. 1 into the clean-out, following the directions given.

In some cases the detached roots may be due to a lack of sufficient fall in the line. A thorough clean-out with ROOTO No. 1 will remove these roots and allow the sewer to flow freely.

**NOTE:** The chemical content of ROOTO No. 1 is the same as that of ROOTO No. 2. The size, color and number of the "dose" necessary to do a specific job. ROOTO No. 1 for clogged sewers and ROOTO No. 2 for sluggish sewers.

**READ AND FOLLOW ALL DIRECTIONS  
DO NOT EXPERIMENT**



8132-1/2  
AND DRY  
CHILDREN  
HYDROXIDE



POISON  
ON CONTACT

MEMBRANES and CLOTHING  
Do not take internally  
by solution remaining after use.

FACE AWAY  
AT ALL TIMES

Wash with vinegar,  
lemon, grapefruit, or orange  
other cooking oils.

minutes.

pletely empty,  
re discarding.

WARRANTY  
As the ROOTO products to  
d. In the event of a failure the  
price and receive a replace-  
ment, in turn, will replace  
order.

# ROOTO No. 1 REDUCES SEWER GERMS

**GENERAL DIRECTIONS**  
**CAUTION!**  
**READ BEFORE USING**

1. Do not use more than 2½-pound dose at a time.
2. Pour the ROOTO No. 1 into the opening SLOWLY.
3. Add cold water SLOWLY, into the opening.
4. Wait at least ten minutes before second dose. ROOTO No. 1, in working, generates heat which may cause expansion of air or gases in an enclosed space.

**FOLLOW ABOVE DIRECTIONS TO AVOID ERUPTION OR "SPITTING"**  
**KEEP HANDS AND FACE AWAY FROM POINT OF ENTRANCE.**

**DIRECTIONS FOR USE**  
**(ROOTO No. 1—Red Label)**  
**READ AND FOLLOW CAREFULLY—DO NOT EXPERIMENT!**

The density of the root-blockage in any sewer varies. The stoppage may be due to a single large root or many fine hair roots. The line may be exceptionally long or blocked in more than one place. In most cases, one 25-pound drum of ROOTO No. 1 is usually sufficient to clear the average root-blocked sewer (usually from 35 feet to 50 feet in length). In very densely clogged lines or in longer lines, two or more drums may be needed.

When using ROOTO No. 1, pour the crystals SLOWLY directly into the clean-out. Pouring SLOWLY will avoid crystallization and "spitting." Insert about 2½ pounds of ROOTO No. 1 at a time, following with a pail of cold water, poured SLOWLY. Repeat procedure at ten minute intervals until entire contents of the drum is used. ROOTO No. 1, being heavier than water, will find its way to the blockage. We recommend using ROOTO No. 1 AT NIGHT, before retiring, allowing

**NET WEIGHT 25 POUNDS**

**SIDE &  
BACK PANELS**



ROOTO No. 1 six to twelve hours in which to work while the uncles are not in use.

ROOTO No. 1 does the most effective job when it is inserted into the opening nearest the blockage. In most cases, this is the "Y," or clean-out, at the base of the stack.

In the majority of cases ROOTO No. 1 will clear the average root-blocked sewer in from six to twelve hours. However, if the obstruction is particularly dense or the line is exceptionally long, allow ROOTO No. 1 more time to work.

If a basement is flooded with water, it is necessary to pump the water out before using ROOTO No. 1. Using a funnel of galvanized iron or a tapered stove pipe, insert ROOTO No. 1 directly into the clean-out, following the directions given above.

In some cases the detached roots may remain in place because of lack of sufficient fall in the line. A thorough flushing with a garden hose will remove these roots and make the line completely free-flowing.

**NOTE:** The chemical content of ROOTO No. 1 and No. 2 is exactly the same. The size, color and number of the can merely determines the "dose" necessary to do a specific job. ROOTO No. 1 for root-blocked sewers and ROOTO No. 2 for sluggish sewers & root prevention.

**READ AND FOLLOW ALL DIRECTIONS CAREFULLY**  
**DO NOT EXPERIMENT!**

