PRECAUTIONARY STATEMENTS DANGER

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Keep Out of Reach of Children

Corrosive. Causes severe eye and skin damage. Harmful or fatal if swallowed. Do not get in eyes, on skin, or on clothing. Wear chemical goggles and rubber gloves when handling. Wash thoroughly with soap and water after handling. Avoid centamination of food.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not discharge effluent containing this active ingredient into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in NPDES permit. Do not discharge effluent containg this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame

Directions for Use

GENERAL CLASSIFICATION

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

To control algae and bacterial slimes use BACTRON KM-12W MICROBIOCIDE as directed. For best results, stug feed. The frequency of addition of microbiocide needed depends on many factors. To optimize your use of BACTRON KM-12W MICROBIOCIDE, follow this procedure.

Recirculating Cooling Towers:

Initially use 16-24 fluid ounces per 1000 gallons of water to be treated (20-30 ppm active quaternary). Repeat the initial dose every seven days or increase the frequency, if needed.

When the above treatment level is successful, use 14-18 fluid curices per 1000 gallons of water to maximize efficiency. Repeat weekly as needed

Cooling tower waters that are inherently low in algae growth and bacteria cour may be adequately controlled by the lower range of these dosages. Slug feed every seven days.

BACTRON KM-12W MICROBIOCIDE

WATER TREATMENT MICROBIOCIDE
FOR BUILDING AND INDUSTRIAL COOLING TOWERS
AND JIL FIELD WATER FLOODS
OR SALT WATER DISPOSAL SYSTEMS

Active Ingredients

Alkyl* dimethyl benzyl ammonium chloride *alkyl (50% C_u, 40% C₁₂,10% C₁₅)

Inert Ingredients

CAS No: Mixture

84%

16%

KEEP OUT OF REACH OF CHILDREN DANGER

Statement of Practical Treatment

In case of CONTACT, immediately flush eyes or skin with plenty of waterfor at least 15 minutes. For eyes, call a physician immediately. Remove and wash contaminated clothing before reuse.

If SWALLOWED, immediately give 3-4 glasses of milk; if unavailable, give water. Do not induce vomiting. Call a physician.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS



115 Proctor Odessa, Texas 79762

EPA Establishment No EPA Registration No

et Weight

8133-TX-01 8133-19

55 U.S. gals Net Volume

Oil Field Water Flood or Salt Water Disposal Systems:

For the control of slime forming and suffare reducing bacteria in oil field water flood or sait water disposal systems, ado 20-30 ppm (active) BACTRON KM-12W MICROBIOCIDE (7-10.3 gallons per 1000 barrels of water) continuously. Levels for effective control will vary depending on conditions at the site

For intermittent use, dose at a rate of 6.25-7.5 gallons BACTRON KM-12W MICROBIOCIDE per 1000 barrels of water for four to eight hours per day, one to four times a week as needed to maintain control.

Add BACTRON KM-12W MICROBIOCIDE directly from the drum with the proper type of metering equipment.

STORAGE AND DISPOSAL

STORAGE—Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

PESTICIDE DISPOSAL—Pesticide wastes are acutely hazardous, improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL—Triple rinse (or equivalent) Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and locr authorities, by burning. If burned, stay out of smoke.

IN A CHEMICAL EMERGENCY CALL CHEMTREC 1-800-424-9300
BEFORE USING CONSULT MATERIAL SAFETY PATA SHEET

HEALTH
FIRE 2
REACTIVITY 0
PERSONAL PROTECTION

ACCEPTED

AUG 2 8 1392

