8133-20

9/21/2007

#### UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON D C 20460

SEP. 2.1 2007

SEPA United States Environmental Protection Office of Pesticide Programs

Champion Technologies P O Box 450499 Houston TX 77245 0499

Attention Richard H Collier Ph D Regulatory Agent

#### Subject Bactron K 31 Antimicrobial EPA Registration No 8133 20 Notification Dated July 18 2007

This will acknowledge receipt of your notification for addition of Spanish Precautionary Language to the product label submitted under the provisions of FIFRA Section  $3\mathbb{O}(9)$  Based on a review of the submitted material the following comments apply

The Notification dated July 18 2007 is in compliance with PR Notice 98 10 and is acceptable This information has been added to your file

If you have any questions concerning this letter please contact Martha Terry at (703) 308 6217

Sincerely

as the f. Serry

Marshall Swindell Product Manager (33) Regulatory Management Branch 1 Antimerobials Division (7510P)

<u>Please read instructions or</u>	reverse before comple	an m		Form Appre	oved C No	2070 0060	2074 2. Approval expires 2 28 95
\$epa	United States					ration Iment	OPP Identifier Number
		Application	n for Pestici	de Secti	on I		
1 Company/Product Numb Champion Technolog				Product Manag all Swindell	jer		None Restricted
4 Company/Product (Nam Bactron K 31 Antimici			<b>РМ#</b> 33				
5 Name and Address of A	de)	6 Expedited Reveiw In accordance with FIFRA Section 3(c)(3)					
Champion Technolo c/o Landis Internatio PO Box 5126 Valdo		(b)(i) my product is similar or identical in composition and labeling to EPA Reg No					
	is is a new address			uct Name			
			Section	11			
Amendment Expla Resubmission in res V Notification Explai	dated		Final printed labels in repsonse to Agency letter dated Me Too Application Other Explain below				
	Sec 1001 to willfully mak	e any false stater	ments to EPA I fun n of FIFRA and I m	ther understand	that if this notifi	cation is not	product I understand that it consistent with the terms of halties under sections 12
1 Material This Product W	ill Be Packaged In		·				
Child Resistant Packaging Yes No		Water Soluble f	Packaging	2 Type of Container Metal Plastic Glass			
* Certification must be submitted	No per container	lf Yes Package wgt	No per container		Paper Other (S	рөсіfy)	
3 Location of Net Content	s Information Container	4 Size(s) Reta	ul Conteiner	E	5 Location of Label Directions		
6 Manner in Which Label i	s Affixed to Product	Lithogra Paper g	aph lued ed	Other	******		
			Section I	V			
1 Contact Point (Complet	e items directly below	for identification	of individual to b	e contacted if	necessary to p	process this	application
Name Richard H Collier Ph D	1	Title Regulatory Ager	nt		e No (Include Area Code) 6472		
	ements I have made or my knowlinglly false or a law		all attachments th				6 Date Application Roceivad (Stamped)
2 Signature	DACo	0,	<b>Title</b> Regulatory Agent				
4 Typed Name Richard H Collier Ph D	5	5 Date July 18 2007					
	<u> </u>	l					

30f4



July 18 2007

[REF 1 703 308 6341]

)

### VIA FEDERAL EXPRESS

Mr Marshall Swindell (PM 33) Antimicrobial Branch Registration Division US EPA Office of Pesticide Programs 7510P Document Processing Desk (NOTIF) One Potomac Yard S4900 2777 S Crystal Drive Arlington VA 22202

# SUBJECTChampion Technologies Bactron K 31 ANTIMICROBIAL,<br/>EPA Reg No 8133 20 Label Notification Application

Dear Mr Swindell

## On behalf of **CHAMPION TECHNOLOGIES** please find the following Administrative Documents

EPA Application for Registration (EPA Form 8570 1) Draft Label (5 copies)

As previously communicated to the Agency Landis International Inc has been assigned as Regulatory Agent for CHAMPION TECHNOLOGIES, EPA Company Number 8133 Consequently we are sending the enclosed amendment application to you on behalf of CHAMPION TECHNOLOGIES

This notification application is for the purpose of adding the highlighted Spanish precautionary language on the label as per EPA regulations. This language is being added because this product may be used by Spanish speaking people. In addition, additional language has been added to the limited warranty and disclaimer section of the label for clarification purposes.

We will appreciate your assistance with the processing of this application. If you have any questions or need additional information please do not hesitate to contact me at any time at 229 247 6472

Sincerely

hand Coliza

Richard H Collier Ph D Vice President Regulatory Affairs Enclosures Listed above

DIRECTIONS FOR USE It with freed livet th podict mas contitwith tibig	WATER FLOODS BACTRONK 31 Antm ob al sho id be added t w t fl d yst m at p tof f m m x a	I tail eatment When the syst m thably of that d dd 200 to 10000 ppm BACTRONK 31 Antum crobal to thin yst m (0 2 to 10 0 gallo s BACTRONK 31 Antum crobal per 1000 gill s flood w ten'R pet thic of thind a d S besege et D Whim critication of s wide t add 40 th 10000 ppm BACTRONK 31 A thin ball (0 bott 10 0 gill BACTRONK 31 A thin cob 1 photogallo sho d w th thesy tennweekly s d dtorm nata cot tol	DRILLING COMPLETION AND WORKOVER FLUIDS BACTRONK 31 Antumor bith 1d be dd dtoad iignid yst m t pritof frm m g hath c laitigm dt k i tiT theet Add 100 t 2000 ppm BACTRONK 31 A timor bil(04 t 80 g lo	BACTRONK31Antum rob ip 100 bear isoffid)t frhlyp pidfidd pid thes tydrocitam ta Mit Disge Mit it f1001 2000 ppm BACTRONK31Atm.crobialbyadd g041,80gli fBACTRONK31 Atm.cobialpe100 brreifiddtialfidio as didd pidg thes etyof cotim t	PACKER FLUIDS BACTRONK 31 A tim b 1 h lidbe addedt pa k fi data po t f fomm g s has a criculat ghold gta k Add 100 to 1200 ppm BACTRONK 51 A timc ob al (04 t 50 g in BACTRONK 31 A tim b 1 p 100 ba els ffi d) to f hyp p f fud dep d g the ee ty of co tam at Seal th teated packe flud th w II b tw th ca g and poducto t b	GAS PRODUCTION AND TRANSMISSION PIPELINES AND SYSTEMS BACTRONK 31 A tunc ob 1 h ldb addedt ag spod ct t m ppel e vad ctnecton The applet h ldb c nd tedt e su m m m d tb t of the BACTRONK 31 Anim baltho ghtner b trin freed th ppel e T faitt pplcabitmy b destabilities the BACTRONK 31 Anim crobineh ppop ad esoli timmed at lyb f se jection t the yst m h ldb w klyo as ded to ma ta cot 1	GAS STORAGE WELLS AND SYSTEMS Id wid all jct wills shild bit rat dwith a suff etq tity fBACTRONK 31 Antum code ltop d bit of of 10000 the MBACTRONK 31 Antum cob lo when dluded by the way p is nut the formation 1 jct h lidtake pl before gass s jcted (d g the summ) 1 j h h id b p at dy arty d d t ma t till d id poss in dibet ted with a fficient q a tuy fBACTRONK 31 Antum cr balt p od ce accorect that 4000 4000 ppm BACTRONK 31 Antum cr balt p od ce accorect the dot 14000 ppm BACTRONK 31 Antum cr balt to the second the dot 14000 ppm BACTRONK 31 Antum cr balt p od ce accorect the dot 14000 ppm BACTRONK 31 Antum cr balt to the second the dot 14000 ppm BACTRONK 31 Antum cr balt to the second the dot 14000 ppm BACTRONK 31 Antum cr balt to the second the dot 14000 ppm BACTRONK 31 Antum cr balt to the second the dot 14000 ppm BACTRONK 31 Antum cr balt to the second the dot 14000 ppm BACTRONK 31 Antum cr balt to the second the dot 14000 ppm BACTRONK 31 Antum cr balt to the second to the dot 14000 ppm BACTRONK 31 Antum cr balt to the second the dot 14000 ppm BACTRONK 31 Antum cr balt to the second the dot 14000 ppm BACTRONK 31 Antum cr balt to the second the dot 14000 ppm BACTRONK 31 Antum cr balt to the second the dot 14000 ppm BACTRONK 31 Antum cr balt to the second the dot 14000 ppm BACTRONK 31 Antum cr balt	HYDROTESTING Wate u edio hyd test ppeln sor vessels should co tin 2001 8000 ppm BACTRON K-31 Antimic cobial (0.2 to 8.0 galio. BACTRON K-31 A time cobial per 1000 gali wate.) dep drigo water quality and le gth of time thi eq pime tiwill errain idle Ad BACTRON K 31 Antimic of 1 1 g fivater immed alely following this scrape. (deall this we text and a bial to aminimum a doo ta ad between this scrape. d traing pg) Suffice t BACTRON K31 Antimer bial in tible addedt prod sea co certatio of 0.2 bio 1 of thor fin a proventive of broal in with 0 drig in this severity of the severity of broal of this severity of broal of this severity of broal of the tot in a difficential severity of broal of the 1 of broad production and the severity of broad of the tot in a difficential severity of broad of the 1 of broad production and the severity of broad of the tot in a difficential severity of broad of the 1 of broad production and the severity of broad of the tot in a difficential severity of broad of the 1 of broad productiant of the severity of broad of the 1 of broad production and the severity of broad of the 1 of broad production and the severity of broad of the 1 of broad production and the severity of broad of	LIMITED WARRANTY AND DISCLAIMER Sell w at thit prod t form t is chim real de più as co ta d th I bi d s asonably fifor the pu pose stat d th i bel wh sed with decto u de orm i o dion f se for the earch termited by applicable law CHAMPION TECHNOLOGIES shall ot bi lable fo o s quenta a speci lori d ect d mages res lung from the s o h ding fiths p d ct T the eartent permited by applicable law all such skis shall so bi lable fo o s quenti at speci lori d ect d mages res lung from the s o h ding fiths p d ct T the eartent permited by applicable law all such skis shall by y r u e fith p du tf añy d alloss s j res <sup>5</sup> r damages esuiting from in ywy i ing f m the u e hardling <sup>0</sup> o dherwas estalling exceed h purchase proceptid of this product or af CHAMPION TECHNOLOGIES a let on the replacement of ths p oduct CHAMPION TECHNOLOGIES a let on the replacement of ths product or af CHAMPION TECHNOLOGIES a let on the replacement of ths product or af CHAMPION TECHNOLOGIES a let on the replacement of ths product or af CHAMPION TECHNOLOGIES a No WARRANTES OF MERCHANTABILITY OR FILNES FOR A PARTICULAR PURPLOSE NOR ANY
<b>BACTRON K-31</b>	ANTIMICROBIAL	A MICROBIOCIDE FOR USE IN CONTROLLING SULFATE REDUCING BACTERIA AND SLIME FORMING BACTERIA IN OIL WELL DRILLING OIL FIELD PROCESSING APPLICATIONS OIL FIELD WATER SYSTEMS GAS PRODUCTION AND TRANSMISSION PIPELINES AND SYSTEMS AND GAS STORGE FIELDS AND EQUIPMENT SUCH AS STEAM IN DECTION WATER	DISPOSAL WELL WATER WALER HAUEVING TANKS FUEL STORAGE TANKS AND RELATED REFINERY AND OIL FIELD CLOSED INDUSTRIAL RECIRCULATING WATER HANDLING SYSTEMS	Che I ged Is T tal <b>KEEP OUT OF REACH OF CHILDREN</b>	DÂNGER/PELIGRO POISON Si <sup>®</sup> sted no entiand la etq. eta b <sup>®</sup> squesa algu enp q ese la expl q e a ustedi jdetalje (if yo do not understa "d the label f d me ne to explain it to	FIRST. FIRST. I trod to mme t g is tldt by is tldt by f wt f bilt	, TRO LRO	s tofesha s otb th g II n prefeably mouth t of ce t o HYSICIAN Asp t Y cont d at th u SDS a d f a al ble tiol t d t	SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS   Champon Technologues Inc   Champon Technologues Inc Champon Technologues Inc   PO Box 450439 P O Box 450439   PO Box 450439 P O Box 450439   PAReg # 8133-20   Container Sze 255 gal   FPA Reg # 8133-20   Rast 7 Net Con risk 2254 lb   8133-14-02 8133-14-02   71021 Travit Net Cont and to co ta e
PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS	DANGER	KEEP OUT OF REACH OF CHILDREN   C C s e e b d mfulf   C C S e e b d mfulf h d d mfulf   C C C S e e b d mfulf   h d H mmfilfsw I wd H mfulf   f q typ ated sk c t t d	d duals D to saturniat y a disymptomis mypreature d duals D toptneyes o sk loth g A odbeathing ap D ofswarfow W ag ggr portotecting d bb gfo Warh thooghiywith padwateafi had ig Rim tam ted ith g a dw hb fe ese	HAZARDS Intcotgt wtslss schageEimt		B ar=5 B	etfgalpunpesgested t feservo Spalw d tal t l with TEFLON® stablefog kt dpackg g PESTICIDE DISORAL. Do too tarm at wit food feed by t g dsposel Ope d mp g pohbted P stord wites a et imp op dspo alf p buod p ymarter at workshoff drail with wart ca dt b d posed fby a c rotio table struct. con tacty Stat P brokeo you Enveron mital Control Ag y th Haza dous Wasterrepese table tith earest EFA Rego al Office f g d ce CONTAINER DISORAL Meatic t es Pit Cont & Tipple se ( g alent) Thr off f crocid go b ncd dspos f	ary la drill the poced estapped by the dial can be My up carerated of allowed by the dial by m giftb m distry the move Metal Content d D to to weld m the contains HANDLING OR USING READ AND UNDERSTAND CURRE HANDLING OR USING READ AND UNDERSTAND CURRE HANDLING OR USING READ AND UNDERSTAND CURRE AL SAFETY DATA SHEET FOR THIS PRODUCT	Reactivity Person I Pretection IN CASE OF EMERGENCY CALL CHAMPION TECHNOLOGIES AT 281-431 2561 OR CHEMTREC AT 1-800-424-9300 Sh pp _ 4 N 1 gfilatfed fo 1 gd a d at h,pp _ 4 Sh pp _ 4 N 1 gfilatfed fo 1 gd a d at h,pp _ 4 Cia _ 9 ÚN 3334 (0)