

50 LBS.

NET WEIGHT

BP Pak-Mate

LARVI-RID "B" 2 x 1 MINERAL

To prevent the development of horn flies, face flies, house flies and stable flies in the manure of treated cattle

ACTIVE INGREDIENT:	BY WEIGHT
2-chloro 1-(2,4,5-trichlorophenyl)-vinyl dimethyl phosphate	1.00%*
INERT INGREDIENTS	99.00%**
TOTAL	100.00%

*Each pound contains 4.54 grams RABON®
**Refers only to ingredients which are not larvicidal

EPA REG NO 8143-5
EPA EST NO 8143 IA 1

GUARANTEED ANALYSIS

Calcium (Ca) not less than	17.25%
Calcium (Ca) not more than	20.70%
Phosphorus (P) not less than	10.00%
Salt (NaCl) not less than	10.00%
Salt (NaCl) not more than	12.00%
Potassium (K) not less than	1.20%
Iodine (I) not less than	0.002%
Magnesium (Mg) not less than	0.095%
Iron (Fe Ferrous) not less than	0.009%
Copper (Cu) not less than	0.0009%
Manganese (Mn) not less than	0.070%
Cobalt (Co) not less than	0.002%
Zinc (Zn) not less than	0.095%
Sulfur (S) not less than	0.300%
Vitamin D ³ USP Units per lb (min)	50,000

FEED INGREDIENTS

Dicalcium Phosphate, Calcium Carbonate, Cane Molasses, D-Activated Animal Sterol, Source of Vitamin D, Salt, Magnesium Oxide, Manganous Oxide, Ferrous Sulfate, Copper Oxide, Cobalt Carbonate, Zinc Oxide, Potassium Iodide, Potassium Chloride, Calcium Sulfate, Iron Oxide, and Anise Oil

KEEP OUT OF REACH OF CHILDREN
CAUTION

SEE BELOW FOR ADDITIONAL PRECAUTIONARY STATEMENTS

BEST DOCUMENT AVAILABLE

Vitamin A, USP Units per lb (min) 300,000

Vitamin E, I Units per lb (min) 100

8143-5

200,000 c.c.

with Vitamin A Palmitate,

dl-Alpha Tocopherol Acetate (Source of Vitamin E)

MIXING DIRECTIONS FOR FINISHED RATIONS

The following table shows the correct amount of LARVI-RID "B" 2 x 1 MINERAL to be mixed into a complete daily ration in order to provide the recommended average daily intake of 70 mg of Rabon[®] Oral Larvicide per hundred pounds of body weight.

Determine your cattle's average body weight, find this figure in the left column. Then determine the average consumption of your complete daily ration and find this figure in the top column. Cross reference and you will find amount of LARVI-RID "B" 2 x 1 MINERAL to be mixed into a ton of finished ration. Mixing time should be adequate to assure uniform dispersion. Optimum performance can be assured only if LARVI-RID "B" 2 x 1 MINERAL is dispersed uniformly with the feedstuff at the recommended level. Common feed mixing equipment, i.e., vertical mixers, horizontal blenders, mixer feeder trucks, may be used to prepare formulated feed.

CONSUMPTION PER HEAD PER DAY OF FINISHED RATION (Pounds)

	LBS	4	5	6	7	8	9	10	15	20	25	30	
AVERAGE WEIGHT OF ANIMALS (Pounds)	400	32	25	21	18	16	14	13	9	7	5	4	POUNDS OF LARVI-RID "B" 2 x 1 MINERAL WITH RABON [®] TO BE MIXED PER TON OF FINISHED RATION
	500	40	32	27	23	20	18	16	11	8	7	6	
	600	47	38	32	27	24	21	19	13	10	8	7	
	700	55	44	37	32	28	25	22	15	11	9	8	
	800	62	50	41	36	32	28	25	17	13	10	9	
	900	71	56	47	41	36	32	29	19	15	12	10	
	1000	78	62	53	44	40	35	32	21	16	13	11	
	1100	86	68	58	50	43	38	35	23	18	14	12	
	1200	93	74	62	53	47	41	38	25	19	15	13	
	1300	101	81	68	59	50	46	41	28	21	17	14	
	1400	109	87	72	62	55	49	44	30	22	18	15	
	1500	117	93	78	66	59	53	47	32	24	19	16	
	1600	124	99	83	71	62	56	50	34	25	20	17	
	1700	132	106	88	75	66	59	53	36	27	22	18	
	1800	140	112	93	80	71	62	56	38	29	23	19	
	1900	148	118	98	84	74	65	59	40	30	24	20	
2000	155	124	104	89	78	69	62	41	32	25	21		

U.S. ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (WH-567)
WASHINGTON, D.C. 20460

EPA REGISTRATION NO.

DATE OF ISSUANCE

TERM OF ISSUANCE

NOTICE OF PESTICIDE: REGISTRATION
 REREGISTRATION
(Under the Federal Insecticide, Fungicide
and Rodenticide Act, as amended)

NAME OF PESTICIDE PRODUCT

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

[]
[]
[]

3/5/83
12/83

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

PESTICIDE DISPOSAL: Pesticide, spray mixture, or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, state, or local procedures.

CONTAINER DISPOSAL: Completely empty bag by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of bags in a sanitary landfill or by incineration if allowed by State and local authorities.

d. ~~Delete "General Classification" under the directions for use.~~ 

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

Enclosures