

50 LBS.

NET WEIGHT

**BP Pak-Mate**

**LARVI-RID "S"**  
**2 x 1**  
**MINERAL**

To prevent the development of house flies in the manure of treated swine

**ACTIVE INGREDIENT:**

2-chloro-1-(2, 4, 5-trichlorophenyl)  
vinyl dimethyl phosphate

**BY WEIGHT**

**INERT INGREDIENTS**

TOTAL

0.40%\*

99.60%\*\*

100.00%

\*Each pound contains 1.816 grams RABON\*

\*\*Refers only to ingredients which are not larvicidal

EPA REG. NO. 8143-6

EPA EST. NO. B143-1A.1

**GUARANTEED ANALYSIS**

|                                   |         |
|-----------------------------------|---------|
| Calcium (Ca), not less than       | 17.25%  |
| Calcium (Ca), not more than       | 20.50%  |
| Phosphorus (P), not less than     | 10.00%  |
| Salt (NaCl), not less than        | 10.00%  |
| Salt (NaCl), not more than        | 12.00%  |
| Potassium (K), not less than      | 1.20%   |
| Iodine (I), not less than         | 0.050%  |
| Magnesium (Mg), not less than     | 0.095%  |
| Iron (Fe-Ferrous), not less than  | 0.009%  |
| Copper (Cu), not less than        | 0.0009% |
| Manganese (Mn), not less than     | 0.070%  |
| Cobalt (Co), not less than        | 0.002%  |
| Zinc (Zn), not less than          | 0.095%  |
| Sulfur (S), not less than         | 0.300%  |
| Vitamin D, USP Units per lb. min. | 50,000  |

**FEED INGREDIENTS**

Dicalcium Phosphate, Calcium Carbonate, Cane Molasses, Salt, D Activated Animal Sterol (Source of Vitamin D), Magnesium Oxide, Manganous Oxide, Ferrous Sulfate, Copper Oxide, Cobalt Carbonate, Potassium Iodide, Ethylenediamine Dihydrochloride, Zinc Oxide, Potassium Chloride, Calcium Sulfate, Iron Oxide, and Anise Oil

KEEP OUT OF REACH OF CHILDREN

## CAUTION

SEE BELOW FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS

#### CAUTION

Keep out of reach of children. Harmful if swallowed. Avoid contact with skin and eyes. Avoid breathing dust. Wash thoroughly with soap and water after handling and before eating or smoking. If in eyes, wash with plenty of water for 15 minutes. If irritation persists, see a physician.

#### ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

#### STORAGE AND DISPOSAL

1. **PROHIBITIONS** --Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.
2. **PESTICIDE DISPOSAL** --Pesticide that cannot be reused or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.
3. **CONTAINER DISPOSAL** --Do not reuse or reprocess. If approved for pesticide containers, or bury in a safe place.
4. **GENERAL** --Consult federal, state, or local disposal authorities for approved alternative procedures such as limited open burning.

### DIRECTIONS FOR USE GENERAL CLASSIFICATION

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Rations containing LARVI-RID S 2 x 1 MINERAL may be fed to swine up to a slaughter. Start mixing LARVI-RID S 2 x 1 MINERAL into swine rations early in the spring before flies begin to appear and continue feeding throughout the summer and into the fall until cold weather restricts fly activity.

When fed, the RABONE contained in LARVI-RID S 2 x 1 MINERAL has been registered for use as a fly preventive for the primary manure where it is the most effective fly control in the manure.

It prevents the development of house flies in the manure of hogs, swine, and other animals, thus preventing adult flies.

In some cases, supplementary control measures may be needed to control adult house flies which can breed in other manure or other decaying vegetable matter on the premises.

In order to achieve optimum fly control, LARVI-RID S 2 x 1 MINERAL should be used in conjunction with other good management and sanitation practices.

Manufactured By

PROTEIN BLENDERS, INC.  
2420 Highway 218 South  
Iowa City, Iowa 52240

SEE BACK OF TAG FOR MIXING DIRECTIONS

### MIXING DIRECTIONS FOR FINISHED RATIORS

The following complete rations for swine provide the recommended average daily intake of Rabon® Oral Larvicide. IMPORTANT: ALL SWINE SHOULD BE TREATED

**PIGS** (weaners to market weight) Mix one of the following recommended rations and feed as the sole ration to swine.

|                                     | Pig Weights (lbs.) |        |         |            |
|-------------------------------------|--------------------|--------|---------|------------|
|                                     | 40-75              | 75-125 | 125-175 | 175-Market |
| Ground Shelled Corn, lbs.           | 1500               | 1550   | 1625    | 1675       |
| Mixer-Mate 40 (Non-Medicated), lbs. | 475                | 425    | 350     | 300        |
| LARVI-RID "S" 2 x 1                 | 25                 | 25     | 25      | 25         |
| MINERAL, lbs.                       | 2000*              | 2000*  | 2000*   | 2000*      |

\*Each of the above rations will contain 22.7 milligrams of RABON® per lb.

**SOWS, BOARS, AND BREEDING GILTS** Mix one of the following recommended rations and feed at the rate of 4 to 6 lbs. per head per day.

|                                     | PROTEIN % |       |
|-------------------------------------|-----------|-------|
|                                     | 14        | 15    |
| Ground Shelled Corn, lbs.           | 1600      | 1525  |
| Mixer-Mate 40 (Non-Medicated), lbs. | 350       | 425   |
| LARVI-RID "S" 2 x 1                 | 50        | 50    |
| MINERAL, lbs.                       | 2000*     | 2000* |

\*Each of the above rations will contain 45.4 milligrams of RABON® per lb.

\*RABON is the registered trademark of Shell Oil Co. U.S. Patent No. 3,102,842

|  |                           |                  |
|--|---------------------------|------------------|
| <p align="center"><b>U.S. ENVIRONMENTAL PROTECTION AGENCY</b><br/> <b>OFFICE OF PESTICIDES PROGRAMS</b><br/> <b>REGISTRATION DIVISION (WH-567)</b><br/> <b>WASHINGTON, D.C. 20460</b></p> <p><b>NOTICE OF PESTICIDE:</b> <input type="checkbox"/> REGISTRATION<br/> <input type="checkbox"/> REREISTRATION</p> <p><i>(Under the Federal Insecticide, Fungicide<br/> and Rodenticide Act, as amended)</i></p>   | EPA REGISTRATION NO.      | DATE OF ISSUANCE |
|  | TERM OF ISSUANCE          |                  |
|  | NAME OF PESTICIDE PRODUCT |                  |
| NAME AND ADDRESS OF REGISTRANT (Include ZIP code) <div style="text-align: right; margin-top: 10px;"> 16/88412<br/> 1/1<br/> 3/15/83 </div>   |                           |                  |
| <p><b>NOTE:</b> Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.</p>   |                           |                  |
| <p>On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.</p> <p>A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.</p> <p>Registration is in no way to be construed as an endorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p> |                           |                  |
| <input type="checkbox"/> ATTACHMENT IS APPLICABLE  |                           |                  |
| SIGNATURE OF APPROVING OFFICIAL  |                           | DATE             |

**PESTICIDE DISPOSAL:** Pesticide, spray mixture, or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, state, or local procedures.

**CONTAINER DISPOSAL:** Completely empty bag by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of bags in a sanitary landfill or by incineration if allowed by State and local authorities.

d. ~~Delete "General Classification" under the directions for use.~~ 

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. LaRocca  
Product Manager (15)  
Insecticide-Rodenticide Branch  
Registration Division (TS-767)

Enclosures