81	54	-9	
----	----	----	--

07/14/2006

	U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Antimicrobials Division (7510P) 1200 Pennsylvania Avenue NW Washington, D.C. 20460	EPA 1 Numbe 815 Term Con
tunder FIFRA, as	NOTICE OF PESTICIDE: Registration Reregistration	Name San Wat
	, of Registrant (include 270 Code):	

K-O-K Products, Inc.
700 South 3B's & K Road
Galena, OH. 43021

Conditional		
form of issuance:		
8154-9	July 14, 2006	
Number :	issuance:	
EPA Red.	Date of	l I
		l.

Name of Pesticide Product:

Sanamax Swimming Pool Water Disinfectant

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for re-registration of your product under FIFRA section 4. 2. Change EPA File Symbol 8154-O to EPA Reg. No. 8154-9.

3. Change Active Ingredient to 10% and Inert Ingredients to 90% to match the CSF declarations.

4. Reorder the First Aid Statement in following descending order: Eyes, Skin, Inhaled, Swallowed.


5. Modify the Environmental Hazards by deleting all but the first sentence. The NPDES statement is required for products 5 gallons or greater as stated in PR Notice 93-10.

6. Delete the word "to" in the swimming pool directions as indicated.

7. Certification regarding Child-Resistant Packaging (CRP) and Compliance with the standards and provisions of 40 CFR 157.32 including the revised effectiveness standards in 16 CFR 1700.15(b), and the revised testing procedures in 16 CFR 1700.20 as published in 60 FR 37710 (July 21, 1995) must be submitted within 30 days. In addition, your certification must include a statement describing the type of packaging used and its designation using the American Society for Testing and Materials (ASTM) Standard D3475-95 "Standard Classification of Child-Resistant Packages.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

Signature of Approving Official:	Date:
Emily H. Mitchell	July 14, 2006
Product Manager 32 Antimicrobials Division (7510P)	



# ACCEPTED

HERE LEADER MARK

# JUL 1 4 2006

**-**....

8154-9

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

in the second na 1999. Birther and the strange of the strain of Birther and the strain of the

#### ENVIRONMENTAL HAZARDS

To show the second second of the Baselin and gradient and the second second second second second second second And the state of the second of the second state of the second state of the second state of the second second state of the second second state of the second seco

### PHYSICAL OR CHEMICAL HAZARDS

الم المراجع المراجع المحمد المراجع المحمد المراجع المحمد المراجع المحمد المحمد المحمد المحمد المحمد المحمد الم المراجع المحمد محمولية المحمد المح . . . 73.2% minute a second

## DIRECTIONS FOR USE

in second or off second to use to propose on the environment of the 4steriors.

A TENT CONTRACTOR AND A CO 

#### STORAGE AND DISPOSAL

n for exemple The Antonio Control Region of the Antonio Control Region of the Antonio Control Region of the Antonio Control R Antonio Control Region of the Antonio Control Region of the Antonio Control Region of the Antonio Control Region ÷ ...

#### SPAS AND HOT-TUBS

Accession of the company product optime of which is the second product complete accession of the complete second autorio de la telas de las construcciones en entre en la avelita de la construcción de la construcción en el es 

The second metal parameters of the second nco. Reemt unit treated spay an instructionater treatment optimizer above levelus to provincial incoming on instruction and instru-After each use, shock treat with 20 % oz. of this product pell 1.00% general of water to control path appearable to prove the centros of disuse and 4 from of product daily, per 500 callons of water to maintain a 3 ppm chlorine concentration,

# ATTED WH COMPLETING 11 EFALetter Later.

# .111 14 2005

.

•

•••

. . , . . ...

> . . . . <u>. 1</u> 8154-9

# SWIMMING POOL WATER DISINFECTION

## DIRECTIONS:

For a new pool or spring start-up, superchlorinate with 64 to 128 fl. oz. of product for each 10,000 gallons of water to yield 5 to 10 ppm available chlorine by weight. Check the level of available chlorine with a test kit. Re-entry after start-up of newly treated pools is prohibited above levels of 4 ppm of chlorine due to risk of bodily harm. Adjust and maintain pool water pH to between 7.2 to 7.6. Adjust and maintain the alkalinity of the pool to between 50 to 100 ppm.

To maintain the pool, add manually or by a feeder device 212 fl. oz. of this product for each 10,000 gallons of water to yield an available chlorine residual between 0.6 to 1.0 ppm by weight. Stabilized pools should maintain a residual of 1.0 to 1.5 ppm available chlorine. Test pH, available chlorine residual and alkalinity of the water frequently with appropriate test kits. Frequency of water treatment will depend upon temperature and number of swimmers.

Every 7 days, or as necessary, superchlorinate the pool with 64 to 128 fl. oz. of this product for each 10,000 gallons of water to yield 5 to 10 ppm available chlorine by weight. Check the level of available chlorine with a test kit. Do not reenter pool until the chlorine residual is between 1.0 to 3.0 ppm.

At the end of the swimming pool season or when water is to be drained from the pool, chlorine must be allowed to dissipate from treated pool water before discharge. Do not chlorinate the pool within 24 hours prior to discharge.

WINTERIZING POOLS - While water is still clear and clean, apply 4 oz. of this product per 1.000 gallons, while filter is running, to obtain a 3 ppm available chlorine residual, as determined by a suitable test kit. Cover pool, prepare heater, filter and heater components for winter by following manufacturers' instructions.



#### Manufactured By:

K-O-K PRODUCTS, INC., 700 S. Three B's & K Road, Galena, Ohio 43021 <u>0""85458"12803</u> Sanamaxacom <u>Productory (500)</u> (500) (500) (512

> ACCEPTED With COMMENTS IN EPA Letter Dated:

> > JUL 1 4 2006

e torel trisocticide, onticide Actas finite, en ite.