

ACCEPTED

AUG 18 1987

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 8155-11

U.S. EPA

5-13-87

TO OPEN CHILD RESISTANT CAP Use fingernail or coin to pull back and push down rear-most ridge on spout. Push spout down following use



Cross-contamination is of major housekeeping concern not only in hospitals, but in schools, institutions, and industry. Products formulated for this problem area. It both cleans and disinfects effectively and is virucidal when used as directed. Its hard surface disinfecting action will reduce the hazard of cross-contamination from environmental surfaces.

When used as directed, it will deodorize surfaces in toilet areas, behind and under sinks and counters, garbage cans and garbage storage areas, and will inhibit the growth of mold and mildew and their odors when used as directed.

Precautionary Statements
Hazard to Humans and Domestic Animals
DANGER

Keep Out of Reach of Children. Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

Storage and Disposal

- Do not contaminate water, food, or feed by storage or disposal.
- Do not store on side.
- Avoid creasing or impacting of side walls.

PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray or mixture of rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities by burning. If burned, stay out of smoke.

Metal Container: Triple rinse (or equivalent), then offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. (If container is 1 gallon or less, use this container disposal statement.)

Do not reuse empty container (bottle, can, bucket). Wrap container and put in trash.

Manufactured by:
CANBERRA CORPORATION
3610 HOLLAND-SYLVANIA RD.
TOLEDO, OHIO 43615

801

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Product is a proven "one-step" cleaner - disinfectant - sanitizer - fungicide - virucide in the presence of moderate amounts of organic soil.

Apply product to walls, floors and other hard (non-metal) non-porous surfaces such as tables, chairs, countertops, sinks and bedframes with a cloth, mop or mechanical spray device so as to thoroughly wet surfaces. For heavily soiled areas, a preliminary cleaning is required. Prepare a fresh solution daily or when use solution becomes visibly dirty.

Disinfection - to disinfect hard, non-porous surfaces, add 3 1/2 oz. per gallon of water. Treated surfaces must remain wet for 10 minutes. At this use-level, product is also virucidal and fungicidal.

Sanitizing - to sanitize porous or non-porous surfaces, non-food contact surfaces, add 1/4 oz. per gallon of water.

1/2 oz. per gallon use-level. The broad spectrum activity of product has been evaluated in the presence of 5% serum and found to be effective against the following by the AOAC Use-Dilution test: *Pseudomonas aeruginosa*, *Staphylococcus aureus*, *Salmonella choleraesuis*, *Escherichia coli*, *Klebsiella pneumoniae*, *Enterobacter aerogenes*, *Salmonella schottmuelieri*, *Streptococcus faecalis*, *Shigella dysenteriae*, *Brevibacterium ammoniagenes*.

AOAC Fungicidal Test. Product is effective against *Trichophyton mentagrophytes* (the athlete's foot fungus) when used on surfaces in areas such as locker rooms, showers and bath areas, exercise areas, dressing rooms, etc.

Mildewstatic Performance. At 1/2 oz. per gallon product will effectively inhibit the growth of mold and mildew and the odors caused by them when applied to hard, non-porous surfaces (as indicated in general instructions above). Allow to dry on surface and repeat when mildew growth returns.

Virucidal Performance. At 1/2 oz. per gallon use-level, product was evaluated in the presence of 5% serum and found to be effective against the following viruses: *Fluenza A*, *Hong Kong*, *Herpes Simplex Types 1 and 2* and *Vaccinia* on inanimate hard non-porous environmental surfaces.

Sanitizing Non-Food Contact Surfaces (such as floors, walls, tables, etc.). At 1/3 oz. per 2 gallon use-level, 30 second contact time. It is an effective sanitizing agent in waters of up to 600 ppm hardness against *Staphylococcus aureus* and *Klebsiella pneumoniae* in the presence of 5% serum on porous and non-porous environmental surfaces.

EPA Registration No. 8155-11

EPA Establishment No. 8155-OH-1.

KEEP FROM FREEZING

FOR INDUSTRIAL AND INSTITUTIONAL USE ONLY

*HIGH DILUTION QUATERNARY

HUSKY 801

*H/D/Q GERMICIDAL CLEANER

HIGHLY CONCENTRATED GERMICIDE BASED ON A UNIQUE BLEND OF QUATERNARIES WITH ORGANIC SOIL LOAD TOLERANCE. DISINFECTANT-CLEANER-SANITIZER-FUNGICIDE-MILDEW-STATIC-VIRUCIDE-DEODORIZER FOR HOSPITALS, INSTITUTIONAL AND INDUSTRIAL USE.

Statement of Practical Treatment

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

ACTIVE INGREDIENTS

Octyl decyl dimethyl ammonium chloride
Dioctyl dimethyl ammonium chloride
Didecyl dimethyl ammonium chloride
Alkyl (C₁₂, 50% C₁₁, 40% C₁₀)
dimethyl benzyl ammonium chloride

3.750%
1.875%
1.875%

INERT INGREDIENTS

5.000%
87.500%
100.000%

DANGER: KEEP OUT OF REACH OF CHILDREN

Net Contents: 32 Fl. Oz. (1 U.S. Qt.) 946 ml.

BEST AVAILABLE COPY